



ABRASIVE DISCS

Cutting and grinding wheel catalogue

Resin-bonded cut-off and grinding wheels for metal, stainless steel, fabrication and general industrial applications.

International sourcing, purchasing and import-export coordination

Product details are subject to final written supplier confirmation.

Abrasive sourcing for industrial buyers

CSL IMPEX coordinates product selection, samples, packaging and export documentation. Wheel dimensions, type, abrasive specification, maximum operating speed and test documentation must be confirmed for each order.

SOURCE

Supplier search, product comparison and quotation coordination

VERIFY

Specifications, samples, test reports and compliance documents

FOLLOW UP

Production progress, packaging and quality checkpoints

EXPORT

Commercial documents and shipment coordination

Buyer Selection Guide

- Match wheel diameter, thickness and bore to the machine spindle and guard.
- Confirm Type 41 flat cut-off, Type 42 depressed-centre cut-off or Type 27 grinding configuration.
- The wheel maximum operating speed must never be lower than the machine speed.
- Confirm application material, required cut quality, carton quantity, label language and destination compliance.

REFERENCE FOR BUYER REVIEW

OSHA 29 CFR 1910.215 requires spindle speed not to exceed the wheel maximum operating speed. Product certification must be verified against the actual supplier...

Size / Type	Pcs / Ctn	Gross kg	Carton cm
107×1.0×16 (ultra-thin, stainless steel)	800	21.5	48*25*18.5
107×1.2×16 (standard thin) T41	800	21.5	48*25*18.5
107×1.2×9.8 (Korean-market type) T41	500	13.5	56*23*11
100×3×16 T42	400	25	38*22.5*24
100×6×16 T27	200	22	38*22.5*24
115×1.0×22.23 (EU/US standard ultra-thin)	600	18	48*25*18.5
115×1.2×22.23 (general purpose) T41	600	19	48*25*18.5
115×1.6×22.23 (general purpose) T41	400	15.5	55*25*18.5
115×3×22.23 T42	300	23	25.5*25*22
115×6×22.23 T27	150	21.5	38*25*14
115×7×22.23 T27	150	23	25.5*25*22
125×1.0×22.23 T41	600	21	41*27.5*20
125×1.2×22.23 T41	600	22	41*27.5*20
125×1.2×16 T41 (Korean-market type)	500	20	66*28*14
125×1.6×22.23 T41	600	28	48*28*21
125×3×22.23 T42	300	19	42*27*14.5
125×6×22.23 T27	100	18	37.5*27*14.5
125×7×22.23 T27	100	20	25.5*25*22
150×1.6×22.23 T41	200	16.5	46*17*17
150×6×22.23 T27	100	24	
180×1.6×22.23 T41	200	18.5	40*20*20
180×3×22.23 T42	100	17	

Size / Type	Pcs / Ctn	Gross kg	Carton cm
180×6×22.23 T27	50	17.5	40*20*18
180×6.5×22.23 T27	50	18.5	
180×7×22.23 T27	50	20	
230×1.9×22.23 (large angle grinder / s	100	19	28*25*24.5
230×3×22.23 T42	50	14.5	24.5*21.5*25.5
230×6×22.23 T27	50	28.8	48*25*18.5
230×7×22.23 T27	40	24	
230×8×22.23 T27	40	26	
305×3×25.4 T41	40	20	31*31*18
305×4×25.4 T41	25	17	31*31*18.5
355×3×25.4 T41	25	17	37*37*9
355×4×25.4 T41	25	24.5	37*37*11
405×3.2×25.4 T41	25	23	41*41*10
405×4.5×25.4 T41(foundry use)	25	25	41*41*13



Request abrasive samples and quotation

Chandrasukh | CSL IMPEX - China Sourcing Link

Mobile / WhatsApp: +91 77384 24384

Additional contact: +91 81695 02362

Email: psdsc.jalan@gmail.com

Email: cslimpex@yahoo.com

WeChat: Chandrasukh

Head Office: Room No. 503/C Wing, Garden Court Complex, Behind Maxus Mall, Bhayander West, Mumbai...

Branch Office: Address to be updated



SCAN FOR WHATSAPP