

Monitors & Industrial Displays

Gaming, curved and everyday monitors plus industrial display solutions.



Source globally. Trade seamlessly.

Sourcing • Procurement • OEM branding • Quality control • Global logistics

31 product families and designs | October 2026

Your China sourcing link

CSL IMPEX supports international buyers with product sourcing, supplier coordination and import-export requirements. Select a catalogue code and share your destination market, specification and order quantity for a tailored quotation.

Sourcing & procurement

Supplier search, product matching and purchasing coordination.

Custom products & OEM manufacturing

Brand artwork, private-label options, packaging and configuration requests.

QC & reporting

Agreed inspection scope, sample checks and photographic reporting.

Logistics & documentation

Air, land and sea shipment coordination and trade-document support.

Negotiation

Commercial terms, order quantities and delivery coordination.

Catalogue guide

Specifications are transcribed from the supplied product literature. Multiple values indicate alternatives and may not be available together. CSL codes are catalogue identifiers. Product artwork and screen content are illustrative; included software, cameras and accessories must be confirmed. OEM logo placement is subject to artwork approval, MOQ and manufacturing feasibility.

Office

Room No. 503/C Wing, Garden Court Complex, Behind Maxus Mall,
Bhayander West, Mumbai, India 401101
WeChat: Chandrasukh



Find your product

CSL-G01	Curved gaming monitor	4
CSL-G02	Multi-size desktop monitor	5
CSL-G03	Gaming-style desktop monitor	6
CSL-G04	Gaming-style desktop monitor	7
CSL-C01	32-inch curved monitor	8
CSL-C02	32-inch curved monitor - alternate housing	9
CSL-C03	27-inch curved monitor - light housing	10
CSL-C04	27-inch curved monitor - dark housing	11
CSL-C05	23.8-inch curved monitor - dark housing	12
CSL-C06	23.8-inch curved monitor - light housing	13
CSL-C07	Compact curved monitor	14
CSL-B01	Multi-resolution IPS monitor	15
CSL-B02	IPS monitor with stand options	16
CSL-B03	Multi-size IPS monitor	17
CSL-B04	31.5-inch VA monitor	18
CSL-B05	31.5-inch VA monitor - alternate housing	19
CSL-B06	27-inch VA monitor - light housing	20
CSL-B07	27-inch VA monitor - dark housing	21
CSL-B08	23.8-inch IPS monitor	22
CSL-B09	21.45-inch VA monitor - light housing	23
CSL-B10	21.45-inch VA monitor - dark housing	24
CSL-N01	Everyday TN desktop monitor	25
CSL-N02	Everyday TN desktop monitor	26
CSL-N03	Everyday TN desktop monitor	27
CSL-N04	Everyday TN desktop monitor	28
CSL-N05	Everyday TN desktop monitor	29
CSL-I01	Slim industrial LCD display	30
CSL-I02	Industrial capacitive display - design A	31
CSL-I03	Industrial capacitive display - design B	32
CSL-I04	Fanless industrial panel computer	33
CSL-I05	Fanless industrial panel computer	34

CSL-G01

Curved gaming monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	32 in
Resolution options	2560 x 1440
Refresh rate	165 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / Audio
Screen curvature	R1500

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-G02

Multi-size desktop monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	21.5 / 23.8 / 24 / 27 / 28 / 31.5 in
Resolution options	1920 x 1080 / 2560 x 1440
Refresh rate	60 / 75 Hz
Panel technology	IPS
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: Camera shown in the image: inclusion and camera specification require confirmation.

CSL-G03

Gaming-style desktop monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	27-39 in
Resolution options	1920 x 1080 to 3840 x 2160
Refresh rate	60 Hz
Panel technology	TN
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: The source states a size and resolution range; request the exact size/resolution combination.

CSL-G04

Gaming-style desktop monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	27-39 in
Resolution options	1920 x 1080 to 3840 x 2160
Refresh rate	60 Hz
Panel technology	TN
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: The source states a size and resolution range; request the exact size/resolution combination.

CSL-C01

32-inch curved monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	32 in
Resolution options	2560 x 1440
Refresh rate	165 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / Audio
Screen curvature	R1500

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-C02

32-inch curved monitor - alternate housing

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	32 in
Resolution options	2560 x 1440
Refresh rate	165 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / Audio
Screen curvature	R1500

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-C03

27-inch curved monitor - light housing

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	27 in
Resolution options	2560 x 1440
Refresh rate	144 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / Audio / DP
Screen curvature	R1500

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-C04

27-inch curved monitor - dark housing

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	27 in
Resolution options	2560 x 1440
Refresh rate	144 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / Audio / DP
Screen curvature	R1500

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-C05

23.8-inch curved monitor - dark housing

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	23.8 in
Resolution options	1920 x 1080
Refresh rate	144 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	Not stated
Screen curvature	R1500

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-C06

23.8-inch curved monitor - light housing

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	23.8 in
Resolution options	1920 x 1080
Refresh rate	144 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / Audio / DP
Screen curvature	R1500

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-C07

Compact curved monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	21.45 in
Resolution options	1920 x 1080
Refresh rate	75 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / Audio / DP
Screen curvature	R1500

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-B01

Multi-resolution IPS monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	21.5 / 23.8 / 27 in
Resolution options	1920 x 1080 / 2560 x 1440 / 3840 x 2160
Refresh rate	60 / 75 Hz
Panel technology	IPS
Aspect ratio	16:9
Interfaces listed	HDMI / VGA


PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-B02

IPS monitor with stand options

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



DISC BASE



FRONT AND BACK

Screen size options	21.5 / 23.8 / 27 in
Resolution options	1920 x 1080 / 2560 x 1440 / 3840 x 2160
Refresh rate	75 Hz
Panel technology	IPS
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-B03

Multi-size IPS monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	21.5 / 23.8 / 24 / 27 / 28 / 31.5 in
Resolution options	1920 x 1080 / 2560 x 1440
Refresh rate	60 / 75 Hz
Panel technology	IPS
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-B04

31.5-inch VA monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	31.5 in
Resolution options	1920 x 1080
Refresh rate	75 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-B05

31.5-inch VA monitor - alternate housing

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	31.5 in
Resolution options	1920 x 1080
Refresh rate	75 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-B06

27-inch VA monitor - light housing

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	27 in
Resolution options	1920 x 1080 / 2560 x 1440 / 3840 x 2160
Refresh rate	75 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-B07

27-inch VA monitor - dark housing

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	27 in
Resolution options	1920 x 1080 / 2560 x 1440 / 3840 x 2160
Refresh rate	75 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / VGA


PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-B08

23.8-inch IPS monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	23.8 in
Resolution options	1920 x 1080 / 2560 x 1440
Refresh rate	60 Hz
Panel technology	IPS
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-B09

21.45-inch VA monitor - light housing

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	21.45 in
Resolution options	1920 x 1080
Refresh rate	75 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / VGA


PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-B10

21.45-inch VA monitor - dark housing

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	21.45 in
Resolution options	1920 x 1080
Refresh rate	75 Hz
Panel technology	VA
Aspect ratio	16:9
Interfaces listed	HDMI / VGA


PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

CSL-N01

Everyday TN desktop monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	18.5 / 19 / 19.5 / 20 / 21.5 in
Resolution options	1366 x 768 / 1440 x 900 / 1600 x 900 / 1920 x 1080
Refresh rate	60 Hz
Panel technology	TN
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: Source lists 16:9 and a 1440 x 900 option (16:10). Confirm the aspect ratio for the selected panel. Screen artwork does not specify an included operating system.

CSL-N02

Everyday TN desktop monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	18.5 / 19 / 19.5 / 20 / 21.5 in
Resolution options	1366 x 768 / 1440 x 900 / 1600 x 900 / 1920 x 1080
Refresh rate	60 Hz
Panel technology	TN
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: Source lists 16:9 and a 1440 x 900 option (16:10). Confirm the aspect ratio for the selected panel. Screen artwork does not specify an included operating system.

CSL-N03

Everyday TN desktop monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	18.5 / 19 / 19.5 / 20 / 21.5 in
Resolution options	1366 x 768 / 1440 x 900 / 1600 x 900 / 1920 x 1080
Refresh rate	60 Hz
Panel technology	TN
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING


Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: Source lists 16:9 and a 1440 x 900 option (16:10). Confirm the aspect ratio for the selected panel. Screen artwork does not specify an included operating system.

CSL-N04

Everyday TN desktop monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	18.5 / 19 / 19.5 / 20 / 21.5 in
Resolution options	1366 x 768 / 1440 x 900 / 1600 x 900 / 1920 x 1080
Refresh rate	60 Hz
Panel technology	TN
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: Source lists 16:9 and a 1440 x 900 option (16:10). Confirm the aspect ratio for the selected panel. Screen artwork does not specify an included operating system.

CSL-N05

Everyday TN desktop monitor

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Screen size options	18.5 / 19 / 19.5 / 20 / 21.5 in
Resolution options	1366 x 768 / 1440 x 900 / 1600 x 900 / 1920 x 1080
Refresh rate	60 Hz
Panel technology	TN
Aspect ratio	16:9
Interfaces listed	HDMI / VGA

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: Source lists 16:9 and a 1440 x 900 option (16:10). Confirm the aspect ratio for the selected panel. Screen artwork does not specify an included operating system.

CSL-I01

Slim industrial LCD display

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Housing	Aluminium alloy; slim design with narrow bezel
Platform compatibility	X86 / desktop / monitor mainboard installation, as listed
Front-panel protection	IP65 claimed in source; verify test report for selected configuration
Mounting options	Desktop, wall-mounted or embedded
Display / touch	LCD; capacitive screen stated for designs A and B
Size / resolution / processor	Not specified in supplied catalogue

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: Model names are CSL catalogue identifiers, not screen-size claims. Confirm touch controller, OS, power input, ports and operating temperature.

CSL-I02

Industrial capacitive display - design A

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Housing	Aluminium alloy; slim design with narrow bezel
Platform compatibility	X86 / desktop / monitor mainboard installation, as listed
Front-panel protection	IP65 claimed in source; verify test report for selected configuration
Mounting options	Desktop, wall-mounted or embedded
Display / touch	LCD; capacitive screen stated for designs A and B
Size / resolution / processor	Not specified in supplied catalogue

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: Model names are CSL catalogue identifiers, not screen-size claims. Confirm touch controller, OS, power input, ports and operating temperature.

CSL-I03

Industrial capacitive display - design B

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Housing	Aluminium alloy; slim design with narrow bezel
Platform compatibility	X86 / desktop / monitor mainboard installation, as listed
Front-panel protection	IP65 claimed in source; verify test report for selected configuration
Mounting options	Desktop, wall-mounted or embedded
Display / touch	LCD; capacitive screen stated for designs A and B
Size / resolution / processor	Not specified in supplied catalogue

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: Model names are CSL catalogue identifiers, not screen-size claims. Confirm touch controller, OS, power input, ports and operating temperature.

CSL-I04

Fanless industrial panel computer

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Housing	All-aluminium structure
Cooling	Passive heat dissipation; fanless design
Platform compatibility	X86 / desktop / monitor mainboard installation, as listed
Front-panel protection	IP65 claimed in source; verify test report
Mounting options	Desktop, wall-mounted or embedded
Size / CPU / memory / storage	Not stated; configure to project requirements

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: The two product views share one source model name; these CSL codes identify the two illustrated designs. Windows screen artwork is not a software licence or OS commitment.

CSL-I05

Fanless industrial panel computer

OEM BRANDING OPTION | Product bezel, rear label and carton - subject to confirmation



Housing	All-aluminium structure
Cooling	Passive heat dissipation; fanless design
Platform compatibility	X86 / desktop / monitor mainboard installation, as listed
Front-panel protection	IP65 claimed in source; verify test report
Mounting options	Desktop, wall-mounted or embedded
Size / CPU / memory / storage	Not stated; configure to project requirements

PACKING & ORDERING

Not stated; confirm carton size, gross/net weight, quantity per carton and loading plan.

Confirm before ordering: The two product views share one source model name; these CSL codes identify the two illustrated designs. Windows screen artwork is not a software licence or OS commitment.

Build your next order

01 Select

Send the CSL product code, quantity and target market.

02 Configure

Confirm panel size, resolution, refresh rate, ports, power supply and required approvals.

03 Brand

Share logo artwork and packaging requirements. Final branding follows an approved sample.

04 Verify

Agree quality checks, sample approval, warranty terms and delivery schedule.

CONTACT CSL IMPEX

Email: cslimpex@yahoo.com

Email: m15888952638@163.com

Email: psdsc.jalan@gmail.com

China mobile: +86 15888952638

India mobile / WhatsApp: +91 7738424384

WeChat: Chandrasukh

Room No. 503/C Wing, Garden Court Complex, Behind Maxus Mall,
Bhayander West, Mumbai, India 401101

Carton dimensions, gross/net weight, accessories, MOQ, lead time, warranty and certificates are quotation-specific unless expressly stated. No prices or unverified certification claims have been added.