


NETS, GARDEN & PACKAGING

PRODUCT CATALOGUE

Agriculture • Outdoor shading • Construction
Garden supplies • Protective films • Packaging



Clear specifications. Practical sourcing.

CSL IMPEX | China Sourcing Link

Edition 20 October 2026

Find your product

Use the product page and CSL reference code when requesting a quotation.

Agriculture & crop protection

Shade net • Aluminium & thermal screens • Pineapple shade net • Anti-insect net • Anti-hail net • Anti-hail net • Anti-bird net • Quad net & anti-bee net • Olive harvesting net • Plant support net

[Pages 3, 4, 5, 14, 15, 16, 17, 18, 19, 20](#)

Outdoor shading & privacy

Privacy screen net • Balcony screening • Shade sails • Polyester shade sails • Carport net

[Pages 6, 7, 8, 9, 10](#)

Ground cover & crop films

Woven ground cover • Ground-cover rolls & mats • Anti-frost cover • Cherry cover • Greenhouse film • Mulch film

[Pages 11, 12, 13, 21, 22, 23](#)

Greenhouse & growing supplies

Irrigation tape • Seedling trays • Garden pots

[Pages 24, 25, 26](#)

Construction & site materials

Tarpaulins • Scaffolding net • Scaffolding screens & covers • Safety-net sheets • Barrier & safety fencing • PP fabric & black film • Geotextile

[Pages 27, 28, 29, 30, 31, 32, 33](#)

Garden & screening

Mosquito & insect screens • Plastic garden nets • Garden fence • PVC privacy strips

[Pages 34, 35, 36, 37](#)

Packaging & load wrapping

Bale net wrap & pallet net • Raschel & produce mesh bags • Fruit mesh rolls & crop bags • PP bags & garden leaf bags

[Pages 38, 39, 40, 41](#)

Visual samples 42-45 • Accessories 46 • Enquiry checklist 47 • Contact 48

Units: g/m² = fabric area weight • g/piece = item weight • micron = film thickness • g/m = linear weight.

CSL references identify catalogue enquiry variants. Images show representative products; final combinations and availability are confirmed in the quotation.

Shade net

A broad choice of fabric weights and roll sizes for agricultural shading projects.



Widths (m)	1 / 1.2 / 1.5 / 2 / 3 / 4 / 5 / 6 / 8 / 10 / 12
Lengths (m)	5 / 10 / 25 / 50 / 100
Colours	Black, dark green, white, grey, green, beige, yellow, blue
Packing	PE bag, carton, bale or roll; confirm format for the selected length


CSL reference	g/m ²	CSL reference	g/m ²
CSL-SH-01	30	CSL-SH-10	120
CSL-SH-02	40	CSL-SH-11	135
CSL-SH-03	50	CSL-SH-12	150
CSL-SH-04	55	CSL-SH-13	180
CSL-SH-05	60	CSL-SH-14	200
CSL-SH-06	65	CSL-SH-15	230
CSL-SH-07	80	CSL-SH-16	250
CSL-SH-08	90	CSL-SH-17	300
CSL-SH-09	100	CSL-SH-18	340

ORDERING NOTES

Specify required shade percentage separately. Fabric weight is not a shade-percentage rating.

Aluminium & thermal screens

Screen constructions for greenhouse shading and thermal-screen enquiries.



Thermal screen labels	55% / 65% / 75% / 99%
Raschel screen labels	35% / 50% / 80%
Blockout screen	Illustrated option; specification on request

CSL reference	Screen range	Details to confirm
CSL-TS-01	Aluminium / thermal	Width, length, weight and percentage test basis
CSL-TS-02	Raschel	Construction, dimensions and shading performance
CSL-TS-03	Blockout	Light transmission, dimensions and installation system

ORDERING NOTES

Percentages reproduce the source labels. They are not verified thermal-retention or UV-protection ratings.

Pineapple shade net

Crop-specific shade-net options illustrated for pineapple cultivation.



Fabric weight 60 g/m²
Colour / packing Black / roll

CSL reference	Width (m)	Length (m)
CSL-PN-01	Confirm*	50
CSL-PN-02	3.7	200

ORDERING NOTES

*The first width is printed as "15/15" in the source and needs confirmation. Specify required shade level and installation dimensions.

Privacy screen net

Roll-format screening for fences and outdoor boundaries.



Fabric weight	135 g/m ²
Lengths (m)	15 / 20 / 25 / 50
Colours	Black, beige, blue, green
Packing	Roll

CSL reference	Width (m)
CSL-PS-01	1.5
CSL-PS-02	1.8
CSL-PS-03	2.0

ORDERING NOTES

Confirm edge reinforcement, eyelet spacing and fixing accessories for the installation.

Balcony screening

Finished-size fabric screens for balcony and railing enquiries.



Sizes (m)	1 × 3 / 1 × 5 / 1 × 9 / 1.5 × 3 / 1.5 × 5 / 1.5 × 9
Colours	Black, beige, blue, green, grey, yellow/white
Packing	PE bag or carry bag


CSL reference	Fabric weight (g/m ²)
CSL-BF-01	160
CSL-BF-02	180
CSL-BF-03	200

ORDERING NOTES

Specify finished size, edge finish, fastening points and desired privacy level.

Shade sails

Triangular, square and rectangular shade-sail formats.



Listed sizes

Rectangles/squares: 2 × 3, 3 × 3, 3 × 4, 4 × 5, 5 × 5, 5 × 6, 6 × 7, 6 × 4, 6 × 8 m.
 Triangles: 3 × 3 × 3, 3.6 × 3.6 × 3.6, 5 × 5 × 5 m.

Colours

Black, beige, blue, green, grey

Packing

PE bag or carry bag

CSL reference	Fabric weight (g/m ²)
CSL-SS-01	135
CSL-SS-02	160
CSL-SS-03	180
CSL-SS-04	200

ORDERING NOTES

Confirm material, UV performance, water permeability, corner hardware and finished dimensions. Installation hardware is quoted separately unless specified.

Polyester shade sails

Polyester sail options for outdoor shade installations.


Material

Polyester

Listed sizes

Rectangles/squares: 2 × 3, 3 × 3, 3 × 4, 4 × 5, 5 × 5, 5 × 6, 6 × 7, 6 × 4, 6 × 8 m.
 Triangles: 3 × 3 × 3, 3.6 × 3.6 × 3.6, 5 × 5 × 5 m.

Colours

Black, beige, blue, green, grey

Packing

PE bag or carry bag

CSL reference	Fabric weight (g/m ²)
CSL-PY-01	160
CSL-PY-02	180

ORDERING NOTES

Request coating and water-resistance details where required. The source does not provide a waterproof test rating.

Carport net

Heavy fabric-weight net options illustrated for vehicle-cover structures.



Fabric weight	320 g/m ²
Length	50 m
Colours	Green, red, grey, blue
Packing	Roll

CSL reference	Width (m)
CSL-CN-01	2.85
CSL-CN-02	3.0

ORDERING NOTES

Confirm required shade level, structural design, seam treatment and fixing system.

Woven ground cover

Roll-format ground-cover options for planting rows and landscaped areas.



Widths (m)	1 / 1.1 / 1.6 / 2 / 3 / 4 / 5
Lengths (m)	10 / 25 / 50 / 100
Colours	Black, white, green, green/black, brown/black
Packing	Roll

CSL reference	Construction group	Weight (g/m ²)
CSL-GC-01	Standard	70
CSL-GC-02	Standard	90
CSL-GC-03	Standard	100
CSL-GC-04	Standard	105
CSL-GC-05	Standard	110
CSL-GC-06	Standard	130
CSL-GC-07	Standard	170
CSL-GC-08	Sulzer-listed	90
CSL-GC-09	Sulzer-listed	100
CSL-GC-10	Sulzer-listed	110
CSL-GC-11	Sulzer-listed	130

ORDERING NOTES

Confirm weave, permeability, UV stabilization and overlap/anchoring requirements. "Sulzer-listed" distinguishes the source construction group.

Ground-cover rolls & mats

Black ground-cover rolls and pre-cut formats for individual planting areas.



Roll widths (m)	0.8 / 1 / 1.2 / 1.6 / 2.4 / 3.2
Roll lengths (m)	10 / 25 / 50 / 100 / 500
Pre-cut circles	Diameter 1 m or 1.5 m
Pre-cut squares	1 × 1 / 1.2 × 1.2 / 1.5 × 1.5 m
Packing	Rolls: roll packing; pre-cut mats: bale packing

CSL reference	Format	Weight (g/m ²)
CSL-GM-01	Roll	50
CSL-GM-02	Roll	80
CSL-GM-03	Roll	100
CSL-GM-04	Pre-cut mat	50
CSL-GM-05	Pre-cut mat	100

ORDERING NOTES

Confirm fabric construction, centre opening/slit details and permeability before ordering.

Anti-frost cover

Lightweight white cover options for crop-cover enquiries.



Widths (m)	1.1 / 1.6 / 2 / 3.2
Lengths (m)	5 / 10 / 25 / 50 / 100 / 500
Colour	White
Packing	Short lengths: PE bag/carton; longer lengths: roll, subject to confirmation

CSL reference	Fabric weight (g/m ²)
CSL-FC-01	17
CSL-FC-02	23
CSL-FC-03	30

ORDERING NOTES

Temperature protection, light transmission and material composition are not specified in the source; confirm suitability for the crop and climate.

Anti-insect net

Fine-mesh crop-screening options in several fabric weights.



Widths (m)	1 / 2 / 3 / 3.7 / 4 / 5
Lengths (m)	50 / 100
Colours	Black, clear, green
Packing	Roll



CSL reference	Weight (g/m ²)	Mesh label*
CSL-IN-01	60	25 × 25
CSL-IN-02	80	32 × 32
CSL-IN-03	100	40 × 25 or 40 × 40
CSL-IN-04	120	50 × 25
CSL-IN-05	130	50 × 25

ORDERING NOTES

*Mesh-count units are not stated. Confirm count per unit, actual aperture, target insect and airflow requirements.

Anti-hail net | mesh options

Mesh-defined net options for crop-protection projects.



Widths (m)	2 / 3 / 3.6
Lengths (m)	100 / 200
Colours	Black or clear
Packing	Roll

CSL reference	Weight (g/m ²)	Mesh opening (mm)
CSL-HL-01	40	3 × 4
CSL-HL-02	50	3 × 4
CSL-HL-03	60	3 × 7
CSL-HL-04	80	3 × 7

ORDERING NOTES

Specify required tensile performance, UV stabilization, edge reinforcement and installation loads.

Anti-hail net | roll options

Additional fabric constructions and roll dimensions from the crop-protection range.



Packing

Roll

Colour selection

White; black/green; or black, green and white, depending on variant

CSL reference	g/m ²	Widths (m)	Lengths (m)	Colour
CSL-HR-01	45	2 / 3 / 4 / 6	70	White
CSL-HR-02	50	2 / 3 / 4 / 6	70	White
CSL-HR-03	60	5 / 6 / 6.5	50 / 100 / 200	White
CSL-HR-04	36	2 / 3 / 4 / 6	100	Black/green
CSL-HR-05	50	2 / 3 / 4 / 6	100	Black/green
CSL-HR-06	40	2 / 3 / 4 / 6	100	Black, green, white
CSL-HR-07	50	2 / 3 / 4 / 6	100	Black, green, white

ORDERING NOTES

Confirm construction and mesh opening by sample. CSL variant codes distinguish repeated model numbers in the supplied reference.

Anti-bird net

Lightweight ready-size nets and heavier roll/bale options.



Lightweight colour / pack Green / mesh bag, then carton

Bale range colours Green, black, white

Roll range colour Black



CSL reference	g/m ²	Size / width × length (m)	Packing
CSL-BN-01	7	2 × 5	Bag/carton
CSL-BN-02	7	2 × 10	Bag/carton
CSL-BN-03	7	4 × 5	Bag/carton
CSL-BN-04	7	4 × 10	Bag/carton
CSL-BN-05	7	4 × 20	Bag/carton
CSL-BN-06	20	Width 4/6/8/10/12; length 50/100	Bale
CSL-BN-07	30	Width 4/6/8/10/12; length 50/100	Bale
CSL-BN-08	40	Width 4/6/8/10/12; length 50/100	Bale
CSL-BN-09	50	Width 4/6/8/10/12; length 50/100	Bale
CSL-BN-10	80	5 × 50/100	Roll
CSL-BN-11	105	5 × 25/50/100	Roll

ORDERING NOTES

Confirm opening size, edge finish and target application before selecting a weight.

Quad net & anti-bee net

Two distinct net groups for orchard and crop-protection enquiries.



Widths (m) 4 / 6 / 8 / 10 / 12 for anti-bee; 6 / 8 / 10 / 12 for quad net

Length 100 m

Colours Black or white

CSL reference	Product group	g/m ²	Packing
CSL-QB-01	Quad net (bird/hail)	85	Bale
CSL-QB-02	Quad net (bird/hail)	100	Bale
CSL-QB-03	Quad net (bird/hail)	120	Bale
CSL-QB-04	Anti-bee net	50	Roll
CSL-QB-05	Anti-bee net	60	Roll
CSL-QB-06	Anti-bee net	90	Roll

ORDERING NOTES

Specify mesh opening and crop requirements. Bird, hail and bee performance must be checked for the selected construction.

Olive harvesting net

Harvest-collection nets in ready-size sheets and roll formats.



Sheet sizes (m)	3 × 6 / 4 × 6 / 5 × 10 / 6 × 8 / 6 × 12 / 7 × 14 / 6 × 6 / 8 × 8 / 12 × 12
Roll sizes (m)	4 × 100 / 6 × 100
Colours	Green, black, yellow
Packing	Small sizes: bale; large sizes: roll


CSL reference	Fabric weight (g/m ²)
CSL-ON-01	30
CSL-ON-02	60
CSL-ON-03	80
CSL-ON-04	90

ORDERING NOTES

Confirm slit/opening details, seams and edge finish. A 65 g/m² sample is pictured in the reference but is not assigned a table model; enquire separately.

Plant support net

Lightweight support-net options for plant-training systems.



Widths (m)	1 / 1.2 / 1.5 / 2
Lengths (m)	5 / 10 / 25 / 50 / 100 / 500
Colours	White or green
Packing	Small sizes: mesh bag; larger sizes: roll

CSL reference	Fabric weight (g/m ²)
CSL-SN-01	8
CSL-SN-02	10

ORDERING NOTES

Specify opening size, crop type, support layout and required breaking strength.

Cherry cover

Crop-cover sheets and rolls illustrated for cherry-growing structures.



Packing

Variant 01: roll; variants 02-03: bale


CSL reference	g/m ²	Widths (m)	Lengths (m)	Colour
CSL-CC-01	135	1.4 / 2.2 / 2.4 / 2.8	200	Transparent
CSL-CC-02	135	1.85 / 2	10 / 12 / 20	Transparent
CSL-CC-03	150	1.85 / 2	10 / 12 / 20	Black/white

ORDERING NOTES

Confirm cover material, reinforcement, eyelets, water resistance and light transmission.

Greenhouse film

Wide-film options for greenhouse-cover enquiries.



Widths (m)	6 / 8 / 10 / 12 / 15 / 18
Lengths (m)	50 / 100 / 500
Colours	Transparent, blue, yellow, white/black
Packing	Roll

CSL reference	Thickness (microns)
CSL-GF-01	100
CSL-GF-02	150
CSL-GF-03	180
CSL-GF-04	200

ORDERING NOTES

Confirm polymer grade, UV service life, anti-drip treatment, light transmission and thickness tolerance.

Mulch film

Thin-film formats for ground-cover and planting-row applications.



Widths (m)	1 / 1.2 / 1.4 / 1.8 / 2; source also lists 8 and 12 m (confirm)
Lengths (m)	200 / 400 / 500 / 1000
Colours	Black, transparent, red, black/silver, black/white
Packing	Roll

CSL reference	Thickness (microns)
CSL-MF-01	20
CSL-MF-02	25
CSL-MF-03	30
CSL-MF-04	40

ORDERING NOTES

Confirm width, perforation pattern, polymer grade, UV requirements and end-of-use handling.

Irrigation tape

Roll-format irrigation tape in two wall-thickness options.



Diameters (mm)	16 / 20
Roll lengths (m)	1000 / 2000
Colour / packing	Black / roll

CSL reference	Wall thickness (mm)
CSL-IT-01	0.2
CSL-IT-02	0.3

ORDERING NOTES

Provide emitter spacing, flow rate, operating pressure, filtration requirements and field layout. These performance details are not given in the source.

Seedling trays

Multi-cell trays with a common listed overall size.



Overall size 54 × 28 cm

Colour Black

CSL reference	Number of cells
CSL-ST-01	32
CSL-ST-02	40
CSL-ST-03	50
CSL-ST-04	72
CSL-ST-05	105
CSL-ST-06	128
CSL-ST-07	162
CSL-ST-08	200

ORDERING NOTES

Confirm cell dimensions, volume, tray depth, material and packing. Source piece weights have no unit and are not presented as confirmed gram weights.

Garden pots

Eight pot sizes listed by top dimension and height.



Packing

Carton

Dimensions

Source-labelled top dimension and height shown below

CSL reference	Top (mm)	Height (mm)
CSL-GP-01	80	55
CSL-GP-02	90	70
CSL-GP-03	100	70
CSL-GP-04	120	87
CSL-GP-05	130	96
CSL-GP-06	150	110
CSL-GP-07	160	115
CSL-GP-08	180	128

ORDERING NOTES

Confirm a dimensional drawing, bottom size, capacity, material and piece weight. The source bottom-unit heading conflicts with its values; variant 07 also has an unusual bottom value.

Tarpaulins

Ready-size tarpaulins and wide-roll options for covering enquiries.



Sheet sizes (m)	2 × 3 / 3 × 4 / 4 × 5 / 4 × 6 / 5 × 6 / 6 × 8 / 6 × 10 / 6 × 12 / 7 × 14 / 8 × 10 / 10 × 12
Standard roll sizes (m)	2 × 100 / 4 × 100
Colours	Blue, green, white, black, silver, yellow, orange, red; two-colour combinations on request
Packing	Smaller sizes: bale; larger sizes: roll

CSL reference	Format	g/m ²
CSL-TP-01	Sheet / standard roll	50
CSL-TP-02	Sheet / standard roll	60
CSL-TP-03	Sheet / standard roll	70
CSL-TP-04	Sheet / standard roll	80
CSL-TP-05	Sheet / standard roll	90
CSL-TP-06	Sheet / standard roll	100
CSL-TP-07	Sheet / standard roll	120
CSL-TP-08	Sheet / standard roll	150
CSL-TP-09	Sheet / standard roll	180
CSL-TP-10	Sheet / standard roll	200
CSL-TP-11	Sheet / standard roll	240
CSL-TP-12	Wide roll*	120
CSL-TP-13	Wide roll*	140
CSL-TP-14	Wide roll*	190
CSL-TP-15	Wide roll*	200

ORDERING NOTES

*Wide rolls: widths 2/2.1/4 m; lengths 100/200 m. Confirm coating, eyelets, seam finish and water-resistance requirements.

Scaffolding net

Construction-net options supplied in rolls or bales.



Standard colours White, blue, grey, green, yellow, red

Additional-range colours White, green, red


CSL reference	g/m ²	Widths (m)	Lengths (m)	Pack
CSL-SC-01	50	2 / 3 / 4	25 / 50 / 100	Roll
CSL-SC-02	60	2 / 3 / 4	25 / 50 / 100	Roll
CSL-SC-03	80	2 / 3 / 4	25 / 50 / 100	Roll
CSL-SC-04	100	2 / 3 / 4	25 / 50 / 100	Roll
CSL-SC-05	150	2 / 3 / 4	25 / 50 / 100	Roll
CSL-SC-06	200	2 / 3 / 4	25 / 50 / 100	Roll
CSL-SC-07	45	1.8	10 / 15 / 25	Bale
CSL-SC-08	50	2 / 3 / 4	50 / 100	Roll
CSL-SC-09	106	1.2 / 2 / 3 / 4	45 / 50 / 100	Roll

ORDERING NOTES

Specify fire performance, tensile strength, fixing method and project compliance. No certified fall-arrest rating is established by this catalogue.

Scaffolding screens & covers

A woven screen option and three cover weights for site-enclosure enquiries.



Widths (m) 2 / 2.57 / 3.07

Lengths (m) 25 / 50 / 100

Packing Roll


CSL reference	Group	g/m ²	Colours
CSL-SV-01	Sulzer-listed screen	135	White, green, blue
CSL-SV-02	Scaffolding cover	90	White, green
CSL-SV-03	Scaffolding cover	150	White, green
CSL-SV-04	Scaffolding cover	180	White, green

ORDERING NOTES

Confirm reinforced edges, fixing bands, light transmission, fire rating and wind-load design.

Safety-net sheets

Finished-size net sheets from the construction range.



Finished size 1.83 × 5.1 m

Colours Blue or green

Packing Bale

CSL reference	Piece weight (g/piece)
CSL-SF-01	660
CSL-SF-02	930
CSL-SF-03	1200

ORDERING NOTES

Piece weight is not g/m². Do not select for personnel fall protection without the required load testing, certification and project approval.

Barrier & safety fencing

Visible barrier-fence options illustrated in stretch and non-stretch constructions.



Widths (m)	1 / 1.2 / 1.5
Length	50 m
Colours	Orange, yellow, green
Packing	Roll

CSL reference	Fabric weight (g/m ²)
CSL-OF-01	60
CSL-OF-02	80
CSL-OF-03	100
CSL-OF-04	120

ORDERING NOTES

Confirm mesh dimensions and stretch/non-stretch construction. Barrier fencing is not a personnel fall-arrest system.

PP fabric & black film

Two distinct roll materials for screening and covering enquiries.



PP fabric widths / length 2 / 2.1 m wide; 100 m long

PP fabric colours White or green

Black film widths / length 2 / 4 m wide; 100 m long

Packing Roll for both groups

CSL reference	Product	Specification
CSL-PF-01	PP fabric	50 g/m ²
CSL-PF-02	PP fabric	70 g/m ²
CSL-PF-03	Black film	100 microns
CSL-PF-04	Black film	150 microns

ORDERING NOTES

Confirm application, material grade, thickness/weight tolerance and required weather performance.

Geotextile

Roll-format geotextile options in four fabric weights.



Widths (m)	2 / 4
Length	100 m
Colours	White or black
Packing	Roll



CSL reference	Fabric weight (g/m ²)
CSL-GT-01	100
CSL-GT-02	150
CSL-GT-03	200
CSL-GT-04	300

ORDERING NOTES

Specify filtration, separation, drainage or protection requirements. Confirm polymer, tensile strength, puncture resistance, pore size and permeability for the project.

Mosquito & insect screens

General screening, fiberglass screening and a separately listed 2 × 2 mm mesh range.



Standard widths (m)	1 / 1.2 / 1.5 / 2
Standard colours	White, blue, grey, green
2 × 2 mm range colours	White, grey, green, yellow
Packing	Roll


CSL reference	Range	g/m ²	Length (m)
CSL-MS-01	General screen	60	30 / 50 / 100
CSL-MS-02	General screen	80	30 / 50 / 100
CSL-MS-03	General screen	160	30 / 50 / 100
CSL-MS-04	Fiberglass screen	90	25 / 30 / 50
CSL-MS-05	Fiberglass screen	100	25 / 30 / 50
CSL-MS-06	2 × 2 mm mesh*	180	25 / 30
CSL-MS-07	2 × 2 mm mesh*	220	25 / 30

ORDERING NOTES

*Widths for 2 × 2 mm range: 1.2 / 1.25 m. Confirm aperture suitability for the target insect; material is unspecified for the non-fiberglass ranges.

Plastic garden nets

Four net groups for bird exclusion, mole barriers, poultry fencing and deer-fence enquiries.



Colour / packing

Black / roll

CSL reference	Group	g/m ²	Widths (m)	Lengths (m)
CSL-PG-01	Anti-bird	14	2 / 3	500 / 1000
CSL-PG-02	Anti-bird	17	2 / 3	500 / 1000
CSL-PG-03	Anti-bird	30	2 / 3	500 / 1000
CSL-PG-04	Anti-mole	30	1 / 2	50 / 100 / 200
CSL-PG-05	Anti-mole	40	1 / 2	50 / 100 / 200
CSL-PG-06	Anti-mole	50	1 / 2	50 / 100 / 200
CSL-PG-07	Poultry fence	50	1 / 2	50 / 100 / 200
CSL-PG-08	Poultry fence	60	1 / 2	50 / 100 / 200
CSL-PG-09	Deer fence	80	1 / 2 / 2.4	50 / 100 / 200

ORDERING NOTES

Product names follow the reference groups. Confirm mesh opening, fence height, anchoring and suitability for the animal/application.

Garden fence

Decorative garden-fence rolls in several weight options.



Widths (m)	1 / 1.2 / 1.5
Lengths (m)	25 / 30
Colours	White, black, coffee brown
Packing	Roll


CSL reference	Fabric weight (g/m ²)
CSL-GN-01	280
CSL-GN-02	300
CSL-GN-03	340
CSL-GN-04	470

ORDERING NOTES

Confirm fence construction, mesh dimensions, stiffness and fixing system.

PVC privacy strips

PVC strip rolls for fence-screening enquiries.



Material	PVC
Widths (cm)	4.75 / 19
Lengths (m)	26 / 35 / 70
Colours	Green, black, grey
Packing	Roll

CSL reference	Area weight (g/m ²)
CSL-PV-01	450
CSL-PV-02	750

ORDERING NOTES

Widths are in centimetres, not metres. Confirm compatible fence pitch, strip thickness and clips.

Bale net wrap & pallet net

Net wrapping for agricultural bales and pallet-load applications.



Bale net widths (m)	1.23 / 1.25 / 1.3
Bale net lengths (m)	2000 / 3000
Bale net colours	Green or white
Pallet net widths / lengths	0.5 / 0.8 / 1 m; 500 / 800 / 1000 m
Pallet net colour / pack	White; roll packing for both ranges

CSL reference	Range	Fabric weight (g/m ²)
CSL-NW-01	Bale net wrap	8
CSL-NW-02	Bale net wrap	10
CSL-NW-03	Pallet net	9
CSL-NW-04	Pallet net	10

ORDERING NOTES

Confirm tensile strength, stretch, roll core, roll outside diameter and equipment compatibility.

Raschel & produce mesh bags

Ready-size mesh bags for produce-packing enquiries.



Raschel colours Green, red, orange, purple, blue

Other mesh-bag colours White, red, green

Packing Bale

CSL reference	Type	Width × length (cm)	Piece weight
CSL-RB-01	Raschel	26 × 39	Not specified
CSL-RB-02	Raschel	32 × 40	Not specified
CSL-RB-03	Raschel	40 × 65	Not specified
CSL-RB-04	Raschel	50 × 80	Not specified
CSL-RB-05	Potato bag	60 × 85	Not specified
CSL-RB-06	Mesh bag	53 × 87	45 g
CSL-RB-07	Mesh bag	60 × 85	50 g

ORDERING NOTES

Confirm usable capacity, opening/closure, mesh, food-contact requirements and printing.

Fruit mesh rolls & crop bags

Tubular fruit-mesh rolls, beige mesh bags and date-bag options.



Fruit mesh roll	0.38 m wide × 1000 m long; white, red or green; carton packing
Beige mesh bags	Bale packing
Date bags	Green or white; bale packing

CSL reference	Type	Size	Weight basis
CSL-MB-01	Fruit mesh roll	0.38 × 1000 m	5 g/m
CSL-MB-02	Fruit mesh roll	0.38 × 1000 m	6 g/m
CSL-MB-03	Beige mesh bag	53 × 87 cm	45 g/piece
CSL-MB-04	Beige mesh bag	59 × 84 cm	50 g/piece
CSL-MB-05	Date bag	70 × 90 cm	40 g/piece
CSL-MB-06	Date bag	80 × 100 cm	50 g/piece

ORDERING NOTES

Fruit mesh weight is grams per linear metre, not grams per square metre. Confirm closure, mesh and intended produce.

PP bags & garden leaf bags

PP packing bags and reusable-style garden collection formats shown in the reference.



PP bag colours / packing White, red, green / bale

Garden leaf bag colour / packing Green / carton

CSL reference	Type	Listed size / capacity
CSL-LB-01	PP bag	45 × 60 cm
CSL-LB-02	PP bag	45 × 80 cm
CSL-LB-03	PP bag	50 × 90 cm
CSL-LB-04	PP bag	50 × 100 cm
CSL-LB-05	PP bag	60 × 120 cm
CSL-LB-06	Garden leaf bag	272 L; width 67 cm; height 46 cm*
CSL-LB-07	Garden leaf bag	120 L; width 47 cm; height 70 cm*

ORDERING NOTES

*Capacity and dimensions are reproduced as listed; confirm the bag shape and a dimensional drawing, especially the 272 L option. Load rating is not published.

Shade-net texture options


Compare construction and colour. Confirm the chosen sample against your required weight and shade performance.



45 g/m²



50 g/m²



65 g/m²




80 g/m²



80 g/m²




90 g/m²



90 g/m²



135 g/m²



140 g/m²

Sample labels follow the supplied reference. Pictured weights may include options beyond the main shade-net table; availability and exact construction require confirmation.

Shade-net texture options


Compare construction and colour. Confirm the chosen sample against your required weight and shade performance.




135 g/m²



150 g/m²



160 g/m²




160 g/m²



180 g/m²




200 g/m²



230 g/m²



230 g/m²



340 g/m²

Sample labels follow the supplied reference. Pictured weights may include options beyond the main shade-net table; availability and exact construction require confirmation.

Shade-net texture options


Compare construction and colour. Confirm the chosen sample against your required weight and shade performance.




60 g/m²




80 g/m²



100 g/m²




120 g/m²



130 g/m²




160 g/m²



200 g/m²



210 g/m²




230 g/m²


Sample labels follow the supplied reference. Pictured weights may include options beyond the main shade-net table; availability and exact construction require confirmation.

Shade-net texture options


Compare construction and colour. Confirm the chosen sample against your required weight and shade performance.




30%




50%




65%



80%



90%



95%

Sample labels follow the supplied reference. Pictured weights may include options beyond the main shade-net table; availability and exact construction require confirmation.

Fixing & installation options

Match accessories to the selected net, fabric, structure and installation method.



Net and fabric clips



Clip profiles



Rings and hooks



Ground pegs



Cable ties



Cord and rope

Illustrated accessories have no confirmed model dimensions or load ratings in the source. Request material, size, quantity, compatibility and packing with your enquiry.

Build a clear enquiry

01 Identify the product

Send the CSL reference, product page and intended application. A marked photograph helps identify a specific construction.

02 Define the specification

State material, width × length, fabric weight or film thickness, mesh opening, colour and dimensional tolerance. For bags, state capacity and closure.

03 Confirm performance

Specify UV life, shade percentage, water resistance, tensile strength, fire performance or other testing only where your project requires it.

04 Set quantity and packing

Provide quantity per size/colour, roll core, labels, carton or bale requirements and private-label packaging artwork if applicable.

05 Provide destination and timing

Include destination city/port, preferred shipping terms, required delivery date and any inspection or documentation requirements.

Before order confirmation

Material grades, UV life, certified safety ratings, MOQ, price and lead time are not established by this reference catalogue. Unclear source measurements are flagged on the relevant product pages. Photographs and listed specifications support enquiries; the agreed quotation and approved sample define the order.

From product enquiry to shipment.

Sourcing & Procurement

Product selection, supplier coordination and negotiation.

Custom Products & OEM Sourcing

Coordinate custom specifications, OEM manufacturing and private-label options, subject to supplier confirmation.

QC & Reporting

Arrange agreed inspection checks and reporting requirements.

Logistics & Documentation

Coordinate air, land and sea logistics and required trade documentation.

CSL IMPEX

China Sourcing Link

Email: cslimpex@yahoo.com

Email: m15888952638@163.com

China: +86 15888952638 | India: +91 7738424384

WeChat: Chandrasukh

Room No. 503/C Wing, Garden Court Complex, Behind Maxus Mall, Bhayander West, Mumbai, India 401101.