



PRODUCT COLLECTION

Tools. Hardware. Bathware.

China Sourcing Link
Source Globally. Trade Seamlessly.

International trade | Purchasing & sourcing
Import & export
Product selection and technical specifications

CSL IMPEX | MUMBAI, INDIA



Your sourcing link.

CSL IMPEX supports international trade, purchasing, sourcing, import and export. Explore this collection of tools, hardware and bathware, then share your selection for a product-specific quotation.

HOW TO REQUEST A QUOTATION

01 Select your products

Use the CSL model codes printed in the product tables.

02 Define your requirements

Include quantity, specifications, packaging and destination.

03 Confirm your order details

Confirm samples, commercial terms and delivery requirements.

IN THIS COLLECTION

Power tools

03

Drilling, cutting, air tools, generators and more

Hand tools & hardware

12

Measuring, fastening, abrasives and workshop supplies

Bathware

52

Sanitaryware, taps, showers, mirrors and vanities

Product imagery includes CSL branding visualisations. Confirm final appearance, specifications and packaging with the quotation.

CSL IMPEX / SELECTED RANGE

Cordless performance

POWER TOOLS



BUILD YOUR ENQUIRY

Select voltage, tool type and required battery configuration.

Source Globally. Trade Seamlessly.

CSL IMPEX / SOURCING & SUPPLY

Send the CSL model code, quantity and destination for a tailored quotation.

LI-ION TOOLS							
	CORDLESS BRUSHLESS DRIVER	CORDLESS BRUSHLESS DRIVER	CORDLESS BRUSHLESS IMPACT WRENCH	CORDLESS BRUSHLESS IMPACT WRENCH	CORDLESS BRUSHLESS IMPACT WRENCH		
	SPECIFICATIONS	CSL-P0004	CSL-P0005	CSL-P0006	CSL-P0007	CSL-P0008	
	Rated Voltage	20V	20V	20V	20V	20V	
	Qty/Ctn	5 PCS	5 PCS	5 PCS	5 PCS	5 PCS	
	CBM(m³)	0.085	0.085	0.085	0.085	0.085	
	GW(kg)	16.4	19.2	19.8	21.4	27.2	
							
	CORDLESS BRUSHLESS ROTARY HAMMER	CORDLESS BRUSHLESS ANGLE GRINDER	BRUSHLESS CORDLESS DRILL	BRUSHLESS CORDLESS DRILL			
	SPECIFICATIONS	CSL-P0009	CSL-P0010	CSL-P0001	CSL-P0002		
	Rated Voltage	20V	20V	16V	20V		
	Qty/Ctn	4 PCS	8 PCS	10 PCS	10 PCS		
	CBM(m³)	0.098	0.085	0.004	0.009		
	GW(kg)	15.4	21.2	20.5	24.3		
							
	BRUSHLESS 2IN1 MULTI-HEAD CORDLESS DRILL	CORDLESS BRUSHLESS IMPACT WRENCH	CORDLESS BRUSHLESS IMPACT WRENCH	CORDLESS BRUSHLESS ROTARY HAMMER			
	SPECIFICATIONS	CSL-P0003	CSL-P0011	CSL-P0012	CSL-P0013		
	Input Power	20V	20V	20V	20V		
	Qty/Ctn	10 PCS	6 PCS	6 PCS	6 PCS		
	CBM(m³)	0.009	0.010	0.011	0.017		
	GW(kg)	31	20.6	23.8	31.9		

LI-ION TOOLS

 CORDLESS BRUSHLESS
ROTARY HAMMER

 CORDLESS BRUSHLESS
ANGLE GRINDER

 LITHIUM-ION
CIRCULAR SAW

 LITHIUM-ION
CIRCULAR SAW

SPECIFICATIONS	CSL-P0014	CSL-P0027	CSL-P0028	CSL-P0029
Rated Voltage	20V	20V	21V	21V
Qty/Ctn	6 PCS	6 PCS	4 PCS	6 PCS
CBM(m³)	0.020	0.015	0.056	0.035
GW(kg)	37.9	23.3	20.1	18.1


 BRUSHLESS
LITHIUM-ION BLOWER

 BRUSHLESS
LITHIUM-ION CHAINSAW

SPECIFICATIONS	CSL-P0034	CSL-P0035	CSL-P0036
Max. Power	Airflow: 1.3–3.2 m³/min	1200W	1000W
Qty/Ctn	10 PCS	6 PCS	8 PCS
CBM(m³)	0.147	0.164	0.122
GW(kg)	30	32	30


 BRUSHLESS
LITHIUM-ION
CHAINSAW


ELECTRIC DRILL



IMPACT DRILL



CEMENT MIXER DRILL



CEMENT MIXER DRILL

ROTARY HAMMER

SPECIFICATIONS	CSL-P0030	CSL-P0031	CSL-P0032	CSL-P0033
Rated Voltage	450W	720W	1400W	1200W
Qty/Ctn	10 PCS	10 PCS	6 PCS	6 PCS
CBM(m³)	0.040	0.055	0.026	0.061
GW(kg)	21	21	18.5	20.5



ROTARY HAMMER



ROTARY HAMMER



ROTARY HAMMER



ROTARY HAMMER



ROTARY HAMMER

SPECIFICATIONS	CSL-P0015	CSL-P0016	CSL-P0017	CSL-P0025	CSL-P0026
Rated Voltage	850W	1050W	800W	1050W	1350W
Qty/Ctn	5 PCS	5 PCS	5 PCS	4 PCS	4 PCS
CBM(m³)	0.074	0.081	0.077	0.081	0.076
GW(kg)	28.5	27.5	23.5	27.1	28.5

DEMOLITION HAMMER


DEMOLITION HAMMER



DEMOLITION HAMMER



SPECIFICATIONS	CSL-P0018	CSL-P0019
Input Power	1300W	1450W
Qty/Ctn	3 PCS	1 PCS
CBM(m³)	0.067	0.036
GW(kg)	26.5	20.65

ANGLE GRINDER


ANGLE GRINDER



ANGLE GRINDER



ANGLE GRINDER

SPECIFICATIONS	CSL-P0020	CSL-P0022	CSL-P0021
Input Power	750W	900W	1200W
Qty/Ctn	10 PCS	10 PCS	10 PCS
CBM(m³)	0.046	0.479	0.062
GW(kg)	21	27	13.8



ANGLE GRINDER



BRUSHLESS ANGLE GRINDER

SPECIFICATIONS	CSL-P0023	CSL-P0024
Input Power	2400W	1700W
Qty/Ctn	2 PCS	10 PCS
CBM(m³)	0.030	0.037
GW(kg)	13.8	25



CSL IMPEX / POWER TOOLS

Cordless tile leveling vibrators



CSL-P0047

Battery voltage	20V
Qty/Ctn	8 PCS
CBM (m3)	0.113
GW (kg)	25

CSL-P0048

Battery voltage	20V
Qty/Ctn	8 PCS
CBM (m3)	0.090
GW (kg)	22

Select the CSL model and required quantity for your quotation.

CUTTING TOOL



RECIPROCATING SAW

SPECIFICATIONS	CSL-P0045
Rated Voltage	750W
Qty/Ctn	6 PCS
CBM(m³)	0.050
GW(kg)	18



CIRCULAR SAW

SPECIFICATIONS	CSL-P0042
Input Power	1350W
Qty/Ctn	4 PCS
CBM(m³)	0.047
GW(kg)	13.5



CIRCULAR SAW

SPECIFICATIONS	CSL-P0043
Input Power	1200W
Qty/Ctn	4 PCS
CBM(m³)	0.052
GW(kg)	16.5



CIRCULAR SAW

SPECIFICATIONS	CSL-P0044
Input Power	2000W
Qty/Ctn	2 PCS
CBM(m³)	0.052
GW(kg)	15/13.5



POWER JIGSAW

SPECIFICATIONS	CSL-P0037
Input Power	550W
Qty/Ctn	5 PCS
CBM(m³)	0.058
GW(kg)	18.5



POWER JIGSAW

SPECIFICATIONS	CSL-P0038
Input Power	500W
Qty/Ctn	5 PCS
CBM(m³)	0.046
GW(kg)	17



MARBLE CUTTER

SPECIFICATIONS	CSL-P0046
Input Power	1350W
Qty/Ctn	6 PCS
CBM(m³)	0.065
GW(kg)	15.6



DOUBLE BLADE WALL CHASER

SPECIFICATIONS	CSL-P0039
Input Power	1550W
Qty/Ctn	4 PCS
CBM(m³)	0.061
GW(kg)	23



WALL GROOVING MACHINE

SPECIFICATIONS	CSL-P0040
Input Power	2400W
Qty/Ctn	2 PCS
CBM(m³)	0.049
GW(kg)	17.5



WALL PLANER

SPECIFICATIONS	CSL-P0041
Input Power	850W
Qty/Ctn	3 PCS
CBM(m³)	0.067
GW(kg)	16.5

CUTTING TOOL


PLASTIC PIPE WELDING TOOL



PLASTIC PIPE WELDING TOOL

SPECIFICATIONS	CSL-P0058	CSL-P0059	CSL-P0060
Input Power	1000W	1000W	1500W
Qty/Ctn	10 PCS	10 PCS	10 PCS
CBM(m³)	0.073	0.073	0.108
GW(kg)	16	29	35

HEAT GUN


GLUE GUN



HEAT GUN



HEAT GUN



HEAT GUN

SPECIFICATIONS	CSL-P0074/CSL-P0075	CSL-P0071/CSL-P0072	CSL-P0073	CSL-P0076
Input Power	20W(60W)/60W(100W)	1600W	1800W	1800W
Qty/Ctn	48 PCS	10 PCS	10 PCS	10 PCS
CBM(m³)	0.049/0.099	0.059	0.061	0.061
GW(kg)	10.5/12.5	8.7/8.9	11.8	12.3

GRINDING TOOL


ELECTRIC ROUTER



ELECTRIC ROUTER



ELECTRIC PLANER



ELECTRIC PLANER

SPECIFICATIONS	CSL-P0061	CSL-P0062	CSL-P0063	CSL-P0064
Rated Power	1200W	2100W	560W/5A	710W/6A
Qty/Ctn	4 PCS	4 PCS	4 PCS	6 PCS
CBM(m³)	0.051	0.070	0.054	0.059
GW(kg)	12.5	24	14	14



BELT SANDER



PALM SANDER



PALM ROUTER

SPECIFICATIONS	CSL-P0065	CSL-P0066	CSL-P0067
Rated Power	900W/7A	270W	500W
Qty/Ctn	4 PCS	10 PCS	10 PCS
CBM(m³)	0.058	0.049	0.054
GW(kg)	14.5	18.8	17

GRINDING TOOL

SPECIFICATIONS	CSL-P0068	CSL-P0069	CSL-P0070
Input Power	150W	250W	350W
Qty/Ctn	1 PCS	1 PCS	1 PCS
CBM(m³)	0.011	0.018	0.030
GW(kg)	6	8.5	12.5



BENCH GRINDER

WATER PUMP


WATER PUMP



WATER PUMP



WATER PUMP



WATER PUMP

SPECIFICATIONS	CSL-P0054/CSL-P0029	CSL-P0055	CSL-P0055	CSL-P0056/CSL-P0057
Rated power	370W/750W	370W/0.5HP	750W/0.5HP	370W(0.5HP)/750W(1HP)
Qty/Ctn	1 PCS	1 PCS	2 PCS	6 PCS/4 PCS
CBM(m³)	0.013/0.018	0.027	0.048	0.042/0.059
GW(kg)	7/10.64	8.25	27	28/34.8



WATER PUMP



CIRCULAR SAW

SPECIFICATIONS	CSL-P0049/CSL-P0050	CSL-P0051/CSL-P0052/CSL-P0053
Rated power	370W(0.5HP)/550W(0.75HP)	550W(0.5HP)/750 W(1.0HP)/1500W(2.0HP)
Qty/Ctn	1 PCS	1 PCS
CBM(m³)	0.013/0.025	0.022/0.022/0.025
GW(kg)	5/10.5	14.5/21.85/22.1


 GASOLINE
ATER PUMP

 GASOLINE
WATER PUMP

 GASOLINE
WATER PUMP

 GASOLINE
WATER PUMP

SPECIFICATIONS	CSL-P0077/CSL-P0078	CSL-P0079	CSL-P0080	CSL-P0081
Rated Output	6.5HP/7HP	7.2HP	7.2HP	7.5HP
Qty/Ctn	1 PCS	1 PCS	1 PCS	1 PCS
CBM(m³)	0.089	0.076	0.093	0.112
GW(kg)	24/25	23	27	27.5

CSL IMPEX / SELECTED RANGE

Workshop air systems

AIR TOOLS & COMPRESSORS



BUILD YOUR ENQUIRY

Include the required tank size, working pressure and quantity.

Source Globally. Trade Seamlessly.

PNEUMATIC TOOLS



	PNEUMATIC STRAIGHT NAIL GUN	STAPLE GUN	STAPLE GUN
SPECIFICATIONS	CSL-P0082	CSL-P0083	CSL-P0087
Load capacity	100 PCS	180 PCS	130-150 PCS
Qty/Ctn	8 PCS	10 PCS	10 PCS
CBM(m³)	0.041	0.028	0.028
GW(kg)	15	12	12



	AIR COMPRESSOR (DIERCT CONNECTION MACHINE)	AIR COMPRESSOR (OIL-FERR MACHINE)	AIR COMPRESSOR (OIL-FERR MACHINE)
SPECIFICATIONS	CSL-P0094/CSL-P0095	CSL-P0092	CSL-P0093
Input Power	1500W(2HP)/2250W(3HP)	825W (3HP)	2200W(3HP)
Qty/Ctn	1 PCS	1 PCS	1 PCS
CBM(m³)	0.092/0.185	0.089	0.118
GW(kg)	19/26	17	35



	AIR COMPRESSOR (PISTON MACHINE)	AIR COMPRESSOR (PISTON MACHINE)
SPECIFICATIONS	CSL-P0088/CSL-P0089	CSL-P0090
Input Power	2200W(3HP)	5.5HP
Qty/Ctn	1 PCS	1 PCS
CBM(m³)	0.398	0.423
GW(kg)	86/85	80



PORTABLE VENTILATION FAN




	PORTABLE VENTILATION FAN	PORTABLE VENTILATION FAN
SPECIFICATIONS	CSL-P0084/CSL-P0085/CSL-P0086	CSL-P0091
Input Power	350W/550W/1100W	1100W
Qty/Ctn	1 PCS	1 PCS
CBM(m³)	0.462/0.054/0.098	0.139
GW(kg)	8.8/11.6/27	15.5

CSL IMPEX / SELECTED RANGE

Drilling solutions

DRILLS & CORE CUTTING



BUILD YOUR ENQUIRY

Specify drilling diameter, material and the preferred machine format.

Source Globally. Trade Seamlessly.

RHINESTONE

SPECIFICATIONS	CSL-P0096	CSL-P0097	CSL-P0098	CSL-P0106
Input Power	1900W	2200W	2300W	3500W
Qty/Ctn	2 PCS	2 PCS	2 PCS	1 PCS
CBM(m³)	0.057	0.057	0.074	0.075
GW(kg)	16	16	19	21.7

SPECIFICATIONS	CSL-P0099/CSL-P0100	CSL-P0101/CSL-P0102
Input Power	3600W/4000W	350W/450W
Qty/Ctn	1 PCS	1 PCS
CBM(m³)	0.075/0.094	0.037/0.068
GW(kg)	24.5/27.6	16/29

CORE DRILL BIT

SPECIFICATIONS	CSL-P0103	CSL-P0104	CSL-P0105	CSL-P0107	CSL-P0108	CSL-P0109
Diameter	25mm	32mm	40mm	50mm	57mm	63mm
Qty/Ctn	20 PCS	20 PCS	20 PCS	20 PCS	20 PCS	15 PCS
CBM(m³)	0.027	0.027	0.027	0.037	0.037	0.042
GW(kg)	19.1	22.71	23.5	28.39	30.2	27.2

SPECIFICATIONS	CSL-P0110	CSL-P0111	CSL-P0112	CSL-P0113	CSL-P0114	CSL-P0115
Diameter	71mm	83mm	95mm	102mm	127mm	120mm
Qty/Ctn	9 PCS	9 PCS	6 PCS	6 PCS	4 PCS	4 PCS
CBM(m³)	0.033	0.041	0.040	0.040	0.041	0.041
GW(kg)	18.45	21.51	16.89	17.76	15.04	14.85

SPECIFICATIONS	CSL-P0116	CSL-P0117	CSL-P0118	CSL-P0119	CSL-P0120	CSL-P0121	CSL-P0122
Diameter	132mm	159mm	152mm	180mm	202mm	254mm	300mm
Qty/Ctn	4 PCS	4 PCS	4 PCS	3 PCS	2 PCS	1 PCS	1 PCS
CBM(m³)	0.041	0.060	0.053	0.056	0.048	0.033	0.066
GW(kg)	16.47	22.3	20.12	19.2	15.42	10.92	15.5

CSL IMPEX / SELECTED RANGE

Precision cutting

CUT-OFF & MITRE SAWS



BUILD YOUR ENQUIRY

Include the workpiece material, cutting size and supply voltage.

Source Globally. Trade Seamlessly.

CUTTING MACHINE



ELECTRIC CONCRETE SAW



CUT OFF SAW



CUT OFF SAW



CUT OFF SAW

SPECIFICATIONS	CSL-P0123	CSL-P0128/CSL-P0129	CSL-P0130	CSL-P0131
Input Power	3200W	3000W	2500W	1800W
Qty/Ctn	1 PCS	1 PCS	1 PCS	1 PCS
CBM(m³)	0.116	0.089/0.096	0.064	0.060
GW(kg)	16.5	27/25	14	12



CUT OFF SAW



CUT OFF SAW



CUT OFF SAW



BENCH SAW

SPECIFICATIONS	CSL-P0124	CSL-P0125	CSL-P0126	CSL-P0127
Input Power	1800W	2000W	2000W	1800W
Qty/Ctn	1 PCS	1 PCS	1 PCS	1 PCS
CBM(m³)	0.073	0.142	0.090	0.156
GW(kg)	10	15	12	24.5



CEMENT MIXER DRILL

MIXER

SPECIFICATIONS	CSL-P0132
Input Power	1400W
Qty/Ctn	2 PCS
CBM(m³)	0.022
GW(kg)	11.6



MIX PADDLE

SPECIFICATIONS	CSL-P0133
Size	-
Qty/Ctn	12 PCS
CBM(m³)	0.099
GW(kg)	16.2



CSL IMPEX / SELECTED RANGE

Power for your project

WELDING & GENERATORS



BUILD YOUR ENQUIRY

Share the required output, fuel preference and application.

Source Globally. Trade Seamlessly.

GENERATOR

SPECIFICATIONS	CSL-P0134/CSL-P0135	CSL-P0136/CSL-P0137
Output Current	20-120A/20-140A	20-180A/20-220A
Qty/Ctn	2 PCS	2 PCS
CBM(m³)	0.012/0.018	0.027
GW(kg)	3.1/4	5.8/6.5


 INVERTER MMA
WELDING MACHINE

 INVERTER MMA
WELDING MACHINE


GASOLINE GENERATOR



GASOLINE GENERATOR



GASOLINE GENERATOR



GASOLINE GENERATOR

SPECIFICATIONS	CSL-P0148	CSL-P0150	CSL-P0151	CSL-P0149
Rated Output(kW)	5.5 kW	0.9 kW	2.5 kW	2.5 kW
Qty/Ctn	1 PCS	1 PCS	1 PCS	1 PCS
CBM(m³)	0.206	0.123	0.117	0.117
GW(kg)	84	31	40.8	40.8



GASOLINE GENERATOR



GASOLINE GENERATOR



GASOLINE GENERATOR



GASOLINE GENERATOR

SPECIFICATIONS	CSL-P0138	CSL-P0139	CSL-P0140	CSL-P0141
Rated Output(kW)	2.6 kW	3.2 kW	5.0 kW	7.0 kW
Qty/Ctn	1 PCS	1 PCS	1 PCS	1 PCS
CBM(m³)	0.123	0.129	0.222	0.222
GW(kg)	43	48	83	91



GASOLINE GENERATOR



GASOLINE GENERATOR



GASOLINE GENERATOR

SPECIFICATIONS	CSL-P0142	CSL-P0143/CSL-P0144/CSL-P0145	CSL-P0146/CSL-P0147
Rated Output(kW)	8.5 kW	2.0 kW/2.6 kW/3.2 kW	5.0 kW/7.0 kW
Qty/Ctn	1 PCS	1 PCS	1 PCS
CBM(m³)	0.236	1.142/0.141/0.141	0.226/0.236
GW(kg)	104	40/43/48	83/93



DIESEL GENERATOR



DIESEL GENERATOR



DIESEL GENERATOR



DIESEL GENERATOR

GENERATOR

SPECIFICATIONS	CSL-P0152	CSL-P0153	CSL-P0154	CSL-P0155
Output Current	2.6 kW	4.5 kW	4.2 kW	6.0 kW
Qty/Ctn	1 PCS	1 PCS	1 PCS	1 PCS
CBM(m³)	0.184	0.228	0.415	0.624
GW(kg)	72	106	150	188



GASOLINE CONCRETE VIBRATOR



GASOLINE CONCRETE VIBRATOR



GASOLINE CONCRETE VIBRATOR



GASOLINE CONCRETE VIBRATOR

SPECIFICATIONS	CSL-P0156	CSL-P0157	CSL-P0158/CSL-P0159	CSL-P0160/CSL-P0161
Max. Output(HP)/rpm	7.2/3600	6.5/3840	5.5(3600)/7.2(3600)	14(3600)/15(3600)
Qty/Ctn	1 PCS	1 PCS	1 PCS	1 PCS
CBM(m³)	0.074	0.056	0.039/0.056	0.132
GW(kg)	22	13.7	15.5/16	33/35



HIGH PRESSURE WASHER



HIGH PRESSURE WASHER



HIGH PRESSURE WASHER



HIGH PRESSURE WASHER

CLEANING TOOLS

SPECIFICATIONS	CSL-P0171	CSL-P0172	CSL-P0173	CSL-P0174
Rated Power	800W	1200W	2000W	2200W
Qty/Ctn	1 PCS	1 PCS	1 PCS	1 PCS
CBM(m³)	0.023	0.034	0.023	0.034
GW(kg)	6.2	5.5	9	9.6

CLEANING TOOLS

SPECIFICATIONS	CSL-P0162	CSL-P0163	CSL-P0164	CSL-P0165	CSL-P0166
Capacity	15 L	18 L	20 L	30 L	70 L
Qty/Ctn	1 PCS	1 PCS	1 PCS	1 PCS	1 PCS
CBM(m³)	0.043	0.050	0.045	0.063	0.242
GW(kg)	4.8	5	6.9	8	19.7



VACUUM CLEANER

Power cleaning & supply

Specify the required output, application and quantity. Use the CSL model codes shown in the collection.



SELF-LEVELING LINE LASER



SELF-LEVELING LINE LASER



SELF-LEVELING LINE LASER



SELF-LEVELING LINE LASER

LEVEL

SPECIFICATIONS	CSL-P0167	CSL-P0168	CSL-P0169	CSL-P0170
Size	5-line	12-line	12-line	16-line
Qty/Ctn	10 PCS	5 PCS	10 PCS	5 PCS
CBM(m³)	0.156	0.102	0.102	0.102
GW(kg)	23.7	15.4	15.1	16.3

CSL IMPEX / SELECTED RANGE

Measure with confidence

MEASURING TOOLS



BUILD YOUR ENQUIRY

Select measuring range, graduation and preferred tool format.

Source Globally. Trade Seamlessly.

MEASURING TOOLS

SPECIFICATIONS	SPIRIT LEVEL	SPIRIT LEVEL	SPIRIT LEVEL
	CSL-H0006	CSL-H0013	CSL-H0007/CSL-H0008/CSL-H0009
Length	30 cm	60 cm	80 cm/100 cm/150 cm
Qty/Ctn	30 PCS	30 PCS	30 PCS/20 PCS/20 PCS
CBM(m³)	0.017	0.033	0.044/0.029/0.043
GW(kg)	10	17	16/12/15

SPECIFICATIONS	SPIRIT LEVEL	SPIRIT LEVEL
	CSL-H0001	CSL-H0002/CSL-H0003/CSL-H0004/CSL-H0005
Length	30 cm	60 cm/80 cm/100 cm/150 cm
Qty/Ctn	60 PCS	60 PCS/60 PCS/60 PCS/30 PCS
CBM(m³)	0.031	0.060/0.079/0.098/0.096
GW(kg)	16.5	18/21/24/27.5

SPECIFICATIONS	CSL-H0010	CSL-H0014	CSL-H0011	CSL-H0012
Length & width	3mx16mm	5mx19mm	7.5mx25mm	10mx25mm
Qty/Ctn	180 PCS	120 PCS	72 PCS	60 PCS
CBM(m³)	0.020	0.023	0.022	0.015
GW(kg)	20	22	24	24



TAPE MEASURE

SPECIFICATIONS	CSL-H0015	CSL-H0018	CSL-H0016	CSL-H0017
Length & width	3mx16mm	5mx19mm	7.5mx25mm	10mx25mm
Qty/Ctn	120 PCS	120 PCS	60 PCS	48 PCS
CBM(m³)	0.045	0.064	0.042	0.034
GW(kg)	16.5	26.5	23.5	23.5



TAPE MEASURE

SPECIFICATIONS	CSL-H0019	CSL-H0022	CSL-H0020	CSL-H0021
Length & width	3mx16mm	5mx19mm	7.5mx25mm	10mx25mm
Qty/Ctn	180 PCS	120 PCS	72 PCS	60 PCS
CBM(m³)	0.030	0.026	0.027	0.017
GW(kg)	22	24	25	24



TAPE MEASURE

SPECIFICATIONS	CSL-H0023	CSL-H0026	CSL-H0024	CSL-H0025
Length & width	3mx16mm	5mx19mm	7.5mx25mm	10mx25mm
Qty/Ctn	120 PCS	120 PCS	60 PCS	48 PCS
CBM(m³)	0.045	0.064	0.042	0.034
GW(kg)	16.5	26.5	23.5	23.5



TAPE MEASURE

MEASURING TOOLS

SPECIFICATIONS	CSL-H0027	CSL-H0030	CSL-H0028	CSL-H0029
Length & width	3mx16mm	5mx19mm	7.5mx25mm	10mx25mm
Qty/Ctn	120 PCS	120 PCS	60 PCS	48 PCS
CBM(m³)	0.045	0.064	0.042	0.034
GW(kg)	16.5	26.5	23.5	23.5



TAPE MEASURE



FIBERGLASS MEASURING TAPE



FIBERGLASS MEASURING TAPE

SPECIFICATIONS	CSL-H0031/CSL-H0032/CSL-H0033	CSL-H0034/CSL-H0035/CSL-H0036
Length & width	20mx25mm/30mx12.5mm/50mx12.5mm	20mx15mm/30mx15mm/50mx15mm
Qty/Ctn	60 PCS/48 PCS/36 PCS	40 PCS
CBM(m³)	0.074	0.079
GW(kg)	21	20



FIBERGLASS MEASURING TAPE



FIBERGLASS MEASURING TAPE

SPECIFICATIONS	CSL-H0037/CSL-H0038/CSL-H0039	CSL-H0040/CSL-H0041/CSL-H0042
Length & width	30mx13mm/50mx13mm/100mx13mm	30mx15mm/50mx15mm/100mx15mm
Qty/Ctn	24 PCS	16 PCS/12 PCS/10 PCS
CBM(m³)	0.048	0.075
GW(kg)	18	20



LASER DISTANCE METER



LASER DISTANCE METER



CHALK LINE REEL SET



SPRING SCALE

SPECIFICATIONS	CSL-H0043/CSL-H0044	CSL-H0045	CSL-H0046	CSL-H0047
Measuring Range	0.05-60m/0.05-100m	0.05-100m	30 m	30kg Capacity
Qty/Ctn	50 PCS	50 PCS	48 PCS	8 PCS
CBM(m³)	0.045	0.040	0.134	0.140
GW(kg)	9.8	8.8	17	16.5

CSL IMPEX / SELECTED RANGE

Made for your toolkit

HAND TOOLS



BUILD YOUR ENQUIRY

Build a mixed enquiry using the CSL model codes in this section.

Source Globally. Trade Seamlessly.

WRENCH



ADJUSTABLE WRENCH

SPECIFICATIONS	CSL-H0049	CSL-H0062	CSL-H0063	CSL-H0064	CSL-H0065	CSL-H0066
Length	150 mm (6")	200 mm (8")	250 mm (10")	300 mm (12")	375 mm (15")	450 mm (18")
Qty/Ctn	120 PCS	120 PCS	60 PCS	36 PCS	20 PCS	12 PCS
CBM(m³)	0.010	0.018	0.013	0.016	0.018	0.017
GW(kg)	18	32	26	26	28	25

SPECIFICATIONS	CSL-H0048	CSL-H0067	CSL-H0068	CSL-H0069
Length	150 mm (6")	200 mm (8")	250 mm (10")	300 mm (12")
Qty/Ctn	120 PCS	60 PCS	60 PCS	36 PCS
CBM(m³)	0.012	0.012	0.019	0.016
GW(kg)	19	19	30	27



ADJUSTABLE WRENCH

SPECIFICATIONS	CSL-H0050	CSL-H0053	CSL-H0051	CSL-H0052	CSL-H0070
Length	150 mm (6")	200 mm (8")	250 mm (10")	300 mm (12")	375 mm (15")
Qty/Ctn	120 PCS	60 PCS	60 PCS	36 PCS	20 PCS
CBM(m³)	0.012	0.009	0.019	0.016	0.018
GW(kg)	18	16	29	26	29



ADJUSTABLE WRENCH

SPECIFICATIONS	CSL-H0054	CSL-H0057	CSL-H0055	CSL-H0056
Length	150 mm (6")	200 mm (8")	250 mm (10")	300 mm (12")
Qty/Ctn	120 PCS	60 PCS	48 PCS	36 PCS
CBM(m³)	0.036	0.027	0.034	0.033
GW(kg)	23	19	25	30



WIDE ADJUSTMENT WRENCH



FIXED RATCHET COMBINATION SPANNER

SPECIFICATIONS	CSL-H0058	CSL-H0061	CSL-H0059	CSL-H0060	CSL-H0071	CSL-H0072
Size	8 mm	9 mm	10 mm	11 mm	12 mm	13 mm
Qty/Ctn	500 PCS	400 PCS	400 PCS	300 PCS	300 PCS	200 PCS
CBM(m³)	0.018	0.019	0.018	0.018	0.019	0.018
GW(kg)	16	16.1	16.55	19.55	15.62	17.25

SPECIFICATIONS	CSL-H0073	CSL-H0076	CSL-H0074	CSL-H0075	CSL-H0077	CSL-H0078
Size	14 mm	15 mm	16 mm	17 mm	18 mm	19 mm
Qty/Ctn	200 PCS	200 PCS	160 PCS	160 PCS	100 PCS	100 PCS
CBM(m³)	0.019	0.019	0.020	0.021	0.016	0.016
GW(kg)	18	18.3	21.98	17	22	25.5

WRENCH

SPECIFICATIONS	CSL-H0079	CSL-H0082	CSL-H0080	CSL-H0081
Size	6x7mm	8x10mm	10x11mm	12x13mm
Qty/Ctn	600 PCS	600 PCS	400 PCS	400 PCS
CBM(m³)	0.020	0.020	0.020	0.020
GW(kg)	15.45	24.1	24.3	34.85



DOUBLE OPEN END SPANNER

SPECIFICATIONS	CSL-H0083	CSL-H0086	CSL-H0084	CSL-H0085	CSL-H0087
Size	14x15mm	16x17mm	18x19mm	20x22mm	21x23mm
Qty/Ctn	300 PCS	200 PCS	200 PCS	150 PCS	150 PCS
CBM(m³)	0.019	0.018	0.023	0.026	0.026
GW(kg)	34.45	25.3	32.95	32.95	43.55

SPECIFICATIONS	CSL-H0088	CSL-H0091	CSL-H0089	CSL-H0090	CSL-H0092
Size	22x24mm	24x27mm	25x28mm	27x30mm	30x32mm
Qty/Ctn	150 PCS	100 PCS	100 PCS	50 PCS	50 PCS
CBM(m³)	0.026	0.031	0.031	0.030	0.030
GW(kg)	42.3	34.15	34.69	26	32.75

SPECIFICATIONS	CSL-H0093	CSL-H0096	CSL-H0094	CSL-H0095
Size	6x7mm	8x10mm	9x11mm	12x13mm
Qty/Ctn	600 PCS	600 PCS	400 PCS	280 PCS
CBM(m³)	0.011	0.017	0.017	0.022
GW(kg)	21.55	30	30.3	30.5



DOUBLE RING OFFSET SPANNER

SPECIFICATIONS	CSL-H0097	CSL-H0100	CSL-H0098	CSL-H0099	CSL-H0101
Size	14x15mm	16x17mm	18x19mm	20x22mm	21x23mm
Qty/Ctn	200 PCS	150 PCS	150 PCS	100 PCS	100 PCS
CBM(m³)	0.020	0.017	0.021	0.020	0.020
GW(kg)	32.3	26.35	30.65	30.7	32.8

SPECIFICATIONS	CSL-H0102	CSL-H0105	CSL-H0103	CSL-H0104	CSL-H0106
Size	22x24mm	24x27mm	25x28mm	27x30mm	30x32mm
Qty/Ctn	100 PCS	80 PCS	80 PCS	50 PCS	50 PCS
CBM(m³)	0.023	0.021	0.021	0.018	0.018
GW(kg)	32.4	36.7	39	31.85	35.5

SPECIFICATIONS	CSL-H0107	CSL-H0110	CSL-H0108	CSL-H0109
Size	6 mm	7 mm	8 mm	9 mm
Qty/Ctn	600 PCS	600 PCS	600 PCS	500 PCS
CBM(m³)	0.017	0.017	0.017	0.016
GW(kg)	14.96	15	15.2	16.35



COMBINATION SPANNER

WRENCH

SPECIFICATIONS	CSL-H0111	CSL-H0114	CSL-H0112	CSL-H0113	CSL-H0115	CSL-H0116
Size	10 mm	11 mm	12 mm	13 mm	14 mm	15 mm
Qty/Ctn	500 PCS	400 PCS	400 PCS	300 PCS	300 PCS	200 PCS
CBM(m³)	0.015	0.019	0.019	0.018	0.019	0.018
GW(kg)	21	20.4	24	24	29	24

SPECIFICATIONS	CSL-H0119	CSL-H0117	CSL-H0118	CSL-H0120	CSL-H0134	CSL-H0137
Size	16 mm	17 mm	18 mm	19 mm	20 mm	21 mm
Qty/Ctn	200 PCS	200 PCS	160 PCS	160 PCS	160 PCS	100 PCS
CBM(m³)	0.019	0.019	0.020	0.021	0.016	0.016
GW(kg)	25.2	26.4	25.6	27.2	31.2	26.5

SPECIFICATIONS	CSL-H0135	CSL-H0136	CSL-H0138	CSL-H0139	CSL-H0142
Size	22 mm	23 mm	24 mm	25 mm	26 mm
Qty/Ctn	100 PCS	80 PCS	80 PCS	80 PCS	80 PCS
CBM(m³)	0.017	0.017	0.017	0.018	0.018
GW(kg)	28	22.4	23	23.6	34.8

SPECIFICATIONS	CSL-H0140	CSL-H0141	CSL-H0143	CSL-H0144	CSL-H0145
Size	27 mm	28 mm	29 mm	30 mm	32 mm
Qty/Ctn	80 PCS	50 PCS	50 PCS	50 PCS	50 PCS
CBM(m³)	0.018	0.021	0.021	0.021	0.024
GW(kg)	34.8	21.75	24.5	25.25	30.75

SPECIFICATIONS	CSL-H0130	CSL-H0133	CSL-H0131	CSL-H0132
Socket Size	8mm&9mm	10mm&11mm	12mm&13mm	14mm&15mm
Qty/Ctn	300 PCS	200 PCS	120 PCS	100 PCS
CBM(m³)	0.019	0.024	0.018	0.017
GW(kg)	23	23.6	22.5	26.6



SPECIFICATIONS	CSL-H0121	CSL-H0124	CSL-H0122	CSL-H0123	CSL-H0125	CSL-H0146
Socket Size	14mm&17mm	16mm&17mm	17mm&19mm	18mm&19mm	20mm&21mm	22mm&24mm
Qty/Ctn	100 PCS	80 PCS	60 PCS	60 PCS	50 PCS	50 PCS
CBM(m³)	0.017	0.023	0.023	0.023	0.023	0.023
GW(kg)	28	30.8	25.6	27	26	26

SPECIFICATIONS	CSL-H0126	CSL-H0129	CSL-H0127	CSL-H0128
Size	8 mm	10 mm	11 mm	12 mm
Qty/Ctn	400 PCS	300 PCS	300 PCS	200 PCS
CBM(m³)	0.020	0.020	0.019	0.023
GW(kg)	21.8	17.8	25.6	24



WRENCH

SPECIFICATIONS	CSL-H0147	CSL-H0150	CSL-H0148	CSL-H0149	CSL-H0155	CSL-H0156
Size	13 mm	15 mm	17 mm	19 mm	21 mm	23 mm
Qty/Ctn	200 PCS	150 PCS	100 PCS	80 PCS	80 PCS	50 PCS
CBM(m³)	0.023	0.026	0.030	0.016	0.016	0.016
GW(kg)	26.6	25	23.5	25	26.5	27



SPECIFICATIONS	CSL-H0151	CSL-H0154	CSL-H0152	CSL-H0153
Size	8-19mm	8-19mm	6-17mm	6-22mm
Qty/Ctn	30 PCS	30 PCS	60 PCS	30 PCS
CBM(m³)	0.058	0.057	0.057	0.057
GW(kg)	27.3	32	29.5	25.6



SPECIFICATIONS	CSL-H0157	CSL-H0160	CSL-H0158	CSL-H0159
Size	6-22mm	6-17mm	6-22mm	6-17mm
Qty/Ctn	60 PCS	30 PCS	60 PCS	30 PCS
CBM(m³)	0.057	0.057	0.057	0.057
GW(kg)	32.9	26.98	23.78	26



SPECIFICATIONS	CSL-H0161	CSL-H0162
Size	8-24mm	8-32mm
Qty/Ctn	20 PCS	12 PCS
CBM(m³)	0.026	0.026
GW(kg)	29	32



WRENCH

SPECIFICATIONS	CSL-H0167	CSL-H0170	CSL-H0168	CSL-H0169
Size	1/2"	3/8"	1/4"	1/2"
Qty/Ctn	50 PCS	100 PCS	200 PCS	50 PCS
CBM(m³)	0.021	0.021	0.021	0.021
GW(kg)	34.5	30	29	34.5



RATCHET WRENCH

SPECIFICATIONS	CSL-H0181	CSL-H0184	CSL-H0182	CSL-H0183
Size	6 mm	7 mm	8 mm	9 mm
Qty/Ctn	400 PCS	400 PCS	360 PCS	280 PCS
CBM(m³)	0.018	0.018	0.018	0.018
GW(kg)	14	14	19	22



L-TYPE SOCKET WRENCH

SPECIFICATIONS	CSL-H0171	CSL-H0172	CSL-H0173	CSL-H0174	CSL-H0177
Size	10 mm	11 mm	12 mm	13 mm	14 mm
Qty/Ctn	216 PCS	192 PCS	168 PCS	144 PCS	100 PCS
CBM(m³)	0.018	0.018	0.018	0.018	0.018
GW(kg)	23	24	23	25	22

SPECIFICATIONS	CSL-H0175	CSL-H0176	CSL-H0178	CSL-H0179	CSL-H0180
Size	15 mm	16 mm	17 mm	18 mm	19 mm
Qty/Ctn	80 PCS	72 PCS	64 PCS	48 PCS	48 PCS
CBM(m³)	0.018	0.018	0.018	0.018	0.018
GW(kg)	21	18	21	21	21

SPECIFICATIONS	CSL-H0185	CSL-H0186	CSL-H0187	CSL-H0188	CSL-H0189
Size	20 mm	21 mm	22 mm	23 mm	24 mm
Qty/Ctn	48 PCS	40 PCS	40 PCS	32 PCS	32 PCS
CBM(m³)	0.015	0.015	0.015	0.015	0.015
GW(kg)	25	23	23	24	26

SPECIFICATIONS	CSL-H0190	CSL-H0191	CSL-H0192	CSL-H0193	CSL-H0194	CSL-H0195
Size	27 mm	30 mm	32 mm	36 mm	41 mm	42 mm
Qty/Ctn	24 PCS	16 PCS	12 PCS	12 PCS	8 PCS	8 PCS
CBM(m³)	0.015	0.020	0.020	0.020	0.015	0.015
GW(kg)	27	22	20	21	24	24

SPECIFICATIONS	CSL-H0163	CSL-H0166	CSL-H0164	CSL-H0165
Size	14"/350mm	16"/400mm	18"/450mm	20"/500mm
Qty/Ctn	20 PCS	20 PCS	20 PCS	20 PCS
CBM(m³)	0.022	0.040	0.041	0.057
GW(kg)	23	26	28	29



UNIVERSAL LUG WRENCH

WRENCH

SPECIFICATIONS	CSL-H0196	CSL-H0199	CSL-H0197	CSL-H0198	CSL-H0200
Size	8 mm	10 mm	12 mm	13 mm	14 mm
Qty/Ctn	100 PCS	100 PCS	100 PCS	100 PCS	100 PCS
CBM(m³)	0.039	0.039	0.039	0.039	0.039
GW(kg)	25	25	25	25	25



T-HANDLE
SOCKET WRENCH



Y-SHAPED
SOCKET WRENCH



UNIVERSAL LUG WRENCH

SPECIFICATIONS	CSL-H0201/CSL-H0202	CSL-H0203
Size	8-10-12mm/14-17-19mm	17-19-21-23mm
Qty/Ctn	100 PCS/70 PCS	20 PCS
CBM(m³)	0.034	0.041
GW(kg)	27/29	30



9PCS HEX KEY SET



9PCS HEX KEY SET

SPECIFICATIONS	CSL-H0204/CSL-H0205/CSL-H0206	CSL-H0207/CSL-H0208/CSL-H0209
Size	1.5,2,2.5,3,4,5,6,8,10 mm	1.5,2,2.5,3,4,5,6,8,10 mm
Qty/Ctn	36 PCS	36 PCS
CBM(m³)	0.025/0.020/0.016	0.025/0.020/0.016
GW(kg)	17-16/14-13/11-10	17-16/14-13/11-10



9PCS TORX KEY SET



9PCS TORX KEY SET

SPECIFICATIONS	CSL-H0210/CSL-H0211/CSL-H0212	CSL-H0213/CSL-H0214/CSL-H0215
Size	1.5,2,2.5,3,4,5,6,8,10 mm	1.5,2,2.5,3,4,5,6,8,10 mm
Qty/Ctn	36 PCS	36 PCS
CBM(m³)	0.025/0.020/0.016	0.025/0.020/0.016
GW(kg)	17-16/14-13/11-10	17-16/14-13/11-10

WRENCH



9PCS BALL POINT HEX KEY SET

SPECIFICATIONS	CSL-H0225/CSL-H0226/CSL-H0227	CSL-H0228/CSL-H0229/CSL-H0230
Size	1.5,2,2.5,3,4,5,6,8,10 mm	1.5,2,2.5,3,4,5,6,8,10 mm
Qty/Ctn	36 PCS	36 PCS
CBM(m³)	0.025/0.020/0.016	0.025/0.020/0.016
GW(kg)	17-16/14-13/11-10	17-16/14-13/11-10



9PCS BALL POINT HEX KEY SET



8PCS FOLDING
HEX KEY SET



8PCS FOLDING BALL
POINT HEX KEY SET



8PCS FOLDING
TORX KEY SET



3PCS FOLDING
HEX KEY SET

SPECIFICATIONS	CSL-H0216	CSL-H0217	CSL-H0231	CSL-H0232
Size	1.5,2,2.5,3,4,5,6,8 mm	1.5,2,2.5,3,4,5,6,8 mm	1.5,2,2.5,3,4,5,6,8 mm	1.5,2,2.5,3,4,5,6,8 mm
Qty/Ctn	60 PCS	60 PCS	60 PCS	24 PCS
CBM(m³)	0.020	0.020	0.020	0.017
GW(kg)	11/10	11/10	11/10	13/12



12 PCS SOCKET SET

SPECIFICATIONS	CSL-H0218	CSL-H0219	CSL-H0220	CSL-H0233	CSL-H0221	CSL-H0222
Size	1/2"	3/8"	1/4"	1/2"	3/8"	1/4"
Qty/Ctn	20 PCS	20 PCS	20PCS	20 PCS	20 PCS	20 PCS
CBM(m³)	0.049	0.056	0.043	0.043	0.043	0.043
GW(kg)	29.2	22.5	10.5	28.5	19.5	10.5




5PCS TUBING
WRENCH SET



14 PCS RATCHET
SCREWDRIVER BITS SET

SPECIFICATIONS	CSL-H0223	CSL-H0224
Size	8-19 mm	1/4"
Qty/Ctn	45 PCS	30 PCS
CBM(m³)	0.042	0.035
GW(kg)	25.8	11.5



32 PCS MINI
SOCKET SET



76 PCS
COMBINATION TOOLS



45 PCS
COMBINATION TOOLS



109 PCS
COMBINATION TOOLS

WRENCH

SPECIFICATIONS	CSL-H0235	CSL-H0236	CSL-H0237	CSL-H0238
Combination	32	76	45	109
Qty/Ctn	30 PCS	4 PCS	24 PCS	4 PCS
CBM(m³)	0.023	0.046	0.036	0.046
GW(kg)	15.4	28.2	28.7	29.8



GEAR PULLER

PULLER

SPECIFICATIONS	CSL-H0234	CSL-H0239	CSL-H0240	CSL-H0241
Size	75mm/3"	100mm/4"	150mm/6"	200mm/8"
Qty/Ctn	50 PCS	40 PCS	20 PCS	16 PCS
CBM(m³)	0.016	0.020	0.017	0.021
GW(kg)	20	29	25	32

SPECIFICATIONS	CSL-H0242	CSL-H0243	CSL-H0244
Size	250mm/10"	300mm/12"	350mm/14"
Qty/Ctn	9 PCS	6 PCS	4 PCS
CBM(m³)	0.022	0.014	0.016
GW(kg)	27	26	25

CSL IMPEX / SOURCING & SUPPLY

Send the CSL model code, quantity and destination for a tailored quotation.



SCREWDRIVER

SPECIFICATIONS	CSL-H0246	CSL-H0247	CSL-H0248	CSL-H0249	CSL-H0250	CSL-H0251
Size	3*75mm	5*100mm	5*150mm	6*38mm	6*100mm	6*150mm
Qty/Ctn	240 PCS	240 PCS	240 PCS	240 PCS	240 PCS	240 PCS
CBM(m³)	0.031	0.057	0.069	0.053	0.057	0.057
GW(kg)	8/9	15/16	17/18	12/13	22/23	25/26



SCREWDRIVER

SPECIFICATIONS	CSL-H0245	CSL-H0252	CSL-H0253	CSL-H0254	CSL-H0255	CSL-H0256
Size	3*75 mm	5*100 mm	5*150 mm	6*38 mm	6*100 mm	6*150 mm
Qty/Ctn	240 PCS	240 PCS	240 PCS	240 PCS	240 PCS	240 PCS
CBM(m³)	0.031	0.057	0.069	0.053	0.057	0.057
GW(kg)	8/9	15/16	17/18	12/13	22/23	25/26



SCREWDRIVER

SCREWDRIVER

	2PCS SCREWDRIVERS SET	6PCS SCREWDRIVERS SET	8PCS SCREWDRIVERS SET
SPECIFICATIONS	CSL-H0257/CSL-H0258	CSL-H0259	CSL-H0260
Set Contents	SL5*100/PH5*100 SL6*150/PH6*150	PH0X75+/PH1X100+/PH2X150+ 3X75-/5X100-/6X150-	PH2X38+/PH0X75+/PH1X75+/PH2X100+ 6X38-/3X75-/5X75-/6X100-
Qty/Ctn	48 PCS	24 PCS	24 PCS
CBM(m³)	0.047/0.053	0.074	0.067
GW(kg)	6/11	12	11



SPECIFICATIONS	CSL-H0261	CSL-H0262	RATCHET SCREWDRIVER BITS SET
Set Contents	PH2x38+/PH2x100+/PH0x50+/PH00x50+ 6x38-/6x100-/3x50-/2.5x50-	1x Handle/1x Socket PH2/(-)6mm, PH1/(-)5mm	1 ratchet screwdriver/1 T-handle extension bar 1 60mm extension bar/17 Bits/9 Sockets
Qty/Ctn	24 PCS	48 PCS	40 PCS
CBM(m³)	0.065	0.053	0.052
GW(kg)	13	9	24



HAND STAPLER

	STAPLE GUN	4 IN 1 STAPLE GUN	PLATIC STAPLE GUN
SPECIFICATIONS	CSL-H0264	CSL-H0265	CSL-H0266
Wire	1.2 mm	1.2 mm	0.7 mm
Qty/Ctn	40 PCS	24 PCS	48 PCS
CBM(m³)	0.067	0.042	0.061
GW(kg)	28.5	16	11



HAND RIVETER

	HAND RIVETER	HAND RIVETER	HAND RIVETER	HAND RIVETER
SPECIFICATIONS	CSL-H0267	CSL-H0268	CSL-H0269	CSL-H0270
Size	260mm, 10.5"	240mm, 9.5"	260mm, 10.5"	280mm, 11"
Qty/Ctn	40 PCS	36 PCS	24 PCS	24 PCS
CBM(m³)	0.051	0.062	0.043	0.049
GW(kg)	19/18	22	15.7	20.5

