

## CSL IMPEX / SOURCING & SUPPLY

Send the CSL model code, quantity and destination for a tailored quotation.

### HAND RIVETER



HAND RIVETER



HAND RIVETER



DOUBLE RIVET NUT PLIER

| SPECIFICATIONS | CSL-H0275  | CSL-H0276  | CSL-H0277   |
|----------------|------------|------------|-------------|
| Size           | 280mm, 11" | 535mm, 21" | 405 mm, 16" |
| Qty/Ctn        | 20 PCS     | 10 PCS     | 6 PCS       |
| CBM(m³)        | 0.054      | 0.054      | 0.061       |
| GW(kg)         | 22         | 20         | 17.5        |



3PCS UNIVERSAL JOINT SET



15 PCS E-TYPE SOCKET SET

### SOCKET

| SPECIFICATIONS | CSL-H0314 | CSL-H0315 |
|----------------|-----------|-----------|
| Set            | 3         | 15        |
| Qty/Ctn        | 64 PCS    | 40 PCS    |
| CBM(m³)        | 0.030     | 0.048     |
| GW(kg)         | 17        | 25.2      |

| SPECIFICATIONS | CSL-H0271 | CSL-H0272 | CSL-H0273 | CSL-H0274 |
|----------------|-----------|-----------|-----------|-----------|
| Size           | 8 mm      | 9 mm      | 10 mm     | 11 mm     |
| Qty/Ctn        | 300 PCS   | 300 PCS   | 300 PCS   | 200 PCS   |
| CBM(m³)        | 0.020     | 0.020     | 0.020     | 0.016     |
| GW(kg)         | 15.6      | 19.5      | 24.7      | 19.3      |



HEX SOCKET

| SPECIFICATIONS | CSL-H0278 | CSL-H0279 | CSL-H0280 | CSL-H0281 | CSL-H0282 |
|----------------|-----------|-----------|-----------|-----------|-----------|
| Size           | 12 mm     | 13 mm     | 14 mm     | 15 mm     | 16 mm     |
| Qty/Ctn        | 200 PCS   | 200 PCS   | 150 PCS   | 150 PCS   | 150 PCS   |
| CBM(m³)        | 0.016     | 0.016     | 0.018     | 0.018     | 0.018     |
| GW(kg)         | 21.5      | 24        | 21.4      | 23.8      | 25.7      |

| SPECIFICATIONS | CSL-H0283 | CSL-H0284 | CSL-H0285 | CSL-H0286 | CSL-H0287 |
|----------------|-----------|-----------|-----------|-----------|-----------|
| Size           | 17 mm     | 18 mm     | 19 mm     | 20 mm     | 21 mm     |
| Qty/Ctn        | 120 PCS   | 120 PCS   | 120 PCS   | 80 PCS    | 80 PCS    |
| CBM(m³)        | 0.02      | 0.02      | 0.02      | 0.02      | 0.02      |
| GW(kg)         | 25        | 27.6      | 30.2      | 17.9      | 18.8      |

| SPECIFICATIONS | CSL-H0288 | CSL-H0289 | CSL-H0290 | CSL-H0291 | CSL-H0292 | CSL-H0293 |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Size           | 22 mm     | 23 mm     | 24 mm     | 27 mm     | 30 mm     | 32 mm     |
| Qty/Ctn        | 80 PCS    | 80 PCS    | 80 PCS    | 60 PCS    | 30 PCS    | 30 PCS    |
| CBM(m³)        | 0.02      | 0.02      | 0.025     | 0.025     | 0.016     | 0.016     |
| GW(kg)         | 20.5      | 25.8      | 25.9      | 30        | 18        | 20.4      |

### SOCKET

| SPECIFICATIONS | CSL-H0313 | CSL-H0294 | CSL-H0295 | CSL-H0296 |
|----------------|-----------|-----------|-----------|-----------|
| Size           | 8 mm      | 9 mm      | 10 mm     | 11 mm     |
| Qty/Ctn        | 300 PCS   | 300 PCS   | 300 PCS   | 200 PCS   |
| CBM(m³)        | 0.02      | 0.02      | 0.02      | 0.016     |
| GW(kg)         | 15.6      | 19.5      | 24.7      | 19.3      |



LONG HEX SOCKET

| SPECIFICATIONS | CSL-H0297 | CSL-H0298 | CSL-H0299 | CSL-H0300 | CSL-H0301 |
|----------------|-----------|-----------|-----------|-----------|-----------|
| Size           | 12 mm     | 13 mm     | 14 mm     | 15 mm     | 16 mm     |
| Qty/Ctn        | 200 PCS   | 200 PCS   | 150 PCS   | 150 PCS   | 150 PCS   |
| CBM(m³)        | 0.016     | 0.016     | 0.018     | 0.018     | 0.018     |
| GW(kg)         | 21.5      | 24        | 21.4      | 23.8      | 25.7      |

| SPECIFICATIONS | CSL-H0302 | CSL-H0303 | CSL-H0304 | CSL-H0305 | CSL-H0306 |
|----------------|-----------|-----------|-----------|-----------|-----------|
| Size           | 17 mm     | 18 mm     | 19 mm     | 20 mm     | 21 mm     |
| Qty/Ctn        | 120 PCS   | 120 PCS   | 120 PCS   | 80 PCS    | 80 PCS    |
| CBM(m³)        | 0.02      | 0.02      | 0.02      | 0.02      | 0.02      |
| GW(kg)         | 25        | 27.6      | 30.2      | 17.9      | 18.8      |

| SPECIFICATIONS | CSL-H0307 | CSL-H0308 | CSL-H0309 | CSL-H0310 | CSL-H0311 | CSL-H0312 |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Size           | 22 mm     | 23 mm     | 24 mm     | 27 mm     | 30 mm     | 32 mm     |
| Qty/Ctn        | 80 PCS    | 80 PCS    | 80 PCS    | 60 PCS    | 30 PCS    | 30 PCS    |
| CBM(m³)        | 0.02      | 0.02      | 0.025     | 0.025     | 0.016     | 0.016     |
| GW(kg)         | 20.5      | 25.8      | 25.9      | 30        | 18        | 20.4      |

### SCREWDRIVER BITS



10PCS SCREWDRIVER BITS SET



10PCS SCREWDRIVER BITS SET



10PCS SCREWDRIVER BITS SET



20PCS SCREWDRIVER BITS SET

| SPECIFICATIONS | CSL-H0316  | CSL-H0317        | CSL-H0318  | CSL-H0319        |
|----------------|------------|------------------|------------|------------------|
| Size           | Ph2, 65 mm | PH2+SL6.0, 65 mm | Ph2, 50 mm | SL6.0x1.0, 25 mm |
| Qty/Ctn        | 200 PCS    | 200 PCS          | 200 PCS    | 200 PCS          |
| CBM(m³)        | 0.021      | 0.021            | 0.021      | 0.021            |
| GW(kg)         | 28         | 29               | 24.5       | 33               |

## CSL IMPEX / SOURCING & SUPPLY

Send the CSL model code, quantity and destination for a tailored quotation.

### SCREWDRIVER BITS



| SPECIFICATIONS | CSL-H0320 | CSL-H0321 | CSL-H0322  | CSL-H0323/CSL-H0323   |
|----------------|-----------|-----------|------------|-----------------------|
| Size           | 45 mm     | 1/4"      | Ph2, 25 mm | Ph2, 50 mm/Ph1, 50 mm |
| Qty/Ctn        | 200 PCS   | 600 PCS   | 1000 PCS   | 1000 PCS              |
| CBM(m³)        | 0.044     | 0.052     | 0.027      | 0.027                 |
| GW(kg)         | 19.8      | 21.32     | 13.4       | 24.4                  |



| SPECIFICATIONS | CSL-H0324 | CSL-H0325 | CSL-H0326       | CSL-H0327     |
|----------------|-----------|-----------|-----------------|---------------|
| Size           | Pz1, 25mm | Pz2, 50mm | PH2+SL6.0, 65mm | PH2+PH2, 65mm |
| Qty/Ctn        | 1000 PCS  | 1000 PCS  | 1000 PCS        | 1000 PCS      |
| CBM(m³)        | 0.027     | 0.027     | 0.035           | 0.035         |
| GW(kg)         | 13.4      | 24.4      | 30.8            | 30            |



| SPECIFICATIONS | CSL-H0328 | CSL-H0329/CSL-H0330/CSL-H0331                      |
|----------------|-----------|----------------------------------------------------|
| Size           | Ph3, 50mm | SL4x0.5 mm, 50mm/SL5x0.6 mm, 50mm/SL6x1.0 mm, 50mm |
| Qty/Ctn        | 200 PCS   | 200 PCS                                            |
| CBM(m³)        | 0.021     | 0.021                                              |
| GW(kg)         | 24        | 24                                                 |



| SPECIFICATIONS | CSL-H0332  | CSL-H0347  | CSL-H0348  | CSL-H0349  | CSL-H0333 |
|----------------|------------|------------|------------|------------|-----------|
| Size           | Ph1, 100mm | Ph2, 100mm | Ph2, 150mm | Ph2, 200mm | PH2,250mm |
| Qty/Ctn        | 1000 PCS   | 1000 PCS   | 600 PCS    | 500 PCS    | 500 PCS   |
| CBM(m³)        | 0.035      | 0.035      | 0.028      | 0.053      | 0.053     |
| GW(kg)         | 37         | 39         | 45         | 24.1       | 30        |

### SCREWDRIVER BITS

| SPECIFICATIONS | CSL-H0334   | CSL-H0335   | CSL-H0336   | CSL-H0337   |
|----------------|-------------|-------------|-------------|-------------|
| Size           | T25, 100 mm | T25, 150 mm | T25, 200 mm | T25, 250 mm |
| Qty/Ctn        | 1000 PCS    | 600 PCS     | 500 PCS     | 500 PCS     |
| CBM(m³)        | 0.035       | 0.028       | 0.053       | 0.053       |
| GW(kg)         | 40          | 45          | 24.1        | 30          |



| SPECIFICATIONS | CSL-H0338  | CSL-H0339  | CSL-H0340  | CSL-H0341  | CSL-H0342 |
|----------------|------------|------------|------------|------------|-----------|
| Size           | Ph2, 150mm | Ph2, 200mm | Ph2, 250mm | T25, 200mm | Ph2, 50mm |
| Qty/Ctn        | 1000 PCS   | 600 PCS    | 50 PCS     | 500 PCS    | 200 PCS   |
| CBM(m³)        | 0.025      | 0.017      | 0.024      | 0.015      | 0.017     |
| GW(kg)         | 33         | 20         | 34         | 19         | 25        |



| SPECIFICATIONS | CSL-H0343     | CSL-H0344     | CSL-H0345 | CSL-H0346 |
|----------------|---------------|---------------|-----------|-----------|
| Size           | PH2+SL5, 65mm | PH2+PH2, 65mm | 25mm      | 25mm      |
| Qty/Ctn        | 200 PCS       | 200 PCS       | 50 PCS    | 50 PCS    |
| CBM(m³)        | 0.042         | 0.042         | 0.017     | 0.017     |
| GW(kg)         | 29            | 30            | 14        | 15        |

## CUTTING MACHINE

| SPECIFICATIONS     | CSL-H0353 | CSL-H0354 | CSL-H0355 |
|--------------------|-----------|-----------|-----------|
| Max cutting length | 600mm     | 800mm     | 1200mm    |
| Qty/Ctn            | 2PCS      | 2PCS      | 1PCS      |
| CBM(m³)            | 0.089     | 0.111     | 0.071     |
| GW(kg)             | 16        | 19        | 13        |



MANUAL TILE CUTTER

## CUTTER

| SPECIFICATIONS | CSL-H0356 | CSL-H0357 | CSL-H0358 | CSL-H0359 |
|----------------|-----------|-----------|-----------|-----------|
| Size           | 2"/25mm   | 3" /75 mm | 4"/100 mm | 5"/125 mm |
| Qty/Ctn        | 72PCS     | 48PCS     | 36PCS     | 24PCS     |
| CBM(m³)        | 0.015     | 0.006     | 0.007     | 0.019     |
| GW(kg)         | 18        | 23        | 25        | 24        |

| SPECIFICATIONS | CSL-H0350 | CSL-H0351  | CSL-H0352  |
|----------------|-----------|------------|------------|
| Size           | 6"/150 mm | 8" /200 mm | 10" /250mm |
| Qty/Ctn        | 18PCS     | 12PCS      | 8PCS       |
| CBM(m³)        | 0.012     | 0.019      | 0.019      |
| GW(kg)         | 22        | 20         | 19         |



G-CLAMP




HEAVY DUTY PIPE CUTTER




PIPE CUTTER

| SPECIFICATIONS   | CSL-H0360/CSL-H0361   | CSL-H0363 | CSL-H0371 |
|------------------|-----------------------|-----------|-----------|
| Cutting diameter | 15 - 50 mm/25 - 75 mm | 14 - 63mm | 14 - 63mm |
| Qty/Ctn          | 10PCS/6PCS            | 50PCS     | 100PCS    |
| CBM(m³)          | 0.025/0.024           | 0.053     | 0.055     |
| GW(kg)           | 20/22                 | 27        | 25        |



MANUAL TILE CUTTER

| SPECIFICATIONS | CSL-H0362 |
|----------------|-----------|
| Size           | 15-115mm  |
| Qty/Ctn        | 4PCS      |
| CBM(m³)        | 0.020     |
| GW(kg)         | 29        |



## SHEARS



PIPE CUTTER



PIPE CUTTER



PIPE CUTTER



PIPE CUTTER

| SPECIFICATIONS   | CSL-H0365 | CSL-H0366 | CSL-H0367 | CSL-H0370 |
|------------------|-----------|-----------|-----------|-----------|
| Cutting diameter | 3 - 32mm  | 3 - 32mm  | 3 - 42mm  | 3 - 42 mm |
| Qty/Ctn          | 100PCS    | 120PCS    | 50PCS     | 50PCS     |
| CBM(m³)          | 0.039     | 0.080     | 0.069     | 0.030     |
| GW(kg)           | 15        | 26        | 20        | 14        |



AVIATION SNIP



AVIATION SNIP



AVIATION SNIP

| SPECIFICATIONS | CSL-H0369  | CSL-H0364  | CSL-H0368  |
|----------------|------------|------------|------------|
| Size           | 10"/250 mm | 10"/250 mm | 10"/250 mm |
| Qty/Ctn        | 60PCS      | 60PCS      | 60PCS      |
| CBM(m³)        | 0.059      | 0.059      | 0.059      |
| GW(kg)         | 26         | 26         | 26         |



AME

SNIP



GERMANY TINMAN'S SNIP



MIN

TER

| SPECIFICATIONS | CSL-H0372  | CSL-H0373  | CSL-H0374 |
|----------------|------------|------------|-----------|
| Size           | 10" /250mm | 10"/250 mm | 8"/200mm  |
| Qty/Ctn        | 48PCS      | 60PCS      | 60PCS     |
| CBM(m³)        | 0.061      | 0.044      | 0.031     |
| GW(kg)         | 25         | 27         | 20        |

| SPECIFICATIONS | CSL-H0375 | CSL-H0376 | CSL-H0377 |
|----------------|-----------|-----------|-----------|
| Size           | 6"/150 mm | 8"/200 mm | 10"/250mm |
| Qty/Ctn        | 120PCS    | 60PCS     | 48PCS     |
| CBM(m³)        | 0.034     | 0.028     | 0.032     |
| GW(kg)         | 26        | 22        | 29        |




CABLE CUTTER

CSL IMPEX / SELECTED RANGE

# Grip. Cut. Connect.

## PLIERS & CUTTERS



### BUILD YOUR ENQUIRY

Specify cutting capacity, overall length and the handle type.

Source Globally. Trade Seamlessly.

## CSL IMPEX / SOURCING & SUPPLY

Send the CSL model code, quantity and destination for a tailored quotation.

### SHEARS

| SPECIFICATIONS   | CSL-H0384  | CSL-H0385   | CSL-H0386   |
|------------------|------------|-------------|-------------|
| Cutting diameter | 8" /200 mm | 24" /600 mm | 36" /900 mm |
| Qty/Ctn          | 20PCS      | 10PCS       | 5PCS        |
| CBM(m³)          | 0.045      | 0.038       | 0.039       |
| GW(kg)           | 29         | 19          | 21.75       |



CABLE CUTTER

| SPECIFICATIONS   | CSL-H0378 | CSL-H0379 | CSL-H0380 | CSL-H0381 |
|------------------|-----------|-----------|-----------|-----------|
| Cutting diameter | 12"/300mm | 14"/350mm | 18"/450mm | 24"/600mm |
| Qty/Ctn          | 20PCS     | 20PCS     | 20PCS     | 10PCS     |
| CBM(m³)          | 0.041     | 0.041     | 0.046     | 0.039     |
| GW(kg)           | 15.8      | 17.6      | 28.4      | 23        |

| SPECIFICATIONS | CSL-H0382 | CSL-H0383 | CSL-H0387  |
|----------------|-----------|-----------|------------|
| Size           | 30"/750mm | 36"/900mm | 42"/1050mm |
| Qty/Ctn        | 7PCS      | 5PCS      | 4PCS       |
| CBM(m³)        | 0.049     | 0.038     | 0.045      |
| GW(kg)         | 26.2      | 25.75     | 30         |



CABLE CUTTER

| SPECIFICATIONS | CSL-H0388 | CSL-H0389 | CSL-H0390 | CSL-H0391  |
|----------------|-----------|-----------|-----------|------------|
| Size           | 18"/450mm | 24"/600mm | 36"/900mm | 42"/1050mm |
| Qty/Ctn        | 12PCS     | 10PCS     | 5PCS      | 3PCS       |
| CBM(m³)        | 0.034     | 0.026     | 0.037     | 0.0335016  |
| GW(kg)         | 29        | 31        | 27        | 23         |



CABLE CUTTER

PLIERS



COMBINATION PLIERS

| SPECIFICATIONS | CSL-H0403 | CSL-H0404 | CSL-H0405 | CSL-H0406 |
|----------------|-----------|-----------|-----------|-----------|
| Size           | 6"/160 mm | 8"/200 mm | 6"/160 mm | 8"/200 mm |
| Qty/Ctn        | 140PCS    | 84PCS     | 160PCS    | 96PCS     |
| CBM(m³)        | 0.068     | 0.045     | 0.068     | 0.045     |
| GW(kg)         | 33        | 30.5      | 30        | 31        |



LONG NOSE PLIERS



DIAGONAL CUTTING PLIERS

| SPECIFICATIONS | CSL-H0411 | CSL-H0412/CSL-H0413/CSL-H0414           |
|----------------|-----------|-----------------------------------------|
| Size           | 6"/160 mm | (6"/160 mm) / (7"/180 mm) / (8"/200 mm) |
| Qty/Ctn        | 140PCS    | 72PCS/60PCS/60PCS                       |
| CBM(m³)        | 0.068     | 0.044/0.043/0.059                       |
| GW(kg)         | 33        | 18.7/18.67/22.39                        |



COMBINATION PLIERS



LONG NOSE PLIERS



DIAGONAL CUTTING PLIERS



HIGH-LEVERAGE COMBINATION PLIERS

| SPECIFICATIONS | CSL-H0407/CSL-H0408       | CSL-H0409 | CSL-H0410 |
|----------------|---------------------------|-----------|-----------|
| Size           | (6"/160 mm) / (8"/200 mm) | 6"/160 mm | 8"/200 mm |
| Qty/Ctn        | 72PCS/60PCS               | 72PCS     | 72PCS     |
| CBM(m³)        | 0.044/0.056               | 0.051     | 0.045     |
| GW(kg)         | 14.38/17.5                | 16.54     | 29        |



HIGH-LEVERAGE LONG NOSE PLIERS



HIGH-LEVERAGE DIAGONAL CUTTING PLIERS

| SPECIFICATIONS | CSL-H0402 | CSL-H0415 |
|----------------|-----------|-----------|
| Size           | 6"/160 mm | 6"/160 mm |
| Qty/Ctn        | 140PCS    | 120PCS    |
| CBM(m³)        | 0.068     | 0.068     |
| GW(kg)         | 33        | 35        |



PLIERS



5 IN 1 PRO-HIGH LEVERAGE COMBINATION PLIERS



5 IN 1 PRO-HIGH LEVERAGE LONG NOSE PLIERS



5 IN 1 PRO-HIGH LEVERAGE DIAGONAL CUTTING PLIERS

| SPECIFICATIONS | CSL-H0416 | CSL-H0401 | CSL-H0417 |
|----------------|-----------|-----------|-----------|
| Material       | Cr-V      | Cr-V      | Cr-V      |
| Qty/Ctn        | 72PCS     | 72PCS     | 72PCS     |
| CBM(m³)        | 0.045     | 0.045     | 0.045     |
| GW(kg)         | 29        | 29        | 29        |



LONG NOSE PLIERS



DIAGONAL CUTTING PLIERS

| SPECIFICATIONS | CSL-H0396 | CSL-H0397  | CSL-H0398 | CSL-H0399 |
|----------------|-----------|------------|-----------|-----------|
| Size           | 6"/160 mm | 8" /200 mm | 6"/160 mm | 8"/200 mm |
| Qty/Ctn        | 72PCS     | 60PCS      | 72PCS     | 60PCS     |
| CBM(m³)        | 0.041     | 0.053      | 0.048     | 0.053     |
| GW(kg)         | 16        | 20.3       | 20.4      | 23.4      |

| SPECIFICATIONS   | CSL-H0392 | CSL-H0393 | CSL-H0394 |
|------------------|-----------|-----------|-----------|
| Cutting diameter | 7"/180 mm | 8"/200 mm | 9"/228 mm |
| Qty/Ctn          | 60PCS     | 60PCS     | 48PCS     |
| CBM(m³)          | 0.040     | 0.056     | 0.056     |
| GW(kg)           | 18.7      | 23.3      | 21.23     |



COMBINATION PLIERS



MULTI-FUNCTION COMBINATION PLIERS



MULTI-FUNCTION LONG NOSE PLIERS



MINI BOLT CUTTER

| SPECIFICATIONS | CSL-H0418 | CSL-H0395 | CSL-H0400 |
|----------------|-----------|-----------|-----------|
| Size           | 9"/228 mm | 9"/228 mm | 8"/200 mm |
| Qty/Ctn        | 48PCS     | 48PCS     | 72PCS     |
| CBM(m³)        | 0.056     | 0.056     | 0.036     |
| GW(kg)         | 20.55     | 17.86     | 24.5      |

PLIERS



MULTI-FUNCTION WIRE STRIPPER

| SPECIFICATIONS        | CSL-H0428                          | CSL-H0429                           |
|-----------------------|------------------------------------|-------------------------------------|
| Stripping wires range | 10AWG~22AWG(0.5~6mm <sup>2</sup> ) | 10AWG~22AWG(0.2~10mm <sup>2</sup> ) |
| Qty/Ctn               | 60PCS                              | 60PCS                               |
| CBM(m <sup>3</sup> )  | 0.0551                             | 0.0551                              |
| GW(kg)                | 24.5                               | 24.9                                |



MULTI-FUNCTION WIRE STRIPPER



WATER PUMP PLIERS

| SPECIFICATIONS       | CSL-H0430/CSL-H0431       | CSL-H0432/CSL-H0433/CSL-H0434 |
|----------------------|---------------------------|-------------------------------|
| Size                 | (10"/250 mm)/(12"/300 mm) | 6"/160 mm 7"/180 mm 8"/200 mm |
| Qty/Ctn              | 60PCS/36PCS               | 60PCS/60PCS/60PCS             |
| CBM(m <sup>3</sup> ) | 0.017/0.016               | 0.015/0.015/0.019             |
| GW(kg)               | 24.5/22.5                 | 13/18.5/20.5                  |



END CUTTING PLIERS



TOWER PINERS



CARPENTER PLIERS

| SPECIFICATIONS       | CSL-H0419 | CSL-H0435 |
|----------------------|-----------|-----------|
| Size                 | 9"/220 mm | 8"/200 mm |
| Qty/Ctn              | 60PCS     | 60PCS     |
| CBM(m <sup>3</sup> ) | 0.017     | 0.017     |
| GW(kg)               | 24        | 25        |



HEAVY DUTY PIPE WRENCH

| SPECIFICATIONS       | CSL-H0420  | CSL-H0421   | CSL-H0422   | CSL-H0423   |
|----------------------|------------|-------------|-------------|-------------|
| Size                 | 8" /200 mm | 10" /250 mm | 12" /300 mm | 14" /350 mm |
| Qty/Ctn              | 60PCS      | 48PCS       | 36PCS       | 24PCS       |
| CBM(m <sup>3</sup> ) | 0.019      | 0.020       | 0.020       | 0.018       |
| GW(kg)               | 26.2       | 32.2        | 32.0        | 28.4        |

| SPECIFICATIONS       | CSL-H0424   | CSL-H0425   | CSL-H0426   | CSL-H0427    |
|----------------------|-------------|-------------|-------------|--------------|
| Size                 | 18" /450 mm | 24" /600 mm | 36" /900 mm | 48" /1200 mm |
| Qty/Ctn              | 16PCS       | 12PCS       | 6PCS        | 4PCS         |
| CBM(m <sup>3</sup> ) | 0.018       | 0.022       | 0.024       | 0.023        |
| GW(kg)               | 28.5        | 33.2        | 32.3        | 37.0         |

CSL IMPEX / SOURCING & SUPPLY

Send the CSL model code, quantity and destination for a tailored quotation.

PLIERS

| SPECIFICATIONS       | CSL-H0436  | CSL-H0437   | CSL-H0447   | CSL-H0448   |
|----------------------|------------|-------------|-------------|-------------|
| Size                 | 8" /200 mm | 10" /250 mm | 12" /300 mm | 14" /350 mm |
| Qty/Ctn              | 48PCS      | 72PCS       | 72PCS       | 72PCS       |
| CBM(m <sup>3</sup> ) | 0.011      | 0.045       | 0.045       | 0.045       |
| GW(kg)               | 18.5       | 29          | 29          | 29          |



HEAVY DUTY PIPE WRENCH

| SPECIFICATIONS       | CSL-H0449   | CSL-H0450   | CSL-H0451   | CSL-H0452    |
|----------------------|-------------|-------------|-------------|--------------|
| Size                 | 18" /350 mm | 24" /600 mm | 36" /900 mm | 48" /1200 mm |
| Qty/Ctn              | 72PCS       | 60PCS       | 72PCS       | 60PCS        |
| CBM(m <sup>3</sup> ) | 0.041       | 0.053       | 0.048       | 0.053        |
| GW(kg)               | 16          | 20.3        | 20.4        | 23.4         |

| SPECIFICATIONS       | CSL-H0438 | CSL-H0439 | CSL-H0440 |
|----------------------|-----------|-----------|-----------|
| Cutting diameter     | 1"/25mm   | 1.5"/38mm | 2"/50mm   |
| Qty/Ctn              | 36PCS     | 24PCS     | 12PCS     |
| CBM(m <sup>3</sup> ) | 0.015     | 0.015     | 0.013     |
| GW(kg)               | 26        | 28        | 22        |



WATER PUMP PLIERS

| SPECIFICATIONS       | CSL-H0441 | CSL-H0442 | CSL-H0443 | CSL-H0444 |
|----------------------|-----------|-----------|-----------|-----------|
| Size                 | 9"/228 mm | 9"/228 mm | 9"/228 mm | 9"/228 mm |
| Qty/Ctn              | 48PCS     | 48PCS     | 48PCS     | 48PCS     |
| CBM(m <sup>3</sup> ) | 0.056     | 0.056     | 0.056     | 0.056     |
| GW(kg)               | 17.86     | 17.86     | 17.86     | 17.86     |

| SPECIFICATIONS       | CSL-H0445 | CSL-H0446 |
|----------------------|-----------|-----------|
| Size                 | 9"/228 mm | 9"/228 mm |
| Qty/Ctn              | 48PCS     | 48PCS     |
| CBM(m <sup>3</sup> ) | 0.056     | 0.056     |
| GW(kg)               | 17.86     | 17.86     |



BENCH VISE



LEATHER HOLE PUNCHER



LEATHER HOLE PUNCHER



C-CLAMP LOCKING PLIER

| PLIERS         |           |           |           |
|----------------|-----------|-----------|-----------|
| SPECIFICATIONS | CSL-H0453 | CSL-H0454 | CSL-H0460 |
| Size           | 6"/160 mm | 8"/200 mm | 11"/280mm |
| Qty/Ctn        | 140PCS    | 84PCS     | 36PCS     |
| CBM(m³)        | 0.068     | 0.045     | 0.03472   |
| GW(kg)         | 33        | 30.5      | 28        |



WELDING LOCKING PLIER



CHAIN LOCKING PLIER



LONG NOSE LOCKING PLIER

| SPECIFICATIONS | CSL-H0461 | CSL-H0456 | CSL-H0457 |
|----------------|-----------|-----------|-----------|
| Size           | 18"/450mm | 18"/450mm | 9"        |
| Qty/Ctn        | 36PCS     | 48PCS     | 60PCS     |
| CBM(m³)        | 0.02175   | 0.02028   | 0.0204    |
| GW(kg)         | 20        | 26        | 26        |



CURVED JAW LOCKING PLIER



CURVED JAW LOCKING PLIER

| IFICATIONS | CSL-H0458/CSL-H0459     | CSL-H0455 |
|------------|-------------------------|-----------|
| Size       | (7"/175mm)/(10"/225mm ) | 10"/225mm |
| Qty/Ctn    | 60PCS/60PCS             | 60PCS     |
| CBM(m³)    | 0.0155/0.0204           | 0.0204    |
| GW(kg)     | 22/26                   | 27        |

CSL IMPEX / SELECTED RANGE

# Control in every task

## CLAMPING TOOLS



## BUILD YOUR ENQUIRY

Include jaw capacity, reach and preferred clamp or plier format.

Source Globally. Trade Seamlessly.

## CSL IMPEX / STRIKING TOOLS

Select the head weight, handle format and quantity for your enquiry.

### HAMMER



CLAW HAMMER      CLAW HAMMER      BALL PEIN HAMMER

| SPECIFICATIONS | CSL-H0466 | CSL-H0467 | CSL-H0468 |
|----------------|-----------|-----------|-----------|
| Weight         | 250 g     | 500 g     | 1LB       |
| Qty/Ctn        | 60PCS     | 48PCS     | 48PCS     |
| CBM(m³)        | 0.03978   | 0.04131   | 0.032967  |
| GW(kg)         | 27.5      | 38.2      | 29        |



STONNING HAMMER      STONNING HAMMER      STONNING HAMMER      SLEDGE HAMMER

| SPECIFICATIONS | CSL-H0469 | CSL-H0470 | CSL-H0471 | CSL-H0472/CSL-H0473 |
|----------------|-----------|-----------|-----------|---------------------|
| Weight         | 1000g     | 1500g     | 2000g     | 8LB/10LB            |
| Qty/Ctn        | 24PCS     | 12PCS     | 12PCS     | 10PCS/6PCS          |
| CBM(m³)        | 0.020412  | 0.028396  | 0.016575  | 0.03744/0.0416      |
| GW(kg)         | 28        | 40.85     | 25.2      | 28.75/33.95         |



MACHINIST HAMMER      MACHINIST HAMMER      MACHINIST HAMMER      MACHINIST HAMMER

| SPECIFICATIONS | CSL-H0462 | CSL-H0463 | CSL-H0464 | CSL-H0465 |
|----------------|-----------|-----------|-----------|-----------|
| Weight         | 300g      | 500g      | 800g      | 1000g     |
| Qty/Ctn        | 60PCS     | 48PCS     | 36PCS     | 24PCS     |
| CBM(m³)        | 0.033417  | 0.03877   | 0.026606  | 0.030025  |
| GW(kg)         | 30        | 37.1      | 40.6      | 29.5      |



RUBBER HAMMER      RUBBER HAMMER      CLAW HAMMER      CLAW HAMMER

| SPECIFICATIONS   | CSL-H0489 | CSL-H0490 | CSL-H0474 | CSL-H0475 |
|------------------|-----------|-----------|-----------|-----------|
| Cutting diameter | 500g      | 750g      | 500g      | 500g      |
| Qty/Ctn          | 60PCS     | 48PCS     | 60PCS     | 48PCS     |
| CBM(m³)          | 0.0516    | 0.0516    | 0.035613  | 0.043639  |
| GW(kg)           | 36.5      | 42.3      | 20.55     | 26.8      |

### AXE



AXE      AXE      AXE

| SPECIFICATIONS | CSL-H0476 | CSL-H0477 | CSL-H0478 |
|----------------|-----------|-----------|-----------|
| Size           | 600g      | 800g      | 600g      |
| Qty/Ctn        | 36PCS     | 24PCS     | 36PCS     |
| CBM(m³)        | 0.045644  | 0.033885  | 0.045644  |
| GW(kg)         | 37.5      | 39.3      | 34.5      |

### CHISEL



COLD CHISEL

| SPECIFICATIONS | CSL-H0484   | CSL-H0485   | CSL-H0486   | CSL-H0488   | CSL-H0487   |
|----------------|-------------|-------------|-------------|-------------|-------------|
| Size           | 19x16x254mm | 19x16x305mm | 25x19x254mm | 25x19x305mm | 25x19x355mm |
| Qty/Ctn        | 24PCS       | 24PCS       | 24PCS       | 24PCS       | 16PCS       |
| CBM(m³)        | 0.033217    | 0.039044    | 0.033217    | 0.039044    | 0.030723    |
| GW(kg)         | 13          | 15          | 16          | 19          | 15          |




CONCRETE CHISEL

| SPECIFICATIONS | CSL-H0479  | CSL-H0480  | CSL-H0481  | CSL-H0482  | CSL-H0483  |
|----------------|------------|------------|------------|------------|------------|
| Size           | 4x16x254mm | 4x16x305mm | 4x19x254mm | 4x19x305mm | 4x19x355mm |
| Qty/Ctn        | 24PCS      | 24PCS      | 24PCS      | 24PCS      | 16PCS      |
| CBM(m³)        | 0.033217   | 0.039044   | 0.033217   | 0.039044   | 0.030723   |
| GW(kg)         | 13         | 15         | 16         | 19         | 15         |

CSL IMPEX / SELECTED RANGE

# A cleaner cut

## KNIVES & SCRAPERS



### BUILD YOUR ENQUIRY


Select blade format, handle style and required pack quantity.

Source Globally. Trade Seamlessly.

### KNIFE

|                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                |  |  |  |  |
|                | UTILITY KNIFE                                                                       | UTILITY KNIFE                                                                       | UTILITY KNIFE                                                                       | UTILITY KNIFE                                                                       |
| SPECIFICATIONS | CSL-H0491                                                                           | CSL-H0492                                                                           | CSL-H0493                                                                           | CSL-H0494                                                                           |
| Blade Size     | 61 x 19 mm                                                                          | 61 x 19 mm                                                                          | 18 x 100 mm                                                                         | 18 x 100 mm                                                                         |
| Qty/Ctn        | 72 PCS                                                                              | 144 PCS                                                                             | 144 PCS                                                                             | 144 PCS                                                                             |
| CBM(m³)        | 0.065                                                                               | 0.065                                                                               | 0.052                                                                               | 0.052                                                                               |
| GW(kg)         | 13                                                                                  | 20                                                                                  | 19                                                                                  | 17                                                                                  |

|                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                |  |  |  |  |
|                | UTILITY KNIFE                                                                       | UTILITY KNIFE                                                                       | UTILITY KNIFE                                                                       | UTILITY KNIFE                                                                       |
| SPECIFICATIONS | CSL-H0495                                                                           | CSL-H0496                                                                           | CSL-H0497                                                                           | CSL-H0498                                                                           |
| Blade Size     | 18 x 100 mm                                                                         | 9 x 80 mm                                                                           | 61 x 19 mm                                                                          | 9 x 18 mm                                                                           |
| Qty/Ctn        | 144 PCS                                                                             | 300 PCS                                                                             | 144 PCS                                                                             | 47 PCS                                                                              |
| CBM(m³)        | 0.046                                                                               | 0.052                                                                               | 0.056                                                                               | 0.038                                                                               |
| GW(kg)         | 20                                                                                  | 11.5                                                                                | 15.5                                                                                | 10                                                                                  |

|                |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                |  |  |  |  |
|                | 10 PCS BLADES SET                                                                     | 10 PCS BLADES SET                                                                     | 10 PCS BLADES SET                                                                     | 10 PCS BLADES SET                                                                     |
| SPECIFICATIONS | CSL-H0499                                                                             | CSL-H0500                                                                             | CSL-H0501                                                                             | CSL-H0502                                                                             |
| Size           | 9 x 80 mm                                                                             | 18 x 100 mm                                                                           | 19 x 61 mm                                                                            | 18 x 100 mm                                                                           |
| Qty/Ctn        | 600 PCS                                                                               | 400 PCS                                                                               | 400 PCS                                                                               | 400 PCS                                                                               |
| CBM(m³)        | 0.015                                                                                 | 0.022                                                                                 | 0.009                                                                                 | 0.022                                                                                 |
| GW(kg)         | 15                                                                                    | 29                                                                                    | 17                                                                                    | 26                                                                                    |


|                |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                |  |  |  |  |
|                | RAZOR BLADE SCRAPER                                                                   | RAZOR BLADE SCRAPER                                                                   | 10 PCS BLADES SET                                                                     | 10 PCS BLADES SET                                                                     |
| SPECIFICATIONS | CSL-H0503                                                                             | CSL-H0504                                                                             | CSL-H0505                                                                             | CSL-H0506                                                                             |
| Blade Size     | 18 x 100 mm                                                                           | 14 x 100 mm                                                                           | 14 x 100 mm                                                                           | 18 x 97 mm                                                                            |
| Qty/Ctn        | 144 PCS                                                                               | 120 PCS                                                                               | 180 PCS                                                                               | 60 PCS                                                                                |
| CBM(m³)        | 0.070                                                                                 | 0.108                                                                                 | 0.091                                                                                 | 0.073                                                                                 |
| GW(kg)         | 17                                                                                    | 18.5                                                                                  | 23.5                                                                                  | 15.5                                                                                  |

## SAWS

| SPECIFICATIONS | CSL-H0509    | CSL-H0510    | CSL-H0511    | CSL-H0512    |
|----------------|--------------|--------------|--------------|--------------|
| Size           | 16" (400 mm) | 18" (450 mm) | 20" (500 mm) | 22" (550 mm) |
| Qty/Ctn        | 48 PCS       | 48 PCS       | 48 PCS       | 48 PCS       |
| CBM(m³)        | 0.065        | 0.065        | 0.077        | 0.083        |
| GW(kg)         | 21.4         | 23.2         | 25           | 26.8         |



| SPECIFICATIONS | CSL-H0507  | CSL-H0513 | CSL-H0514 |
|----------------|------------|-----------|-----------|
| Size           | 14"/350 mm | 270 mm    | 170 mm    |
| Qty/Ctn        | 72 PCS     | 72 PCS    | 120 PCS   |
| CBM(m³)        | 0.098      | 0.060     | 0.056     |
| GW(kg)         | 23.7       | 18.8      | 10.7      |



| SPECIFICATIONS | CSL-H0529  | CSL-H0531 | CSL-H0530 |
|----------------|------------|-----------|-----------|
| Size           | 300 mm/12" | 300mm/12" | 300mm/12" |
| Qty/Ctn        | 60 PCS     | 48 PCS    | 36 PCS    |
| CBM(m³)        | 0.048      | 0.048     | 0.048     |
| GW(kg)         | 24         | 26        | 17        |



## SAW BLADE

| SPECIFICATIONS | CSL-H0515    | CSL-H0516    | CSL-H0517/CSL-H0518/CSL-H0519 |
|----------------|--------------|--------------|-------------------------------|
| Size           | 300 mm (12") | 300 mm (12") | 300 mm (12")                  |
| Qty/Ctn        | 10 PCS       | 10 PCS       | 120 PCS                       |
| CBM(m³)        | 0.011        | 0.011        | 0.014                         |
| GW(kg)         | 19           | 20           | 5.5                           |

| SPECIFICATIONS | CSL-H0508    | CSL-H0520    | CSL-H0521    |
|----------------|--------------|--------------|--------------|
| Size           | 300 mm (12") | 300 mm (12") | 300 mm (12") |
| Qty/Ctn        | 120 PCS      | 120 PCS      | 120 PCS      |
| CBM(m³)        | 0.014        | 0.014        | 0.014        |
| GW(kg)         | 5.5          | 5.5          | 5.5          |



## SAW BLADE

| SPECIFICATIONS | CSL-H0522 | CSL-H0532 | CSL-H0533 | CSL-H0534 |
|----------------|-----------|-----------|-----------|-----------|
| Blade Length   | 100 mm    | 100 mm    | 100 mm    | 100 mm    |
| Qty/Ctn        | 600 PCS   | 600 PCS   | 600 PCS   | 600 PCS   |
| CBM(m³)        | 0.040     | 0.040     | 0.040     | 0.040     |
| GW(kg)         | 23        | 22        | 26        | 26        |



| SPECIFICATIONS | CSL-H0535  | CSL-H0536  | CSL-H0537   |
|----------------|------------|------------|-------------|
| Size           | 100*1.2*6T | 240*1.2*5T | 150*1.0*18T |
| Qty/Ctn        | 200 PCS    | 200 PCS    | 200 PCS     |
| CBM(m³)        | 0.018      | 0.018      | 0.022       |
| GW(kg)         | 10.2       | 17         | 10          |



| SPECIFICATIONS | CSL-H0523   | CSL-H0524   | CSL-H0525   |
|----------------|-------------|-------------|-------------|
| Size           | 225*1.0*14T | 300*1.0*14T | 300*1.27*6T |
| Qty/Ctn        | 200 PCS     | 200 PCS     | 200 PCS     |
| CBM(m³)        | 0.022       | 0.029       | 0.029       |
| GW(kg)         | 15          | 21          | 22.5        |



| SPECIFICATIONS | CSL-H0526    | CSL-H0527     | CSL-H0528    |
|----------------|--------------|---------------|--------------|
| Set            | 5 pieces/set | 10 pieces/set | 6 pieces/set |
| Qty/Ctn        | 600 PCS      | 80 PCS        | 40 PCS       |
| CBM(m³)        | 0.040        | 0.040         | 0.047        |
| GW(kg)         | 24           | 21            | 15           |

CSL IMPEX / SELECTED RANGE

# Shape the finish

## FILES & CHISELS



### BUILD YOUR ENQUIRY

Specify working profile, length and whether a set is required.

Source Globally. Trade Seamlessly.

### FILES

|                | FLAT STEEL FILE | SQUARE STEEL FILE | TRIANGULAR STEEL FILE | HALF ROUND STEEL FILE | ROUND STEEL FILE |
|----------------|-----------------|-------------------|-----------------------|-----------------------|------------------|
| SPECIFICATIONS | CSL-H0542       | CSL-H0543         | CSL-H0544             | CSL-H0547             | CSL-H0548        |
| Length         | 8"/200 mm       | 8"/200 mm         | 8"/200 mm             | 8"/200 mm             | 8"/200 mm        |
| Qty/Ctn        | 72 PCS          | 72 PCS            | 72 PCS                | 72 PCS                | 72 PCS           |
| CBM(m³)        | 0.034           | 0.034             | 0.034                 | 0.034                 | 0.034            |
| GW(kg)         | 16              | 11                | 15                    | 16                    | 16               |

|                | 5PCS STEEL FILE SET | 3PCS WOOD FILE SET | 4PCS WOOD CHISEL SET | 6 PCS PIN PUNCH SET | 12 PCS PUNCH & CHISEL SET |
|----------------|---------------------|--------------------|----------------------|---------------------|---------------------------|
| SPECIFICATIONS | CSL-H0545           | CSL-H0546          | CSL-H0549            | CSL-H0550           | CSL-H0551                 |
| Set            | 5                   | 3                  | 4                    | 6                   | 12                        |
| Qty/Ctn        | 20 PCS              | 20 PCS             | 24 PCS               | 30 PCS              | 10 PCS                    |
| CBM(m³)        | 0.034               | 0.034              | 0.055                | 0.014               | 0.013                     |
| GW(kg)         | 16                  | 12                 | 21                   | 13.5                | 11                        |

| SPECIFICATIONS | CSL-H0538   | CSL-H0540    | CSL-H0541    | CSL-H0552    | CSL-H0553     |
|----------------|-------------|--------------|--------------|--------------|---------------|
| Width          | 6 mm (1/4") | 8 mm (5/16") | 10 mm (3/8") | 12 mm (1/2") | 14 mm (9/16") |
| Qty/Ctn        | 72 PCS      | 72 PCS       | 72 PCS       | 72 PCS       | 72 PCS        |
| CBM(m³)        | 0.052       | 0.052        | 0.052        | 0.052        | 0.052         |
| GW(kg)         | 13          | 14           | 15           | 16           | 17            |



WOOD CHISEL

| SPECIFICATIONS | CSL-H0539    | CSL-H0554    | CSL-H0555    | CSL-H0556  | CSL-H0557      | CSL-H0558      |
|----------------|--------------|--------------|--------------|------------|----------------|----------------|
| Width          | 16 mm (5/8") | 19 mm (3/4") | 22 mm (7/8") | 25 mm (1") | 32 mm (1-1/4") | 38 mm (1-1/2") |
| Qty/Ctn        | 72 PCS       | 72 PCS       | 72 PCS       | 72 PCS     | 72 PCS         | 72 PCS         |
| CBM(m³)        | 0.052        | 0.052        | 0.052        | 0.052      | 0.052          | 0.052          |
| GW(kg)         | 18           | 19           | 20           | 21         | 22             | 23             |

| SPECIFICATIONS | CSL-H0559 | CSL-H0560 | CSL-H0561 | CSL-H0562 |
|----------------|-----------|-----------|-----------|-----------|
| Grain Size     | 150#      | 180#      | 220#      | 800#      |
| Qty/Ctn        | 100 PCS   | 100 PCS   | 100 PCS   | 100 PCS   |
| CBM(m )³       | 0.013     | 0.013     | 0.013     | 0.013     |
| GW(kg)         | 24        | 22        | 18.4      | 12.5      |

| SPECIFICATIONS | CSL-H0566 | CSL-H0563 | CSL-H0564 | CSL-H0565 |
|----------------|-----------|-----------|-----------|-----------|
| Grain Size     | 150#      | 180#      | 220#      | 800#      |
| Qty/Ctn        | 100 PCS   | 100 PCS   | 100 PCS   | 100 PCS   |
| CBM(m³)        | 0.013     | 0.013     | 0.013     | 0.013     |
| GW(kg)         | 24        | 22        | 18.4      | 12.5      |



MULTIPURPOSE SANDPAPER

Diamond saw blades



CUTTING WHEEL

| PARTS          |           |
|----------------|-----------|
| SPECIFICATIONS | CSL-H0571 |
| Size           | 22mm      |
| Qty/Ctn        | 500PCS    |
| CBM(m³)        | 0.071     |
| GW(kg)         | 24        |



| SPECIFICATIONS | CSL-H0582          | CSL-H0583          | CSL-H0584      | CSL-H0572      |
|----------------|--------------------|--------------------|----------------|----------------|
| Size           | 110 mm (4-3/8")40T | 115 mm (4-1/2")40T | 180 mm (7")40T | 230 mm (9")40T |
| Qty/Ctn        | 200PCS             | 200PCS             | 50PCS          | 50PCS          |
| CBM(m³)        | 0.1566             | 0.01566            | 0.024          | 0.0375         |
| GW(kg)         | 18                 | 19                 | 17             | 20             |

| SPECIFICATIONS | CSL-H0573          | CSL-H0574       | CSL-H0575       | CSL-H0567       |
|----------------|--------------------|-----------------|-----------------|-----------------|
| Size           | 230 mm (9-1/4")60T | 225 mm (10")40T | 225 mm (10")60T | 225 mm (10")80T |
| Qty/Ctn        | 50PCS              | 25PCS           | 25PCS           | 25PCS           |
| CBM(m³)        | 0.0375             | 0.02187         | 0.02187         | 0.02187         |
| GW(kg)         | 20                 | 22              | 22              | 22              |

| SPECIFICATIONS | CSL-H0568        | CSL-H0569            |
|----------------|------------------|----------------------|
| Size           | 300 mm (12")120T | 350 mm (13-3/4")100T |
| Qty/Ctn        | 25PCS            | 10PCS                |
| CBM(m³)        | 0.03267          | 0.024548             |
| GW(kg)         | 28               | 16                   |



TCT SAW BLADE FOR WOOD CUTTING

| SPECIFICATIONS   | CSL-H0570             | CSL-H0579 | CSL-H0580 | CSL-H0581 |
|------------------|-----------------------|-----------|-----------|-----------|
| Cutting diameter | 15 - 50 mm/25 - 75 mm | 14 - 63mm | 14 - 63mm | 14 - 63mm |
| Qty/Ctn          | 200PCS                | 200PCS    | 50PCS     | 25PCS     |
| CBM(m³)          | 0.025/0.024           | 0.053     | 0.053     | 0.053     |
| GW(kg)           | 20/22                 | 27        | 27        | 27        |

| SPECIFICATIONS | CSL-H0576 | CSL-H0577 | CSL-H0578 |
|----------------|-----------|-----------|-----------|
| Size           | 15-115mm  | 15-115mm  | 15-115mm  |
| Qty/Ctn        | 25PCS     | 20PCS     | 10PCS     |
| CBM(m³)        | 0.020     | 0.020     | 0.020     |
| GW(kg)         | 29        | 29        | 29        |



DIAMOND SAW BLADE

CSL IMPEX / SELECTED RANGE

# Cutting essentials

## SAW BLADES



## BUILD YOUR ENQUIRY

Include diameter, bore and the material to be cut.

Source Globally. Trade Seamlessly.

PARTS



DIAMOND SAW BLADE

| SPECIFICATIONS | CSL-H0593                | CSL-H0594             | CSL-H0598             | CSL-H0599          |
|----------------|--------------------------|-----------------------|-----------------------|--------------------|
| Size           | 115 (4 - 1/2") x 22.2 mm | 125 mm (5") x 22.2 mm | 180 mm (7") x 22.2 mm | 230 (9") x 22.2 mm |
| Qty/Ctn        | 200PCS                   | 200PCS                | 50PCS                 | 25PCS              |
| CBM(m³)        | 0.03402                  | 0.0432                | 0.021252              | 0.015625           |
| GW(kg)         | 22                       | 28                    | 18                    | 21                 |



DIAMOND TURBO BLADE

| SPECIFICATIONS | CSL-H0600          | CSL-H0601      | CSL-H0602           | CSL-H0603       |
|----------------|--------------------|----------------|---------------------|-----------------|
| Size           | 115(4-1/2")X22.2mm | 125(5")X22.2mm | 180 mm (7") X22.2mm | 230 (9")X22.2mm |
| Qty/Ctn        | 200PCS             | 200PCS         | 50PCS               | 25PCS           |
| CBM(m³)        | 0.03402            | 0.0432         | 0.021252            | 0.015625        |
| GW(kg)         | 22                 | 28             | 18                  | 21              |

| SPECIFICATIONS | CSL-H0595          | CSL-H0596           | CSL-H0597       |
|----------------|--------------------|---------------------|-----------------|
| Size           | 115(4-1/2")X22.2mm | 180 mm (7") X22.2mm | 230 (9")X22.2mm |
| Qty/Ctn        | 200PCS             | 50PCS               | 25PCS           |
| CBM(m³)        | 0.03402            | 0.021252            | 0.015625        |
| GW(kg)         | 21                 | 17                  | 20              |



| SPECIFICATIONS | CSL-H0609 | CSL-H0606 | CSL-H0607 | CSL-H0608 |
|----------------|-----------|-----------|-----------|-----------|
| Size           | 5"/125 mm | 6"/150 mm | 7"/180 mm | 9"/230 mm |
| Qty/Ctn        | 50PCS     | 50PCS     | 40PCS     | 30PCS     |
| CBM(m³)        | 0.026364  | 0.026364  | 0.030576  | 0.011968  |
| GW(kg)         | 17        | 18        | 23        | 17        |

| SPECIFICATIONS | CSL-H0605 | CSL-H0604 |
|----------------|-----------|-----------|
| Size           | 9"/228 mm | 9"/228 mm |
| Qty/Ctn        | 30PCS     | 10PCS     |
| CBM(m³)        | 0.042900  | 0.021600  |
| GW(kg)         | 26        | 13        |

DIAMOND GRINDING WHEEL



PARTS



DIAMOND SAW BLADE

| SPECIFICATIONS | CSL-H0587  | CSL-H0588    | CSL-H0589  | CSL-H0610 | CSL-H0611 |
|----------------|------------|--------------|------------|-----------|-----------|
| Size           | 4" /100 mm | 4.5" /115 mm | 5" /125 mm | 7"/180mm  | 9"/230mm  |
| Qty/Ctn        | 50PCS      | 50PCS        | 40PCS      | 30PCS     | 10PCS     |
| CBM(m³)        | 0.026364   | 0.026364     | 0.030576   | 0.042900  | 0.021600  |
| GW(kg)         | 17         | 18           | 23         | 26        | 13        |

| SPECIFICATIONS | CSL-H0585    | CSL-H0586    | CSL-H0590      |
|----------------|--------------|--------------|----------------|
| Size           | 7"/180mm/60T | 9"/230mm/80T | 10"/255mm/100T |
| Qty/Ctn        | 50PCS        | 50PCS        | 25PCS          |
| CBM(m³)        | 0.024        | 0.038        | 0.022          |
| GW(kg)         | 17           | 20           | 22             |



ALUMINUM CUTTING BLADE



CUT-OFF WHEEL



CUT-OFF WHEEL



CUT-OFF WHEEL

| SPECIFICATIONS | CSL-H0591                                         | CSL-H0614/CSL-H0615                                                                               | CSL-H0592                                     |
|----------------|---------------------------------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------------------|
| Size           | 115 mm (4-1/2") x 1.2 mm (3/64") x 22.2 mm (7/8") | 115 mm (4-1/2") x 1.2 mm (3/64") x 22.2 mm (7/8") / 125 mm (5") x 1.6 mm (1/16") x 22.2 mm (7/8") | 180 mm (7") x 1.9 mm (5/64") x 22.2 mm (7/8") |
| Qty/Ctn        | 500PCS                                            | 500PCS/500PCS                                                                                     | 200PCS                                        |
| CBM(m³)        | 0.014                                             | 0.017/0.017                                                                                       | 0.017                                         |
| GW(kg)         | 14.5                                              | 17/22.5                                                                                           | 22.8                                          |



CABLE CUTTER



CUT-OFF WHEEL



CUT-OFF WHEEL

| SPECIFICATIONS | CSL-H0616/CSL-H0617                                                                             | CSL-H0612                          | CSL-H0613                          |
|----------------|-------------------------------------------------------------------------------------------------|------------------------------------|------------------------------------|
| Size           | 230 mm (9") / 180 mm (7") x 2.0 mm (5/64") x 22.2 mm (7/8") / x 2.5 mm (3/32") x 22.2 mm (7/8") | 355mm(14") x3.0mm(1/8")X25.4mm(1") | 400mm(16") x3.0mm(1/8")x25.4mm(1") |
| Qty/Ctn        | 150PCS/100PCS                                                                                   | 25PCS                              | 25PCS                              |
| CBM(m³)        | 0.027/0.027                                                                                     | 0.012                              | 0.015                              |
| GW(kg)         | 29.8/25.5                                                                                       | 16.9                               | 23.2                               |

CSL IMPEX / SELECTED RANGE

# Surface solutions

## ABRASIVES



### BUILD YOUR ENQUIRY

Specify disc diameter, grit, bore and intended application.

Source Globally. Trade Seamlessly.

## Abrasive discs



GRINDING WHEEL



| PARTS               |                                                                              |
|---------------------|------------------------------------------------------------------------------|
| SPECIFICATIONS      |                                                                              |
| CSL-H0618/CSL-H0619 |                                                                              |
| Size                | 180mm(7") / 230mm(9")<br>x6.0mm(1/4")x22.2mm(7/8") x6.0mm(1/4")x22.2mm(7/8") |
| Qty/Ctn             | 50PCS/50PCS                                                                  |
| CBM(m³)             | 0.017/0.027                                                                  |
| GW(kg)              | 18.6/29.8                                                                    |

| SPECIFICATIONS | CSL-H0622      | CSL-H0623      | CSL-H0624      | CSL-H0625      |
|----------------|----------------|----------------|----------------|----------------|
| Size           | 115 mm x 22 mm | 115 mm x 22 mm | 115 mm x 22 mm | 180 mm x 22 mm |
| Qty/Ctn        | 200PCS         | 100PCS         | 200PCS         | 100PCS         |
| CBM(m³)        | 0.04219425     | 0.04219425     | 0.04219425     | 0.04484        |
| GW(kg)         | 19             | 19             | 19             | 23             |

| SPECIFICATIONS | CSL-H0620          | CSL-H0621          |
|----------------|--------------------|--------------------|
| Size           | 180 mm x 22 mm/60# | 180 mm x 22 mm/80# |
| Qty/Ctn        | 100PCS             | 100PCS             |
| CBM(m³)        | 0.04484            | 0.04484            |
| GW(kg)         | 23                 | 23                 |



FLAP DISC

| SPECIFICATIONS | CSL-H0628          | CSL-H0629          | CSL-H0630          | CSL-H0631          |
|----------------|--------------------|--------------------|--------------------|--------------------|
| Size           | 115 mm x 22 mm/40# | 115 mm x 22 mm/60# | 115 mm x 22 mm/80# | 180 mm x 22 mm/40# |
| Qty/Ctn        | 200PCS             | 200PCS             | 200PCS             | 100PCS             |
| CBM(m³)        | 0.04219425         | 0.04219425         | 0.04219425         | 0.04484            |
| GW(kg)         | 19                 | 21                 | 21                 | 23                 |

| SPECIFICATIONS | CSL-H0626          | CSL-H0627          |
|----------------|--------------------|--------------------|
| Size           | 180 mm x 22 mm/60# | 180 mm x 22 mm/80# |
| Qty/Ctn        | 100PCS             | 100PCS             |
| CBM(m³)        | 0.04484            | 0.04484            |
| GW(kg)         | 23                 | 23                 |



FLAP DISC

**PARTS**

| SPECIFICATIONS | CSL-H0632           | CSL-H0633           | CSL-H0634           | CSL-H0635           |
|----------------|---------------------|---------------------|---------------------|---------------------|
| Particle size  | 115 mm x 22 mm/40 # | 115 mm x 22 mm/60 # | 115 mm x 22 mm/80 # | 180 mm x 22 mm/40 # |
| Qty/Ctn        | 200PCS              | 200PCS              | 200PCS              | 200PCS              |
| CBM(m³)        | 0.04219425          | 0.04219425          | 0.04219425          | 0.04484             |
| GW(kg)         | 21                  | 21                  | 21                  | 21                  |

| SPECIFICATIONS | CSL-H0636           | CSL-H0637           |
|----------------|---------------------|---------------------|
| Particle size  | 180 mm x 22 mm/60 # | 180 mm x 22 mm/80 # |
| Qty/Ctn        | 100PCS              | 100PCS              |
| CBM(m³)        | 0.04484             | 0.04484             |
| GW(kg)         | 24                  | 24                  |



FLAP DISC

| SPECIFICATIONS | CSL-H0638   | CSL-H0639   | CSL-H0640   | CSL-H0641   |
|----------------|-------------|-------------|-------------|-------------|
| Particle size  | 125 mm/40 # | 125 mm/60 # | 125 mm/80 # | 180 mm/40 # |
| Qty/Ctn        | 3000PCS     | 3000PCS     | 3000PCS     | 1000PCS     |
| CBM(m³)        | 0.047       | 0.047       | 0.047       | 0.04        |
| GW(kg)         | 31          | 28          | 27          | 20          |

| SPECIFICATIONS | CSL-H0642   | CSL-H0643   |
|----------------|-------------|-------------|
| Size           | 180 mm/60 # | 180 mm/80 # |
| Qty/Ctn        | 1000PCS     | 1000PCS     |
| CBM(m³)        | 0.04        | 0.04        |
| GW(kg)         | 20          | 18          |



SANDING DISC

| SPECIFICATIONS | CSL-H0644   | CSL-H0645   | CSL-H0646   | CSL-H0647   |
|----------------|-------------|-------------|-------------|-------------|
| Particle size  | 125 mm/40 # | 125 mm/60 # | 125 mm/80 # | 180 mm/40 # |
| Qty/Ctn        | 1400PCS     | 2000PCS     | 2000PCS     | 700PCS      |
| CBM(m³)        | 0.045292    | 0.045292    | 0.045292    | 0.04788     |
| GW(kg)         | 18.5        | 18.9        | 16.5        | 21          |

| SPECIFICATIONS | CSL-H0648   | CSL-H0649   |
|----------------|-------------|-------------|
| Size           | 180 mm/60 # | 180 mm/80 # |
| Qty/Ctn        | 1000PCS     | 1000PCS     |
| CBM(m³)        | 0.04788     | 0.04788     |
| GW(kg)         | 20          | 20          |



SANDING DISC

## CSL IMPEX / SELECTED RANGE

# Prepare. Polish. Finish.

**SANDING & POLISHING**

**BUILD YOUR ENQUIRY**

Select the abrasive format, size, grit and pack quantity.

**Source Globally. Trade Seamlessly.**

## PARTS

| SPECIFICATIONS | CSL-H0650  | CSL-H0651   | CSL-H0652   | CSL-H0653   |
|----------------|------------|-------------|-------------|-------------|
| Particle size  | 125 mm/40# | 125 mm/60 # | 125 mm/80 # | 180 mm/40 # |
| Qty/Ctn        | 100PCS     | 100PCS      | 100PCS      | 120PCS      |
| CBM(m³)        | 0.04       | 0.04        | 0.04        | 0.047       |
| GW(kg)         | 17         | 16          | 16          | 19.8        |


| SPECIFICATIONS | CSL-H0654   | CSL-H0655   |
|----------------|-------------|-------------|
| Particle size  | 180 mm/60 # | 180 mm/80 # |
| Qty/Ctn        | 120PCS      | 120PCS      |
| CBM(m³)        | 0.047       | 0.047       |
| GW(kg)         | 19.8        | 19.8        |



FIBER DISC

| SPECIFICATIONS | CSL-H0656   | CSL-H0657   | CSL-H0658   | CSL-H0659   |
|----------------|-------------|-------------|-------------|-------------|
| Particle size  | 125 mm/40 # | 125 mm/60 # | 125 mm/80 # | 180 mm/40 # |
| Qty/Ctn        | 100PCS      | 100PCS      | 100PCS      | 120PCS      |
| CBM(m³)        | 0.04        | 0.04        | 0.04        | 0.047       |
| GW(kg)         | 17          | 16          | 16          | 19.8        |

| SPECIFICATIONS | CSL-H0660   | CSL-H0661   |
|----------------|-------------|-------------|
| Size           | 180 mm/60 # | 180 mm/80 # |
| Qty/Ctn        | 120PCS      | 120PCS      |
| CBM(m³)        | 0.047       | 0.047       |
| GW(kg)         | 19.8        | 19.8        |



FIBER DISC



ROTARY FLEXIBLE BACKING PLATE



SANDER REPLACEMENT PAD

| SPECIFICATIONS | CSL-H0662 | CSL-H0663 | CSL-H0664 | CSL-H0665 |
|----------------|-----------|-----------|-----------|-----------|
| Diameter       | 125mm     | 180       | 125mm     | 180mm     |
| Qty/Ctn        | 200PCS    | 100PCS    | 200PCS    | 100PCS    |
| CBM(m³)        | 0.080073  | 0.058466  | 0.048484  | 0.048484  |
| GW(kg)         | 18.3      | 15        | 26        | 26        |

## PARTS

| SPECIFICATIONS | CSL-H0666 | CSL-H0667 | CSL-H0668 | CSL-H0669 | CSL-H0670 |
|----------------|-----------|-----------|-----------|-----------|-----------|
| Size           | 125mm     | 180mm     | 150mm, 6" | 150mm, 6" | 200mm, 8" |
| Qty/Ctn        | 200PCS    | 100PCS    | 60PCS     | 40PCS     | 20PCS     |
| CBM(m³)        | 0.048484  | 0.048484  | 0.03998   | 0.04225   | 0.02601   |
| GW(kg)         | 14        | 14        | 17        | 18        | 11        |



PLASTIC BACKING PLATE



TWISTED WIRE BRUSH



CIRCULAR WIRE BRUSH



CIRCULAR WIRE BRUSH



TWISTED CUP WIRE BRUSH



TWISTED CUP WIRE BRUSH



TWISTED CUP WIRE BRUSH



CRIMPED CUP WIRE BRUSH

| SPECIFICATIONS | CSL-H0679 | CSL-H0680 | CSL-H0681 | CSL-H0682 |
|----------------|-----------|-----------|-----------|-----------|
| Size           | 75mm, 3"  | 100mm, 4" | 125mm, 5" | 75mm, 3"  |
| Qty/Ctn        | 100PCS    | 60PCS     | 45PCS     | 100PCS    |
| CBM(m³)        | 0.05292   | 0.05645   | 0.07545   | 0.05292   |
| GW(kg)         | 21        | 22        | 24        | 17        |



CRIMPED CUP WIRE BRUSH



WIRE BRUSH CUP



WIRE BRUSH CUP

| SPECIFICATIONS | CSL-H0671 | CSL-H0672 | CSL-H0673 | CSL-H0674 |
|----------------|-----------|-----------|-----------|-----------|
| Size           | 100mm, 4" | 125mm, 5" | 50mm, 2"  | 75mm, 3"  |
| Qty/Ctn        | 60PCS     | 45PCS     | 120PCS    | 80PCS     |
| CBM(m³)        | 0.05645   | 0.07545   | 0.04436   | 0.04436   |
| GW(kg)         | 17        | 21.5      | 9         | 8         |



WIRE WHEEL



WIRE WHEEL



WIRE WHEEL



WIRE END BRUSH

| SPECIFICATIONS | CSL-H0675 | CSL-H0676 | CSL-H0677 | CSL-H0678 |
|----------------|-----------|-----------|-----------|-----------|
| Size           | 50mm, 2"  | 75mm, 3"  | 100mm, 4" | 25mm, 1"  |
| Qty/Ctn        | 120PCS    | 120PCS    | 80PCS     | 200PCS    |
| CBM(m³)        | 0.04436   | 0.04436   | 0.0594    | 0.04436   |
| GW(kg)         | 5.5       | 10        | 9         | 9         |

CSL IMPEX / SELECTED RANGE

# Organise your tools

## STORAGE & ACCESSORIES



## BUILD YOUR ENQUIRY

Specify capacity, overall dimensions and preferred configuration.

Source Globally. Trade Seamlessly.



FLEXIBLE HOSE

### PARTS

| SPECIFICATIONS | CSL-H0683 | CSL-H0684 | CSL-H0685 |
|----------------|-----------|-----------|-----------|
| Length         | 6M        | 9M        | 15M       |
| Qty/Ctn        | 80PCS     | 60PCS     | 40PCS     |
| CBM(m³)        | 0.101     | 0.101     | 0.101     |
| GW(kg)         | 25        | 25        | 25        |



PLASTIC TOOL BOX

| SPECIFICATIONS | CSL-H0692 | CSL-H0693 | CSL-H0687 | CSL-H0688 |
|----------------|-----------|-----------|-----------|-----------|
| Size           | 23"       | 19"       | 16"       | 14"       |
| Qty/Ctn        | 4PCS      | 4PCS      | 4PCS      | 4PCS      |
| CBM(m³)        | 0.19      | 0.15      | 0.12      | 0.08      |
| GW(kg)         | 15        | 11.6      | 7.8       | 6.5       |

| SPECIFICATIONS | CSL-H0689  | CSL-H0686  | CSL-H0691  | CSL-H0690  |
|----------------|------------|------------|------------|------------|
| Size           | 4 x 110 mm | 4 x 160 mm | 5 x 110 mm | 5 x 160 mm |
| Qty/Ctn        | 500PCS     | 500PCS     | 500PCS     | 500PCS     |
| CBM(m³)        | 0.025      | 0.033      | 0.025      | 0.033      |
| GW(kg)         | 15.5       | 17.5       | 19         | 22.5       |

| SPECIFICATIONS | CSL-H0695  | CSL-H0694  |
|----------------|------------|------------|
| Size           | 5 x 210 mm | 5 x 260 mm |
| Qty/Ctn        | 300PCS     | 300PCS     |
| CBM(m³)        | 0.026      | 0.021      |
| GW(kg)         | 16         | 18         |



DRILL BIT

CSL IMPEX / SELECTED RANGE

# The right accessory

## DRILL BITS & CHISELS



### BUILD YOUR ENQUIRY

Include shank type, working diameter and total length.

Source Globally. Trade Seamlessly.

| PARTS          |           |           |           |           |           |
|----------------|-----------|-----------|-----------|-----------|-----------|
| SPECIFICATIONS | CSL-H0698 | CSL-H0699 | CSL-H0700 | CSL-H0715 | CSL-H0716 |
| Size           | 6x110mm   | 6 x 160mm | 6 x 210mm | 8 x 110mm | 8 x 160mm |
| Qty/Ctn        | 500PCS    | 500PCS    | 300PCS    | 500PCS    | 500PCS    |
| CBM(m³)        | 0.025     | 0.033     | 0.026     | 0.025     | 0.033     |
| GW(kg)         | 20.5      | 25.5      | 20.4      | 21        | 29.5      |

| SPECIFICATIONS | CSL-H0696 | CSL-H0697  | CSL-H0701  | CSL-H0702  | CSL-H0703  |
|----------------|-----------|------------|------------|------------|------------|
| Size           | 8 x 210mm | 10 x 110mm | 10 x 160mm | 10 x 210mm | 10 x 260mm |
| Qty/Ctn        | 300PCS    | 500PCS     | 400PCS     | 200PCS     | 200PCS     |
| CBM(m³)        | 0.026     | 0.025      | 0.028      | 0.018      | 0.018      |
| GW(kg)         | 22.5      | 24.5       | 28.8       | 16.4       | 17         |

| SPECIFICATIONS | CSL-H0704  | CSL-H0705  | CSL-H0706  | CSL-H0707  | CSL-H0708  |
|----------------|------------|------------|------------|------------|------------|
| Size           | 10 x 350mm | 10 x 450mm | 12 x 160mm | 12 x 210mm | 12 x 260mm |
| Qty/Ctn        | 150PCS     | 100PCS     | 300PCS     | 200PCS     | 200PCS     |
| CBM(m³)        | 0.015      | 0.027      | 0.021      | 0.018      | 0.021      |
| GW(kg)         | 18.9       | 17         | 24.9       | 18.4       | 22         |

| SPECIFICATIONS | CSL-H0709  | CSL-H0710  | CSL-H0711  | CSL-H0712  | CSL-H0713  |
|----------------|------------|------------|------------|------------|------------|
| Size           | 12 x 350mm | 12 x 450mm | 14 x 110mm | 14 x 160mm | 14 x 210mm |
| Qty/Ctn        | 150PCS     | 100PCS     | 300PCS     | 300PCS     | 200PCS     |
| CBM(m³)        | 0.015      | 0.027      | 0.022      | 0.021      | 0.018      |
| GW(kg)         | 24         | 19         | 20         | 29.1       | 25         |

| SPECIFICATIONS | CSL-H0714  |
|----------------|------------|
| Size           | 14 x 260mm |
| Qty/Ctn        | 150PCS     |
| CBM(m³)        | 0.019      |
| GW(kg)         | 23         |



SDS PLUS HAMMER DRILL BIT