CSL IMPEX

Drill Bits, Chisels & Rotary Files

SOURCE GLOBALLY. TRADE SEAMLESSLY.

Drilling and chiselling selections

Technical dimensions and item references

Rotary files and drill-bit sets

Product selection, specifications and packing references.

Send your catalogue reference, quantity and destination for an enquiry.

Commercial terms and final specifications are confirmed per order.

cslimpex@yahoo.com | India / WhatsApp +91 7738424384
China mobile / WeChat +86 15888952638 | WeChat: Chandrasukh

Catalogue guide

Find the right product.

Use the CSL page or selection reference when enquiring. Product artwork, dimensions, technical tables and model references are retained from the supplied selection material.

Please confirm sizes, materials, configuration and packing for your required model. Supplier corporate profiles and contact information are excluded.

The catalogue presents sourcing selections through CSL IMPEX. It does not imply ownership of the manufacturing facility.

Sourcing | Procurement | Inspection coordination | Shipment support

Drill Bits, Chisels & Rotary Files

cslimpex@yahoo.com | India / WhatsApp +91 7738424384
China mobile / WeChat +86 15888952638 | WeChat: Chandrasukh

Drill Bits, Chisels & Rotary Files

Employing high quality of alloy structure steel for drilling body and tungsten carbide for drilling tip, it automatically soldering with advanced heat treatment equipment and take high temperature welding in 1200℃, The drills in combinationwith various types of electric hammer which is one of the most efficient tools suitable and widely used for hole drilling in hard materials like concrete, masonry, stone, marble and granite etc in construction&installation industries.

cslimpex@yahoo.com | India / WhatsApp +91 7738424384
China mobile / WeChat +86 15888952638 | WeChat: Chandrasukh

Drill Bits, Chisels & Rotary Files

BK-PLUS HAMMER DRILL BIT,SINGLE FLUTE, FLAT HEAD
圆柄电锤钻-单槽一字型合金

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-A4110	4	110
BK-A5110	5	110
BK-A6110	6	110
BK-A7110	7	110
BK-A8110	8	110
BK-A9110	9	110
BK-A10110	10	110
BK-A4160	4	160
BK-A5160	5	160
BK-A6160	6	160
BK-A7160	7	160
BK-A8160	8	160
BK-A10160	10	160
BK-A12160	12	160
BK-A13160	13	160
BK-A14160	14	160
BK-A16160	16	160
BK-A5210	5	210
BK-A6210	6	210
BK-A7210	7	210
BK-A8210	8	210
BK-A9210	9	210
BK-A10210	10	210
BK-A12210	12	210
BK-A13210	13	210
BK-A14210	14	210
BK-A16210	16	210
BK-A18210	18	210
BK-A20210	20	210
BK-A22210	22	210
BK-A25210	25	210
BK-A6260	6	260
BK-A7260	7	260
BK-A8260	8	260
BK-A9260	9	260
BK-A10260	10	260
BK-A12260	12	260
BK-A13260	13	260
BK-A14260	14	260
BK-A16260	16	260
BK-A18260	18	260
BK-A20260	20	260
BK-A22260	22	260
BK-A25260	25	260
BK-A28260	28	260
BK-A8310	8	310
BK-A9310	9	310
BK-A10310	10	310
BK-A12310	12	310
BK-A13310	13	310
BK-A14310	14	310
BK-A16310	16	310
BK-A18310	18	310
BK-A20310	20	310

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-A22310	22	310
BK-A25310	25	310
BK-A28310	28	310
BK-A30310	30	310
BK-A8350	8	350
BK-A9350	9	350
BK-A10350	10	350
BK-A12350	12	350
BK-A13350	13	350
BK-A14350	14	350
BK-A16350	16	350
BK-A18350	18	350
BK-A20350	20	350
BK-A22350	22	350
BK-A25350	25	350
BK-A28350	28	350
BK-A30350	30	350
BK-A32350	32	350
BK-A35350	35	350
BK-A8450	8	450
BK-A9450	9	450
BK-A10450	10	450
BK-A12450	12	450
BK-A14450	14	450
BK-A16450	16	450
BK-A18450	18	450
BK-A20450	20	450
BK-A22450	22	450
BK-A25450	25	450
BK-A10500	10	500
BK-A12500	12	500
BK-A14500	14	500
BK-A16500	16	500
BK-A18500	18	500
BK-A20500	20	500
BK-A22500	22	500
BK-A25500	25	500
BK-A10600	10	600
BK-A12600	12	600
BK-A14600	14	600
BK-A16600	16	600
BK-A18600	18	600
BK-A20600	20	600
BK-A25600	25	600
BK-A28600	28	600
BK-A12800	12	800
BK-A14800	14	800
BK-A16800	16	800
BK-A18800	18	800
BK-A20800	20	800
BK-A22800	22	800
BK-A121000	12	1000
BK-A141000	14	1000
BK-A161000	16	1000

CSL selection page 03 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

BK-PLUS HAMMER DRILL BIT, DOUBLE FLUTES, FLAT HEAD
圆柄电锤钻-双槽一字型合金



货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-B4110	4	110
BK-B5110	5	110
BK-B6110	6	110
BK-B7110	7	110
BK-B8110	8	110
BK-B9110	9	110
BK-B10110	10	110
BK-B4160	4	160
BK-B5160	5	160
BK-B6160	6	160
BK-B7160	7	160
BK-B8160	8	160
BK-B10160	10	160
BK-B12160	12	160
BK-B13160	13	160
BK-B14160	14	160
BK-B16160	16	160
BK-B5210	5	210
BK-B6210	6	210
BK-B7210	7	210
BK-B8210	8	210
BK-B9210	9	210
BK-B10210	10	210
BK-B12210	12	210
BK-B13210	13	210
BK-B14210	14	210
BK-B16210	16	210
BK-B18210	18	210
BK-B20210	20	210
BK-B22210	22	210
BK-B25210	25	210
BK-B6260	6	260
BK-B7260	7	260
BK-B8260	8	260
BK-B9260	9	260
BK-B10260	10	260
BK-B12260	12	260
BK-B13260	13	260
BK-B14260	14	260
BK-B16260	16	260
BK-B18260	18	260
BK-B20260	20	260
BK-B22260	22	260
BK-B25260	25	260
BK-B28260	28	260
BK-B8310	8	310
BK-B9310	9	310
BK-B10310	10	310
BK-B12310	12	310
BK-B13310	13	310
BK-B14310	14	310
BK-B16310	16	310
BK-B18310	18	310
BK-B20310	20	310

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-B22310	22	310
BK-B25310	25	310
BK-B28310	28	310
BK-B30310	30	310
BK-B8350	8	350
BK-B9350	9	350
BK-B10350	10	350
BK-B12350	12	350
BK-B13350	13	350
BK-B14350	14	350
BK-B16350	16	350
BK-B18350	18	350
BK-B20350	20	350
BK-B22350	22	350
BK-B25350	25	350
BK-B28350	28	350
BK-B30350	30	350
BK-B32350	32	350
BK-B35350	35	350
BK-B8450	8	450
BK-B9450	9	450
BK-B10450	10	450
BK-B12450	12	450
BK-B14450	14	450
BK-B16450	16	450
BK-B18450	18	450
BK-B20450	20	450
BK-B22450	22	450
BK-B25450	25	450
BK-B10500	10	500
BK-B12500	12	500
BK-B14500	14	500
BK-B16500	16	500
BK-B18500	18	500
BK-B20500	20	500
BK-B22500	22	500
BK-B25500	25	500
BK-B10600	10	600
BK-B12600	12	600
BK-B14600	14	600
BK-B16600	16	600
BK-B18600	18	600
BK-B20600	20	600
BK-B25600	25	600
BK-B28600	28	600
BK-B12800	12	800
BK-B14800	14	800
BK-B16800	16	800
BK-B18800	18	800
BK-B20800	20	800
BK-B22800	22	800
BK-B121000	12	1000
BK-B141000	14	1000
BK-B161000	16	1000

CSL selection page 04 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

BK-PLUS HAMMER DRILL BIT,DOUBLE FLUTES,CROSS HEAD
圆柄电锤钻-双槽十字型合金

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-C5110	5	110
BK-C6110	6	110
BK-C7110	7	110
BK-C8110	8	110
BK-C9110	9	110
BK-C10110	10	110
BK-C4160	4	160
BK-C5160	5	160
BK-C6160	6	160
BK-C7160	7	160
BK-C8160	8	160
BK-C9160	9	160
BK-C10160	10	160
BK-C12160	12	160
BK-C13160	13	160
BK-C14160	14	160
BK-C16160	16	160
BK-C5210	5	210
BK-C6210	6	210
BK-C8210	8	210
BK-C9210	9	210
BK-C10210	10	210
BK-C12210	12	210
BK-C13210	13	210
BK-C14210	14	210
BK-C16210	16	210
BK-C18210	18	210
BK-C20210	20	210
BK-C22210	22	210
BK-C25210	25	210
BK-C6260	6	260
BK-C7260	7	260
BK-C8260	8	260
BK-C9260	9	260
BK-C10260	10	260
BK-C12260	12	260
BK-C13260	13	260
BK-C14260	14	260
BK-C16260	16	260
BK-C18260	18	260
BK-C20260	20	260
BK-C22260	22	260
BK-C25260	25	260
BK-C8310	8	310
BK-C9310	9	310
BK-C10310	10	310
BK-C12310	12	310
BK-C13310	13	310
BK-C14310	14	310
BK-C16310	16	310
BK-C18310	18	310
BK-C20310	20	310
BK-C22310	22	310
BK-C25310	25	310

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-C28310	28	310
BK-C30310	30	310
BK-C8350	8	350
BK-C9350	9	350
BK-C10350	10	350
BK-C12350	12	350
BK-C13350	13	350
BK-C14350	14	350
BK-C16350	16	350
BK-C18350	18	350
BK-C20350	20	350
BK-C22350	22	350
BK-C25350	25	350
BK-C28350	28	350
BK-C30350	30	350
BK-C32350	32	350
BK-C8450	8	450
BK-C10450	10	450
BK-C12450	12	450
BK-C14450	14	450
BK-C16450	16	450
BK-C18450	18	450
BK-C20450	20	450
BK-C22450	22	450
BK-C25450	25	450
BK-C26450	26	450
BK-C10500	10	500
BK-C12500	12	500
BK-C14500	14	500
BK-C16500	16	500
BK-C18500	18	500
BK-C20500	20	500
BK-C22500	22	500
BK-C25500	25	500
BK-C10600	10	600
BK-C12600	12	600
BK-C14600	14	600
BK-C16600	16	600
BK-C18600	18	600
BK-C20600	20	600
BK-C25600	25	600
BK-C28600	28	600
BK-C30600	30	600
BK-C12800	12	800
BK-C14800	14	800
BK-C16800	16	800
BK-C18800	18	800
BK-C20800	20	800
BK-C22800	22	800
BK-C25800	25	800
BK-C28800	28	800
BK-C121000	12	1000
BK-C141000	14	1000
BK-C161000	16	1000

CSL selection page 05 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

FOUR-HOLLOW SQUARE SHANK HAMMER DRILL BIT
方柄电锤钻

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-D6110	6	110
BK-D7110	7	110
BK-D8110	8	110
BK-D9110	9	110
BK-D10110	10	110
BK-D6150	6	150
BK-D8150	8	150
BK-D10150	10	150
BK-D12150	12	150
BK-D14150	14	150
BK-D16150	16	150
BK-D6200	6	200
BK-D8200	8	200
BK-D10200	10	200
BK-D12200	12	200
BK-D14200	14	200
BK-D16200	16	200
BK-D18200	18	200
BK-D20200	20	200
BK-D22200	22	200
BK-D25200	25	200
BK-D8250	8	250
BK-D10250	10	250
BK-D12250	12	250
BK-D14250	14	250
BK-D16250	16	250
BK-D18250	18	250
BK-D20250	20	250
BK-D22250	22	250
BK-D25250	25	250
BK-D8280	8	280
BK-D10280	10	280
BK-D12280	12	280
BK-D14280	14	280
BK-D16280	16	280
BK-D18280	18	280
BK-D20280	20	280
BK-D22280	22	280
BK-D25280	25	280
BK-D8350	8	350
BK-D10350	10	350
BK-D12350	12	350
BK-D14350	14	350
BK-D16350	16	350
BK-D18350	18	350
BK-D20350	20	350
BK-D22350	22	350
BK-D25350	25	350
BK-D28350	28	350
BK-D30350	30	350
BK-D32350	32	350
BK-D35350	35	350
BK-D10450	10	450
BK-D12450	12	450

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-D14450	14	450
BK-D16450	16	450
BK-D18450	18	450
BK-D20450	20	450
BK-D22450	22	450
BK-D25450	25	450
BK-D28450	28	450
BK-D30450	30	450
BK-D32450	32	450
BK-D35450	35	450
BK-D10500	10	500
BK-D12500	12	500
BK-D14500	14	500
BK-D16500	16	500
BK-D18500	18	500
BK-D20500	20	500
BK-D22500	22	500
BK-D25500	25	500
BK-D28500	28	500
BK-D30500	30	500
BK-D32500	32	500
BK-D35500	35	500
BK-D10600	10	600
BK-D12600	12	600
BK-D14600	14	600
BK-D16600	16	600
BK-D18600	18	600
BK-D20600	20	600
BK-D22600	22	600
BK-D25600	25	600
BK-D28600	28	600
BK-D30600	30	600
BK-D32600	32	600
BK-D35600	35	600
BK-D14800	14	800
BK-D16800	16	800
BK-D18800	18	800
BK-D20800	20	800
BK-D22800	22	800
BK-D25800	25	800
BK-D28800	28	800
BK-D30800	30	800
BK-D32800	32	800
BK-D35800	35	800
BK-D141000	14	1000
BK-D161000	16	1000
BK-D181000	18	1000
BK-D201000	20	1000
BK-D221000	22	1000
BK-D251000	25	1000
BK-D281000	28	1000
BK-D301000	30	1000
BK-D321000	32	1000
BK-D351000	35	1000

CSL selection page 06 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

BK-MAX HAMMER DRILL BIT, SINGLE FLUTE, FLAT HEAD
五坑电锤钻一字型合金

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-E10280	10	280
BK-E12280	12	280
BK-E14280	14	280
BK-E16280	16	280
BK-E18280	18	280
BK-E20280	20	280
BK-E22280	22	280
BK-E25280	25	280
BK-E10400	10	400
BK-E12400	12	400
BK-E14400	14	400
BK-E16400	16	400
BK-E18400	18	400
BK-E20400	20	400
BK-E22400	22	400
BK-E25400	25	400
BK-E28400	28	400
BK-E30400	30	400
BK-E12500	12	500
BK-E14500	14	500
BK-E16500	16	500
BK-E18500	18	500
BK-E20500	20	500
BK-E22500	22	500
BK-E25500	25	500
BK-E28500	28	500
BK-E30500	30	500
BK-E32500	32	500

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-E35500	35	500
BK-E38500	38	500
BK-E12600	12	600
BK-E14600	14	600
BK-E16600	16	600
BK-E18600	18	600
BK-E20600	20	600
BK-E22600	22	600
BK-E25600	25	600
BK-E28600	28	600
BK-E30600	30	600
BK-E32600	32	600
BK-E35600	35	600
BK-E38600	38	600
BK-E16800	16	800
BK-E18800	18	800
BK-E20800	20	800
BK-E22800	22	800
BK-E25800	25	800
BK-E28800	28	800
BK-E30800	30	800
BK-E32800	32	800
BK-E35800	35	800
BK-E38800	38	800
BK-E181000	18	1000
BK-E201000	20	1000
BK-E221000	22	1000

BK-MAX HAMMER DRILL BITS, DOUBLE FLUTES, CROSS HEAD
五坑电锤钻十字型合金

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-F10280	10	280
BK-F12280	12	280
BK-F14280	14	280
BK-F16280	16	280
BK-F18280	18	280
BK-F20280	20	280
BK-F22280	22	280
BK-F25280	25	280
BK-F10400	10	400
BK-F12400	12	400
BK-F14400	14	400
BK-F16400	16	400
BK-F18400	18	400
BK-F20400	20	400
BK-F22400	22	400
BK-F25400	25	400
BK-F28400	28	400
BK-F30400	30	400
BK-F12500	12	500
BK-F14500	14	500
BK-F16500	16	500
BK-F18500	18	500
BK-F20500	20	500
BK-F22500	22	500
BK-F25500	25	500
BK-F28500	28	500
BK-F30500	30	500
BK-F32500	32	500

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-F35500	35	500
BK-F38500	38	500
BK-F12600	12	600
BK-F14600	14	600
BK-F16600	16	600
BK-F18600	18	600
BK-F20600	20	600
BK-F22600	22	600
BK-F25600	25	600
BK-F28600	28	600
BK-F30600	30	600
BK-F32600	32	600
BK-F35600	35	600
BK-F38600	38	600
BK-F16800	16	800
BK-F18800	18	800
BK-F20800	20	800
BK-F22800	22	800
BK-F25800	25	800
BK-F28800	28	800
BK-F30800	30	800
BK-F32800	32	800
BK-F35800	35	800
BK-F38800	38	800
BK-F181000	18	1000
BK-F201000	20	1000
BK-F221000	22	1000

CSL selection page 07 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

ALLOY DRILL BITS SERIES
合金钻系列

CERAMIC ECCENTRIC DRY DRILL 陶瓷偏心干打钻

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-G6	6	105
BK-G8	8	105
BK-G10	10	105
BK-G12	12	105

SERRATED CROSS ECCENTRIC DRILL 十字锯齿偏心钻



货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-H6	6	100
BK-H8	8	116
BK-H9	10	116
BK-H10	12	117

HEXAGONAL GLASS DRILL BITS CROSS TIP 六角柄十字玻璃钻

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-I6	6	100
BK-I8	8	110
BK-I10	10	115
BK-I12	12	120

MULTIFUNCTION CERAMIC TILE DRILL BIT 多功能一字陶瓷钻



货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-J5	5	85
BK-J6	6	100
BK-J8	8	110
BK-J10	10	115
BK-J12	12	120

MULTIFUNCTION POWER DRILL 多功能霸王钻



货号 Code No.	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)
BK-K6	6	100
BK-K8	8	110
BK-K10	10	115
BK-K12	12	120

CSL selection page 08 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

The chisel can be used with electric hammer and it is widely applicable and high efficient chiselling hole, cutting groove tool for concrete and brick wall. Our products include pointed chisel, big flat chisel, gouge and groove chisel. The chisel length can be selected according to customer’ s requirements. The shank types can be selected according to upper list of shank structure.

cslimpex@yahoo.com | India / WhatsApp +91 7738424384
China mobile / WeChat +86 15888952638 | WeChat: Chandrasukh

Drill Bits, Chisels & Rotary Files

CHISEL SERIES
凿子系列

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)	货号 ITEM CODE
BK-C14140R	14	140	—
BK-C14250R	14	250	—
BK-C14350R	14	350	—
BK-C14400R	14	400	—
BK-C14140R	14	140	—
BK-C14250R	14	250	20/22/40/60/75
BK-C14350R	14	350	20/22/40/60/75
BK-C14400R	14	400	20/22/40/60/75
BK-C14140H	14	140	—
BK-C14250H	14	250	—
BK-C14300H	14	300	—
BK-C14400H	14	400	—
BK-C14140H	14	140	—
BK-C14250H	14	250	20/22/40
BK-C14300H	14	300	20/22/40
BK-C14400H	14	400	20/22/40
BK-C14600H	18	600	20/22/40
BK-C18280	18	280	—
BK-C18400	18	400	—
BK-C18600	18	600	—
BK-C18280	18	280	24/26/40
BK-C18380	18	380	60
BK-C18400	18	400	24/26/40
BK-C18600	18	600	24/26/40
BK-C30400	30	400	
BK-C30600	30	600	
BK-C30400	30	400	35
BK-C30600	30	600	35
BK-C17280	17	280	—
BK-C17350	17	350	—
BK-17400	17	400	—
BK-C17450	17	450	—
BK-C17600	17	600	—
BK-C17280	17	280	22/26/50/75
BK-C17350	17	350	22/50/75
BK-C17400	17	400	22
BK-C17450	17	450	22/50/75
BK-C17600	17	600	22
BK-HJ17280P	17	280	—
BK-HJ17400P	17	400	—
BK-HJ17280F	17	280	—
BK-HJ17400F	17	400	—
BK-TH17280	17	280	—
BK-TH17350	17	350	—
BK-TH17400	17	400	—
BK-TH17450	17	450	—
BK-ZM14250	14	250	—
BK-ZM14250	14	250	20
BK-ZM17280	17	280	—
BK-ZM17400	17	400	—
BK-ZM17280	17	280	22
BK-ZM17400	17	400	22
BK-ZM30410	30	400	—
BK-ZM30410	30	400	35

货号 ITEM CODE	直径 DIAMETER(mm)	总长 TOTAL LENGTH(mm)	货号 ITEM CODE
BK-BY14250	14	250	—
BK-HD14250	14	250	22
BK-C30440P	30	440	130
BK-C30440BF	30	440	140
BK-C30440SF	30	440	128
BK-C10130P	10	130	—
BK-C10150P	10	150	—
BK-C12130P	10	130	—
BK-C12150P	12	150	—
BK-C10130F	10	130	—
BK-C10150F	10	150	—
BK-C12130F	12	130	—
BK-C12150F	12	150	—

CSL selection page 10 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

CHISEL SERIES
凿子系列

	20/22/40/60/75		20/22/40		
SPEC.	SPEC.	SPEC.	SPEC.	SPEC.	SPEC.
14x140 14x250 14x350 BK-PLUS POINT CHISEL ROUND BODY 圆柄圆体尖凿	14x140 14x250 14x350 BK-PLUS FLAT CHISEL ROUND BODY 圆柄圆体扁凿	14x160 14x250 14x300 14x400 BK-PLUS POINT CHISEL HEX BODY 圆柄六角体尖凿	14x250 14x300 14x400 14x600 BK-PLUS FLAT CHISEL HEX BODY 圆柄六角体扁凿	14x250 BK-PLUS GOUGE CHISEL 圆柄半圆凿	18x280 18x400 18x600 BK-MAX POINT CHISEL 五坑尖凿
	35		22/26/50/75		12/14
SPEC.	SPEC.	SPEC.	SPEC.	SPEC.	SPEC.
30x400 30x600 PH65A POINT CHISEL PH65A尖凿	30x400 30x600 PH65A FLAT CHISEL PH65A扁凿	17x280 17x350 17x400 17x450 17x600 HEX POINT CHISEL 六角尖凿	17x280 17x350 17x400 17x450 17x600 HEX FLAT CHISEL 六角扁凿	17x280 17x400 HEX ALLOY POINT CHISEL 六角合金尖凿	17x280 17x400 HEX ALLOY FLAT CHISEL 六角合金扁凿

CSL selection page 11 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

SPEC.	SPEC.	SPEC.	SPEC.	SPEC.	SPEC.	SPEC.
18x280 18x350 18x400 18x450 18x600 18x800 BK-MAX FLAT CHISEL 五坑扁凿	14x250 SELF GRINDING FOUR HOLLOW SQUARE POINT CHISEL 自磨方柄尖凿	14x250 SELF GRINDING FOUR HOLLOW SQUARE FLAT CHISEL 自磨方柄扁凿	17x280 17x400 SELF GRINDING HEX POINT CHISEL 自磨六角尖凿	17x280 17x400 SELF GRINDING HEX FLAT CHISEL 自磨六角扁凿	30x410 SELF GRINDING 65A POINT CHISEL 自磨65A尖凿	30x410 SELF GRINDING 65A FLAT CHISEL 自磨65A扁凿
SPEC.	SPEC.	SPEC.	SPEC.	SPEC.	SPEC.	SPEC.
17x280 17x350 17x400 17x450 SPRING STEEL HEX POINT CHISEL 弹簧钢六角尖凿	10x130 10x150 12x130 12x150 FOUR-HOLLOW SQUARE SHANK ALLOY POINT CHISEL 方柄合金尖凿	10x130 10x150 12x130 12x150 FOUR-HOLLOW SQUARE SHANK ALLOY FLAT CHISEL 方柄合金扁凿	14x250x22 BK-PLUS BUTTERFLY CHISEL 圆柄蝴蝶凿	30x440x130 65A PEACH HEART POINT SHOVEL 65A桃心尖铲	30x440x140 65A BIG FLAT SHOVEL 65A大扁铲	30x440x128 65A BIG SQUARE SHOVEL 65A大方铲

CSL selection page 12 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

CHUNK ADAPTER SERIES(SDS-PLUS,HEXAGONAL AND TRIANGLE SHANK)
螺丝接杆

SDS-PLUS CHUCK ADAPTER 1/2 65MM 元柄接杆	
	产品编码 ITEM CODE BK-ADA1

HEX CHUCK ADAPTER 1/2 52MM 六角接杆	
	产品编码 ITEM CODE BK-ADA4

SDS-PLUS CHUCK ADAPTER 3/8 65MM 元柄接杆	
	产品编码 ITEM CODE BK-ADA2

HEX CHUCK ADAPTER 3/8 45MM 六角接杆	
	产品编码 ITEM CODE BK-ADA5

FOUR HOLLOW SQUARE SHANK CHUCK ADAPTER 1/2 65MM 方柄接杆	
	产品编码 ITEM CODE BK-ADA3

TRIANGLE SHANK CHUCK ADAPTER M14 72MM 三角柄接杆	
	产品编码 ITEM CODE BK-ADA6

SDS-PLUS STOP BIT 限位钻

	BK-XW1
	BK-XW2

SDS PLUS GROUND ROD DRIVER 冲击套筒

	BK-CJ1
	BK-CJ2

SQUARE SOCKET PUNCH 线盒开孔器

	BK-XH1
	BK-XH2

CSL selection page 13 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

CEMENTED CARBIDE ROTARY FILES
硬质合金旋转锉





订货编号 ITEM CODE	刃径(d1) HEAD DIAMETER	刃长(L1) HEAD LENGTH	柄径(d2) SHANK DIAMETER	总长(L2) OVERALL L ENGTH
A061 6M06	6	16	6	61
A0820M06	8	20	6	65
A1020M06	10	20	6	70
A1225M06	12	25	6	70
A1425M06	14	25	6	70
A1625M06	16	25	6	61
AX061 6M06	6	16	6	65
AX0820M06	8	20	6	65
AX1020M06	10	20	6	70
AX1225M06	12	25	6	70
AX1425M06	14	25	6	70
AX1625M06	16	25	6	
BSA-51	1/4	3/16	1/8	
BSA-51	1/4	1/2	1/8	
BSA-2	5/16	3/4	1/4	
BSA-3	3/8	3/4	1/4	
BSA-4	7/16	1	1/4	
BSA-5	1/ 2	1	1/4	
BSA-6	5/8	1	1/4	
BSA-16	3/4	1/2	1/4	
BSA-72	3/4	3/4	1/4	
BSA-7	3/4	1	1/4	
BSA-8	7/8	1	1/4	
BSA-9	1	1	1/4	

CSL selection page 14 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

CEMENTED CARBIDE ROTARY FILES
硬质合金旋转锉





订货编号 ITEM CODE	刃径(d1) HEAD DIAMETER	刃长(L1) HEAD LENGTH	柄径(d2) SHANK DIAMETER	总长(L2) OVERALL L ENGTH
C0616M06	6	16	6	61
C0820M06	8	20	6	65
C1020M06	10	20	6	65
C1225M06	12	25	6	70
C1425M06	14	25	6	70
C1625M06	16	25	6	70
CX0616M06	6	16	6	61
CX0820M06	8	20	6	65
CX1020M06	10	20	6	65
CX1225M06	12	25	6	70
CX1425M06	14	25	6	70
CX1625M06	16	25	6	70
BSC-51	1/4	1/ 2	1/8	
BSC-2	5/16	3/4	1/4	
BSC-3	3/8	3/4	1/4	
BSC-4	7/16	1	1/4	
BSC-5	1/ 2	1	1/4	
BSC-6	5/8	1	1/4	
BSC-15	3/4	1/ 2	1/4	
BSC-16	3/4	3/4	1/4	
BSC-7	3/4	1	1/4	
BSC-9	1	1	1/4	

CSL selection page 15 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

CEMENTED CARBIDE ROTARY FILES
硬质合金旋转锉





订货编号 ITEM CODE	刃径(d1) HEAD DIAMETER	刃长(L1) HEAD LENGTH	柄径(d2) SHANK DIAMETER	总长(L2) OVERALL L ENGTH
F0618M06	6	18	6	63
F081 8M06	8	18	6	63
F1020M06.	10	20	6	65
F1225M06	12	25	6	70
F1425M06.	14	25	6	70
F1625M06	16	25	6	70
FX0618M06	6	18	6	63
FX0818M06	8	18	6	63
FX1020M06	10	20	6	65
FX1225M06	12	25	6	70
FX1425M06.	14	25	6	70
FX1625M06	16	25	6	70
BSF-51	1/4	1/ 2	1/4	
BSF-3	3/8	3/4	1/4	
BSF-4	7/16	1	1/4	
BSF-5	1/ 2	1	1/4	
BSF-6	5/8	1	1/4	
BSF-7	3/4	1	1/4	
BSF-13	1/ 2	3/4	1/4	
BSF-14	3/4	11/4	1/4	
BSF-15	3/4	11/2	1/4	

CSL selection page 16 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

PRODUCT DESCRIPTION
产品说明

特点 CHARACTERISTIC

硬质合金旋转锉是钳工和模具工不可缺少的先进工具，其特点是取代带柄小砂轮并无粉尘污染，使用寿命相当于几百个带柄小砂轮，加工效率提高5倍以上，磨削加工硬度HRC70以下的各种金属和非金属材料，磨削面粗精度可达Ral.6,掌握方便、使用简单、安全可靠，大大减轻繁重的体力劳动，减少生产成本。

The carbide rotary file is an indispensable advanced tool for fitters and mold workers. Its characteristics are that it replaces small grinding wheels with handles without dust pollution, and its service life is equivalent to hundreds of small grinding wheels with handles. The processing efficiency is increased by more than 5 times. It can grind various metal and non-metallic materials with hardness below HRC 70, and the rough precision of the grinding surface can reach Ral.6. It is easy to master, easy to use, safe and reliable, greatly reducing heavy physical labor, Reduce production costs.

用途 PURPOSE

硬质合金旋转锉用途极为广泛，应用于模具加工制造。机械零件的倒角、倒圆和沟槽加工,清理铸、锻、焊件的飞边毛刺和焊缝;管道,叶轮流道的光整加工，金属和非金属材料(骨、玉、石)的工艺美术雕刻。

Cemented carbide rotary files are widely used in mold processing and manufacturing. Chamfering, rounding, and groove processing of mechanical parts, and cleaning of flash, burr, and weld seams of castings, forgings, and weldments; Finishing of pipes and impeller runner, arts and crafts carving of metal and non-metallic materials (bone, jade, stone).

使用 USE

硬质合金旋转锉主要和电动工具或风动工具配套使用(也可装在机床上)配套驱动转速股为6000- 50000转专1分。

Hard alloy rotary files are mainly used with power tools or pneumatic tools (can also be installed on machine tools). The driving speed unit is 6000-50000 rpm, with a specific score of 1 point.

注意事项 POINTS FOR ATT ENTION

配套的驱动工具的夹具同心度要好，严禁和不同心的夹具配套使用，使用时柄部必须夹紧夹正，运转时严禁有晃动现象，切削方向应从右向左平稳移动,不要用力过猛,防止弹动、撞击;柄长超过80mm的应减速操作，为防切屑飞散请佩戴防护眼镜。

The concentricity of the fixture of the supporting drive tool should be good, and it is strictly prohibited to use it with non concentrically aligned fixtures. When using, the handle must be clamped and clamped correctly, and shaking is strictly prohibited during operation. The cutting direction should be moved smoothly from right to left, without excessive force, to prevent bounce and impact; If the handle length exceeds 80mm, slow down the operation. To prevent chips from flying, wear protective glasses.

可根据要求提供 AVAILABLE ON REQUEST



单槽设计 COARSE CUT
适用于铜、钢等较硬材质，应用于机械打磨，修光
For metal removal and finishing on non-ferrous metal alloys



双槽设计 DIAMOND CUT
适用于木头，塑料等较软材质，满足不同工作场合。还可以应用于倒角和工艺雕刻
Diamond cut for smooth operation, good surface finish and hard materials



横槽设计 CROSS CUT
适用于木头，塑料等较软材质，满足不同工作场合。并将废料分解成小碎屑
Chipbreaker provides tool control and breaks up thestock into small chips

CSL selection page 17 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

规格 (Size)	DRILL BITS SET

SDS Plus (钻头)

5,6X110mm
8,10,12X160mm
14,16X210mm
20X350mm

Chisel (凿子)

Point Chisel
14x250mm
Flat Chisel
14x250x40mm

BKTZ-10

SDS Plus (钻头)

5,6X110mm
6,8,10X160mm
10,12X210mm
10,12,16,20X460mm

BKTZ-11



SDS Plus (钻头)

5,6X110mm
8,10,12X160mm
14,16X200mm
18X300mm
20X460mm

Chisel (凿子)

SDS Plus Point Chisel
14x250mm
SDS Plus Flat Chisel
14x250x20mm
SDS Plus Gouge Chisel
14x250mm

BKTZ-12

CSL selection page 18 | Dimensions and configurations as listed

Drill Bits, Chisels & Rotary Files

DRILL BITS SET	规格 (Size)

BKTZ–13

SDS Plus (钻头)

6,8,10X160mm
8,10,12X210mm
10,12,14X260mm

Chisel (凿子)

SDS Plus Point Chisel 14x250mm
SDS Plus Flat Chisel 14x250x20mm
SDS Plus Flat Chisel 14x250x40mm
SDS Plus Gouge Chisel 14x250mm

BKTZ–20



SDS Plus (钻头)

5,6,8X110mm
6(2pcs),8(2pcs)
10(2pcs),12X160mm
8,10,12,14X210mm
14,16X260mm
10,12,16,20X460mm

BKTZ–17

SDS Plus (钻头)

5.5, 6X110mm
5.5, 6, 6.5, 7(2pcs)
8,10X160mm
14X210mm
10,12,16X260mm

Chisel (凿子)

SDS Plus Point Chisel 14x250mm
SDS Plus Flat Chisel 14x250x20mm
SDS Plus Flat Chisel 14x250x40mm
SDS Plus Gouge Chisel 14x250mm

CSL selection page 19 | Dimensions and configurations as listed

Contact and sourcing enquiry

Let us discuss your requirement.

Chandrasukh

CSL IMPEX

Email: cslimpex@yahoo.com

India / WhatsApp: +91 7738424384

China mobile / WeChat: +86 15888952638

China email: m15888952638@163.com

WeChat: Chandrasukh

Further contact: Mr. Deepak Jalan

Mobile: +91 8169502362

Email: psdsc.jalan@gmail.com

Room No. 503/C Wing, Garden Court Complex, Behind Maxus Mall,

Bhayander West, Mumbai, India 401101

Website: https://csl-impex.pages.dev/