HDAVCABLES

About Us

HDAVCABLES(Huaian Metek Intelligent Equipment Co., Ltd.) is engaged in the audio, video, multimedia and other fields of optical fiber equipment, audio and video cable,Data and charging cables (HDMI,USB and Adaptor), audiovisual products design, production and sales supplier. Our products are widely supplied to audio and video equipment sales companies, equipment rental companies, recording studios, television broadcasting companies, outdoor advertising companies, home theater equipment companies and so on.

CONTACT

Mr.Alex
Email: alex@hdavcables.com
Tel/Whatsapp/Wechat: +86 13129965001
Website: www.mtkzn.com

CONTENTS

1, HDMI 2.0v 4K/2.1v 8K Copper cable..... P3-P5
2, Displayport1.4/2.1 Copper Cable.....P6-P7
4, DP to HDMI or VGA Copper Cable..... P8
5, Type C to DP/HDMI/DVI Copper Cables..... P9
6, HDMI 4K/8KActive Optical Cables..... P10-P15
7, Dispalyport Active Optical Cables..... P16
8, Type C to HDMI Active Optical Cables..... P17
9, USBType C to C Full Function AOC cables..... P18
10, Type C to C Active Optical Cables..... P19
11, USB3.0 Active Optical Cables..... P20
12, DVI Active Optical Cables..... P21
13, USB A to C Cables..... ..... P22-P23
14, USB C to C Cables..... P24-P29
15, HDMI and USB Adaptor..... P30-P31
16, USB/Type C Hubs P32

Our Cables - HDMI/DP/Type C Copper Cables

HDMI 2.0v 4K Copper Cable

18Gbps | HDCP2.2 | HDR | 3D

Model:JY-20HC-001



Model:JY-20HC-002

Model:JY-20HC-003

Model:JY-20HC-004

Key Features:

1. Support 18Gbps; 4k@60Hz;
2. Backward compatible with HDMI2.0/HDMI1.4;
3. 19+1 PIN copper cable transmits TMDS signals;
4. Support HDCP 2.2/HDR/EDID/DDC/3D/ARC;
   CE; FCC; REACH; RoHS;
5. Max to 20m, Plug and play, no need external power support;
6. Applications: Pro AV Installation , Meeting Room,
   Home Theater Installation, Gaming and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	HDMI AM to HDMI/Micro/Mini AM
Resolution	4K@60Hz
Bandwidth	18Gbps
Cable	19+1 Tinned copper cable
Jaclet	PVC Jacket/Nylon braided Jacket
OD	6.5mm - 8.5mm
Plug	Gold Plated
Shell	PVC/ Aluminium Alloy
Length	1Meter to 20Meter Max

Our Cables - HDMI/DP/Type C Copper Cables

HDMI 2.0v Micro/HDMI Copper Cable

18Gbps | HDCP2.2 | HDR | 3D

Model:JY-20HC-005

Model:JY-20HC-006

Model:JY-20HC-007

Model:JY-20HC-008

Key Features:

1. Support 18Gbps; 4k@60Hz;
2. Backward compatible with HDMI2.0/HDMI1.4;
3. 19+1 PIN copper cable transmits TMDS signals;
4. Support HDCP 2.2/HDR/EDID/DDC/3D/ARC;
   CE; FCC; REACH; RoHS;
5. Max to 20m, Plug and play, no need external power support;
6. Applications: Pro AV Installation , Meeting Room,
   Home Theater Installation, Gaming and so on;
7. Package: PE Bag + Inner Box + Exporting Carton

Interface	Micro/Mini AM to HDMI AM / FeMale
Resolution	4K@60Hz
Bandwidth	18Gbps
Cable	19+1 Tinned copper and PVC Jacket
Jaclet	PVC Jacket/Nylon braided Jacket
OD	6.0mm - 8.5mm
Plug	Gold Plated
Shell	PVC/ Aluminium Alloy
Length	1Meter to 20Meter Max

Our Cables - HDMI/DP/Type C Copper Cables

Key Features:

1. Support 48Gbps; 8k@60Hz,4K@120Hz;
2. Backward compatible with HDMI2.1/HDMI2.0;
3. 19+1 PIN copper cable transmits TMDS signals;
4. Support HDCP 2.3/HDR10/EDID/DDC/3D/eARC;
   CE; FCC; REACH; RoHS;
5. Max to 10m, Plug and play, no need external power support;
6. Applications: Pro AV Installation , Meeting Room,
   Home Theater Installation, Gaming and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	HDMI AM to HDMI/Micro/Mini AM
Resolution	8K@60Hz/4K@120Hz
Bandwidth	48Gbps
Cable	19+1 Tinned copper cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	6.5mm - 9.0mm
Plug	Gold Plated
Shell	PVC/ Aluminium Alloy
Length	1Meter to 10Meter Max

HDMI 2.1v 8K Copper Cable

48Gbps | HDCP 2.2 | HDR | EMI

Model:JY-21HC-001

Model:JY-21HC-002

Model:JY-21HC-003

Model:JY-21HC-004

Our Cables - HDMI/DP/Type C Copper Cables

Displayport1.4 Copper Cable

32.4Gbps | HDCP2.2 | 8K@60H | HDR

Key Features:

1. Support 32.4Gbps, 8K@60Hz, 4K@120Hz (4:4:4)
2. Compliant with DP 1.4 standard,Backward compatible;
3. 20 PIN copper cable transmits TMDS signals;
4. Support HDCP/HDR,CE;REACH; RoHS;
5. Max to 10m length (custom available), plug-and-play
6. Application: VR Systems, 8K Medical Imaging, Broadcast, Control Rooms, Security Systems and so on.
7. Package: PE Bag + Inner Box + Exporting Carton

Interface	Displayport/Mini AM to Displayport AM/FM
Resolution	8K@60Hz/4K@120Hz
Bandwidth	32.4Gbps
Cable	19+1 Tinned copper cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	6.5mm - 9.0mm
Plug	Gold Plated
Shell	PVC/ Aluminium Alloy
Length	1Meter to 10Meter Max

Model:JY-30DPC-001

Model:JY-30DPC-002

Model:JY-30DPC-003

Model:JY-30DPC-004

Our Cables - HDMI/DP/Type C Copper Cables

Displayport2.1 Copper Cable

54Gbps | HDCP2.2 | 8K@60H | HDR

Model:JY-31DPC-001

Model:JY-31DPC-002

Key Features:

1. Support 54Gbps (UHBR13.5) - 16K@60Hz (DSC), 8K@60Hz, 4K@240Hz
2. Compliant with DP 1.4 standard,Backward compatible;
3. 20 PIN copper cable;
4. Support HDCP/HDR,CE;REACH; RoHS;
5. Max to 5m length (custom available), plug-and-play;
6. Application: VR Systems, 8K Medical Imaging, Broadcast, Control Rooms, Security Systems and so on;
7. Package: PE Bag + Inner Box + Exporting Carton

Interface	Displayport AM to Displayport AM
Resolution	16K@60Hz/8K@60Hz
Bandwidth	40Gbps/54Gbps
Cable	19+1 Tinned copper cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	6.5mm - 9.0mm
Plug	Gold Plated
Shell	PVC/ Aluminium Alloy
Length	1Meter to 5Meter Max

Our Cables - HDMI/DP/Type C Copper Cables

DP to HDMI or VGA Copper Cable

40Gbps | HDCP2.2 | 8K@60H | HDR

DP to HDMI

Model:JY-30DHC-001

Model:JY-30DHC-002

DP to VGA

Model:JY-30DGC-001

Key Features:

1. Support 18Gbps, 4K@60Hz, 4K*2K@60Hz
2. Compatible with HDMI 2.0 standard.;
3. 20 PIN copper cable transmits TMDS signals;
4. Support HDCP/HDR,CE;REACH; RoHS;
5. Max to 2m length (custom available), plug-and-play;
6. Application: VR Systems, 4K Medical Imaging, Broadcast, Control Rooms, Security Systems and so on;
7. Package: PE Bag + Inner Box + Exporting Carton

Interface	Displayport AM to HDMI / VGA AM
Resolution	4K@60Hz/1080@60Hz
Bandwidth	18Gbps max.
Cable	Tinned copper cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	5.5mm - 7.0mm
Plug	Gold Plated
Shell	PVC/ Aluminium Alloy
Length	1Meter to 2Meter Max

Our Cables - HDMI/DP/Type C Copper Cables

Key Features:

1. Support 10Gbps 4K@60Hz, 8K@60Hz, 1080P;
2. Compliant with DP 1.2 standard;
3. Compliant with DP Alternate Mode on USB C standard;
4. Support HDCP/HDR,CE;REACH; RoHS;
5. Max to 3m length (custom available), plug-and-play;
6. Application: Mobile performances and stages, Industrial environment, ProAV Installation and so on;
7. Package: PE Bag + Inner Box + Exporting Carton

Interface	USB Type C to HDMI/VGA/Displayport AM
Resolution	4K@60Hz/8K@60Hz/1080@60Hz
Bandwidth	10Gbps
Cable	Oxygen-free Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	5.5mm - 7.0mm
Plug	Gold Plated
Shell	PVC/Aluminium Alloy
Length	1 meter to 3Meter Max

USB Type C to HDMI Copper Cable

10Gbps | HDCP | 4K@60H | HDR

4K60Hz

Model:JY-10CH-001

8K60Hz

Model:JY-20CH-001

Model:JY-10CA-002

Type C to DVI

Model:JY-10CD-003

Type C to DP

Our Cables - HDMI Active optical fiber Cable

Key Features:

1. Support 18Gbps; 4k@60Hz;
2. Backward compatible with HDMI1.4;
3. 4 Core fiber +7 Core Tinned Copper Cable;
4. Support HDCP 2.2/HDR10/EDID/DDC/3D/ARC; CE; FCC; REACH; RoHS;
5. Max to 150m, Plug and play, no need external power support;
6. Applications: Pro AV Installation , Meeting Room, Home Theater Installation, Gaming and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	HDMI AM to HDMI AM
Resolution	4K@60Hz
Bandwidth	18Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	4.8mm
Plug	Gold Plated
Shell	Zinc Alloy/Aluminium Alloy
Length	1Meter to 150Meter Max

HDMI 2.0 Active Optical Cable

18Gbps | HDCP2.2 | 4:4:4 | ARC

Model:JY-20AC-001

Model:JY-20AC-002

Model:JY-20AC-003

Model:JY-20AC-005



Model:JY-20AC-004

Our Cables - HDMI Active optical fiber Cable

HDMI 2.1 Active Optical Cable

48Gbps | HDCP 2.3 | HDR | eARC

Model:JY-21AC-001

Model:JY-21AC-002

Model:JY-21AC-003

Model:JY-21AC-005

Model:JY-21AC-004

Key Features:

1. Support 48Gbps; 8k@60Hz; 4K@120Hz;
2. Backward compatible with HDMI2.0/HDMI1.4;
3. 4 Core fiber +7 Core Tinned Copper Cable;
4. Support HDCP 2.3/HDR10/EDID/DDC/3D/eARC; CE; FCC; REACH; RoHS;
5. Max to 100m, Plug and play, no need external power support;
6. Applications: Pro AV Installation , Meeting Room, Home Theater Installation, Gaming and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	HDMI AM to HDMI AM
Resolution	8K@60Hz/4K@120Hz
Bandwidth	48Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	4.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 100Meter Max

Our Cables - HDMI Active Optical Fiber Cables

HDMI 2.0 Type A to D Detachable AOC Cable

18Gbps | HDCP2.2 | 4K@60Hz | ARC

Model:JY-20DA-001

Model:JY-20DA-002

Model:JY-20DA-003

Key Features:

1. Support 18Gbps; 4k@60Hz;
2. Backward compatible with HDMI2.0/HDMI1.4;
3. 4 Core fiber +7 Core Tinned Copper Cable;
4. Support HDCP 2.2/HDR10/EDID/DDC/3D/eARC; CE; FCC; REACH; RoHS;
5. Max to 150m, Plug and play, no need external power support;
6. Applications: Pro AV Installation , Meeting Room, Home Theater Installation, Gaming and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	HDMI A to Micro HDMI (Type D) Detach
Resolution	4K@60Hz
Bandwidth	18Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	4.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 150Meter Max

Our Cables - HDMI Active Optical Fiber Cables

HDMI 2.1 Type A to D Detachable AOC Cable

48Gbps | HDCP 2.3 | HDR10 | eARC

Model:JY-21DA-001

Model:JY-21DA-002

Model:JY-21DA-003

Key Features:

1. Support 48Gbps; 8k@60Hz;4K@120Hz
2. Backward compatible with HDMI2.1/HDMI2.0;
3. 4 Core fiber +7 Core Tinned Copper Cable;
4. Support HDCP 2.2/HDR10/EDID/DDC/3D/eARC; CE; FCC; REACH; RoHS;
5. Max to 100m, Plug and play, no need external power support;
6. Applications: Pro AV Installation , Meeting Room, Home Theater Installation, Gaming and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	HDMI A to Micro HDMI (Type D) Detach
Resolution	4K@60Hz
Bandwidth	18Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	4.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 150Meter Max

Our Cables - HDMI Active Optical Fiber Cables

Key Features:

1. Support 18Gbps; 4k@60Hz;
2. Backward compatible with HDMI2.0 and HDMI1.4;
3. 4 Core fiber +7 Core Tinned Copper Cable;
   Stainless Steel Armored hybrid cable with 20mm bending radius;
4. Support HDCP 2.2/HDR10/EDID/DDC/3D/ARC;
   CE; FCC; REACH; RoHS;
5. Max to 150m, Plug and play, no need external power support;
6. Applications: Pro AV Installation , Meeting Room,
   Home Theater Installation, Gaming and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	HDMI AM to HDMI AM
Resolution	4K@60Hz
Bandwidth	18Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Armoured	304 Stainless Steel Armoured
Jacket	PVC Jacket
OD	5.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 100Meter Max

HDMI 2.0 Armoured Active Optical Cable

18Gbps | HDCP2.2 | 4K@60Hz | HDR

Model:JY-20AA-001

Model:JY-20AA-002

Our Cables - HDMI Active Optical Fiber Cables

Key Features:

1. Support 48Gbps; 8k@60Hz; 4K@120Hz;
2. Backward compatible with HDMI2.1/HDMI2.0;
3. 4 Core fiber +7 Core Tinned Copper Cable;
   Stainless Steel Armored hybrid cable with 20mm bending radius;
4. Support HDCP 2.3/HDR10/EDID/DDC/3D/eARC;
   CE; FCC; REACH; RoHS;
5. Max to 100m, Plug and play, no need external power support;
6. Applications: Pro AV Installation , Meeting Room,
   Home Theater Installation, Gaming and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	HDMI AM to HDMI AM
Resolution	8K@60Hz/4K@120Hz
Bandwidth	48Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Armoured	304 Stainless Steel Armoured
Jacket	PVC Jacket
OD	5.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 100Meter Max

HDMI 2.1 Armoured Active Optical Cable

48Gbps | HDCP 2.3 | HDR | eARC

Model:JY-21AA-001

Model:JY-21AA-002

Our Cables - Displayport Active Optical Fiber Cables

Displayport 1.4 Active Optical Cable

32.4Gbps | 8K@60H | 3D | DP1.4

Model:JY-31DA-001

Model:JY-31DA-002

Key Features:

1. Support 32.4Gbps; 8k@60Hz;4K@144Hz
2. Backward compatible with DP1.4 and DP1.2;
3. 4 Core fiber +7 Core Tinned Copper Cable;
4. Support HDCP 2.2/HDR; CE; FCC; REACH; RoHS;
5. Max to 100m, Plug and play, no need external power support;
6. Applications: VR Systems, 8K Medical Imaging, Broadcast, Control Rooms, Security Systems and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	Displayport AM to Displayport AM
Resolution	8K@60Hz
Bandwidth	32.4Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	4.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 100Meter Max

Our Cables - Type C to HDMI Active Optical Fiber Cables

USB Type C to HDMI Active Optical Cable

10Gbps | 4K*2K@60H | 3D | DP1.2

Model:JY-11CA-001

Key Features:

1. Support 10Gbps; 4k@60Hz
2. Backward compatible with DP1.2;
3. 4 Core fiber +7 Core Tinned Copper Cable;
4. Support HDCP 2.2/HDR; CE; FCC; REACH; RoHS;
5. Max to 100m, Plug and play, no need external power support;
6. Applications: Mobile performances and stages, Industrial environment, ProAV Installation and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	USB Type C to HDMI AM
Resolution	4K@60Hz
Bandwidth	10Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	4.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 100Meter Max

Our Cables - USB C to C Full Function Active Optical Cable

USB Type C to C Full Function Active Optical Cable

10Gbps | 4K@60Hz | 60W | DP1.2

Model:JY-25CC-001

Key Features:

1. Support 10Gbps; 4k@60Hz, 60W charging
2. Backward compatible with USB3.0,USB2.0,DP1.2;
3. 6 Core fiber +7 Core Tinned Copper Cable;
4. Support CE; FCC; REACH; RoHS;
5. Max to 10m, Plug and play, no need external power support;
6. Applications: Mobile performances and stages, Industrial environment, ProAV Installation and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	USB Type CM to CM
Resolution	4K@60Hz
Bandwidth	10Gbps
Charging	60W(20V/3A)
Cable	6 Core fiber +7 Core Tinned Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	4.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 10Meter Max

Our Cables - Type C to C Active Optical Fiber Cables

Key Features:

1. Support 21.6Gbps; 4k@60Hz
2. Backward compatible with DP1.4;
3. 4 Core fiber +7 Core Tinned Copper Cable;
4. Support HDCP/HDR; CE; FCC; REACH; RoHS;
5. Max to 30m, Plug and play, no need external power support;
6. Applications: Mobile performances and stages, Docking Stations, Medical Imaging, VR/AR Systems, Industrial PCs and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	USB Type CM to CM
Resolution	4K@60Hz
Bandwidth	21.6Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	4.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 30Meter Max

USB Type C to C Active Optical Cable

21.6Gbps | 4K@60Hz | 3D | DP1.4

Model:JY-20CC-001

Our Cables - USB 3.0 Active Optical Fiber Cables

Key Features:

1. Support 5Gbps;
2. Backward compatible with USB2.0;
3. 4 Core fiber +7 Core Tinned Copper Cable;
4. Support 5V 900mA max power delivery;
   CE; FCC; REACH; RoHS;
5. Max to 30m, Plug and play, no need external power support;
6. Applications: Machine vision systems, Remote monitoring equipment data transmission and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	USB 3.0 AM to AM/FM
Bandwidth	5Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	4.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 70Meter Max

USB 3.0 AM to AM/FM Active Optical Cable

5Gbps | USB 3.0 | Extension | Data

Model:JY-30UAF-001

Model:JY-30UAA-002

Our Cables - DVI Active Optical Fiber Cables

DVI AM to DVI AM Active Optical Cable

7.92Gbps	4K*2K@30Hz	100M

Model:JY-30UAF-001

Model:JY-30UAA-002

Key Features:

1. Support 7.92Gbps; 1080P@60Hz & 4K2K@30Hz
2. EMI/RFI Immune - No radiation, perfect signal integrity;
3. 4 Core fiber +7 Core Tinned Copper Cable;
4. CE; FCC; REACH; RoHS;
5. Max to 100m, Plug and play, no need external power support;
6. Applications: Digital Signage (Long-distance video walls), Medical Imaging Systems, Industrial Control Rooms, Broadcast Monitoring and so on;
7. Package: PE Bag + Inner Box + Exporting Carton.

Interface	DVI AM to DVI AM
Bandwidth	7.92Gbps
Cable	4 Core fiber +7 Core Tinned Copper Cable
Jacket	PVC Jacket/Nylon braided Jacket
OD	4.8mm
Plug	Gold Plated
Shell	Zinc Alloy
Length	1Meter to 100Meter Max

Our Cables - USB A to C Cabes

Key Features:

1. Support 480bps; 27W/60W Charging
2. Backward compatible with USB2.0;
3. Support data transmission,charging;
4. Max to 3m, Plug and play, no need external power support;
5. Applications: It is applicable to charging of iphones, Android phones, tablets, game consoles, portable hard drives, data transmission, and mobile data transmission and so on;
6. Package: PE Bag + Exporting Carton.

Interface	USB 2.0 A/CM to USB CM
Bandwidth	480Mbps
Charge	27W/60W
Power	2A
Cable	Oxygen-free Copper Cable
Jacket	Nylon Braid
Plug	Nickel Plated
Shell	Aluminium Alloy/PVC
Length	1Meter to 3Meter Max

USB 2.0 A/C to C Data and Charging Cable

480M | 60W Max. | 3M Length | Data

Model:JY-21AC-001
(Black/Red/Silver)

Model:JY-21CC-002

Our Cables - USB A to C Cabes

Key Features:

1. Support 10Gbps; 60W Charging
2. Backward compatible with USB3.0/USB2.0;
3. Support data transmission,charging;
4. Max to 3m, Plug and play, no need external power support;
5. Applications: It is applicable to charging of iphones, Android phones, tablets, game consoles, portable hard drives, data transmission, and mobile data transmission and so on;
6. Package: PE Bag + Exporting Carton.

Interface	USB 3.2 AM to USB CM
Bandwidth	10Gbps
Charge	27W/60W
Power	3A
Cable	Oxygen-free Copper Cable
Jacket	NPVC
Plug	Nickel Plated
Shell	Aluminium Alloy/PVC
Length	1Meter to 3Meter Max

USB 3.2 A to C Data and Charging Cable

10Gbps | 60W Max. | 3M Length | Data

Model:JY-321AC-001

Our Cables - USB Type C to C Cabes

USB 3.1 10G C to C full function Cable

10Gbps | 4K*2K@60Hz | PD 100W | Data

Model:JY-31CC-001

Model:JY-31BC-001

Key Features:

1. Support 10Gbps; 4k@60Hz;100W Charging
2. Backward compatible with USB3.0/USB2.0;
3. Twisted pure or Coaxial Cable copper cable;
4. Support audio and video,data transmission,charging;
5. Max to 7m, Plug and play, no need external power support;
6. Applications: Mobile performances and stages, Docking Stations, Medical Imaging, VR/AR Systems, Industrial PCs and so on;
7. Package: PE Bag + Exporting Carton.

Interface	USB 3.1 10G CM to CM
Bandwidth	10Gbps
Charge	20V/5A
Power	100W
Resolution	4K*2K@60Hz
Cable	Oxygen-free Copper Cable
Jacket	Nylon Braid/PVC Jacket
Plug	Nickel Plated
Shell	Aluminium Alloy/PVC
Length	1Meter to 7Meter Max

Our Cables - USB Type C to C Cabes

USB 3.2 20G C to C Full Function Cable

20Gbps | 4K@60Hz | 20V/5A | Data

Model:JY-32CC-001

Model:JY-32CC-002

Model:JY-32CC-003

Key Features:

1. Support 20Gbps; 4k@60Hz;100W Charging
2. Backward compatible with USB3.0/USB2.0;
3. Twisted pure or Coaxial Cable copper cable;
4. Support audio and video,data transmission,charging;
5. Max to 5m, Plug and play, no need external power support;
6. Applications: Mobile performances and stages, Docking Stations, Medical Imaging, VR/AR Systems, Industrial PCs and so on;
7. Package: PE Bag + Exporting Carton.

Interface	USB 3.2 20G CM to CM
Bandwidth	20Gbps
Charge	20V/5A
Power	100W
Resolution	4K@60Hz
Cable	Oxygen-free Copper Cable
Jacket	Nylon Braid/PVC Jacket
Plug	Nickel Plated
Shell	Aluminium Alloy/PVC
Length	1Meter to 5Meter Max

Our Cables - USB Type C to C Cables

Key Features:

1. Support 20Gbps; 4k@60Hz;100W Charging
2. Backward compatible with USB3.0/USB2.0;
3. Twisted pure or Coaxial Cable copper cable;
4. Support audio and video,data transmission,charging;
5. Max to 5m, Plug and play, no need external power support;
6. Applications: Mobile performances and stages, Docking Stations, Medical Imaging, VR/AR Systems, Industrial PCs and so on;
7. Package: PE Bag + Exporting Carton.

Interface	USB 3.2 Tyep CM to CF
Bandwidth	20Gbps
Resolution	4K@60Hz
Power	240W (48V/5A)
Cable	Oxygen-free Copper Cable
Jacket	Nylon Braid/PVC Jacket
Plug	Nickel Plated
Shell	Aluminium Alloy/PVC
Length	0.5Meter to 3Meter Max

USB 3.2 20G Type CM to CF Cable

20Gbps | USB3.2 | 4K@60Hz | 240W PD

Model:JY-32BC-0(

Model:JY-32BC-001

Our Cables - USB Type C to C Cables

Key Features:

1. Support 40Gbps; 8k@60Hz;240W Charging
2. Backward compatible with USB3.2/USB3.0/USB2.0;
3. Twisted pure or Coaxial Cable copper cable;
4. Support audio and video,data transmission,charging;
5. Max to 2m, Plug and play, no need external power support;
6. Applications: Mobile performances and stages, Docking Stations, Medical Imaging, VR/AR Systems, Industrial PCs and so on;
7. Package: PE Bag + Exporting Carton.

Interface	USB 4.0 Type CM to CM
Bandwidth	40Gbps
Resolution	8K@60Hz
Power	240W (48V/5A)
Cable	Oxygen-free Copper Cable
Jacket	Nylon Braid/PVC Jacket
Plug	Nickel Plated
Shell	Aluminium Alloy/PVC
Length	0.5Meter to 2Meter Max

USB4 40G C to C Full Function Cable

40Gbps | USB4 | 8K@60Hz | 240W PD

Model:JY-40UC-001

Model:JY-40UC-002

Our Cables - USB Type C to C Cables

USB4 40G C to C Full Function Digital display Cable

40Gbps | USB4 | 8K@60Hz | 240W PD

Model:JY-40UC-003

Model:JY-40UC-004

Key Features:

1. Support 40Gbps; 8k@60Hz;240W Charging
2. Backward compatible with USB3.2/USB3.0/USB2.0;
3. Twisted pure or Coaxial Cable copper cable;
4. Support audio and video,data transmission,charging;
5. Max to 2m, Plug and play, no need external power support;
6. Applications: Mobile performances and stages, Docking Stations, Medical Imaging, VR/AR Systems, Industrial PCs and so on;
7. Package: PE Bag + Exporting Carton.

Interface	USB4 40G Type CM to CM with Digital Display
Bandwidth	40Gbps
Resolution	8K@60Hz
Power	240W (48V/5A)
Cable	Oxygen-free Copper Cable
Jacket	Nylon Braid/PVC Jacket
Plug	Nickel Plated
Shell	Aluminium Alloy/PVC
Length	0.5Meter to 2Meter Max

Our Cables - USB Type C to C Cables

USB5/Thunderbolt 5 80G Type C to C Cable

80Gbps | USB5 | 16K@60Hz | 240W PD

Model:JY-50UC-003

Key Features:

1. Support 80Gbps; 16k@60Hz;240W Charging
2. Backward compatible with USB4/Thunderbolt4;
3. Twisted pure or Coaxial Cable copper cable;
4. Support audio and video,data transmission,charging;
5. Max to 2m, Plug and play, no need external power support;
6. Applications: Mobile performances and stages, Docking Stations, Medical Imaging, VR/AR Systems, Industrial PCs and so on;
7. Package: PE Bag + Exporting Carton.

Interface	USB5/Thunderbolt4 80G Type C to C
Bandwidth	40Gbps
Resolution	8K@60Hz
Power	240W (48V/5A)
Cable	Oxygen-free Copper Cable
Jacket	Nylon Braid/PVC Jacket
Plug	Nickel Plated
Shell	Aluminium Alloy/PVC
Length	0.5Meter to 2Meter Max

Our HDMI and USB Adapters

HDMI 2.1v 8K Adapters

HDMI 2.1 | 8K@60Hz | 48Gbps | UHD

Model:JY-8KFF-001

Model:JY-8KFF-002

Model:JY-8KFF-003

Model:JY-8KFM-001

Model:JY-8KFM-002

Model:JY-8KFM-003

Model:JY-8KFM-004

Model:JY-8KFM-005

Model:JY-8KFM-006

Model:JY-8KMM-001

Model:JY-8KFN-007

Model:JY-8KMI-005

Model:JY-8KFD-001

Interface	HDMI / Mini / Micro Male to HDMI Female
Bandwidth	48Gbps
Versions	HDMI2.1
Resolution	8K@60Hz
Style	90° angle / 270° angle
Plug	Nickel Plated
Shell	Aluminium Alloy/ABS

USB3.1 / USB4.0 Type C to C Adapters

USB3.2/4.0 | 4K/8K@60Hz | 10/40Gbps | 100/240W

Model:JY-U3FF-001

Model:JY-U3FM-001

Model:JY-U3FM-002

Model:JY-U3FM-003

Model:JY-U3AA-001

Model:JY-U4CCFF-001

Model:JY-U4ACAF-004

Model:JY-U4ACAF-003

Model:JY-U4ACAF-002

Model:JY-U4ACAF-001

Model:JY-U4CCFF-002

Model:JY-U4ACAF-005

Model:JY-U4CCFF-003

Interface	USB Type C Male to C Female
Bandwidth	10Gbps / 40Gbps
Versions	USB3.1 / USB4.0
Resolution	4K@60Hz / 8K@60Hz
PD	100W / 240W
Plug	Nickel Plated / Gold Plated
Shell	Aluminium Alloy/PVC

USB / Type C Hubs / Dock Station

USB2.0/USB3.0 | 4K@60Hz | 5Gbps | 100/120W

Model:JY-U4-101

Model:JY-T4-106

Model:JY-T5-107

Model:JY-T4-109

Model:JY-T5-110

Model:JY-T6-111

Model:JY-T6-112

Model:JY-T5-113

Model:JY-T7-117

Model:JY-T8-118

Model:JY-T5-119

Model:JY-T8-121

Model:JY-T3-122

Model:JY-T4-123

Model:JY-T5-124

Interface	USB2.0/USB3.0/HDMI/RJ45/SD/TF/Type C PD/Type C Data
Bandwidth	10Gbps / 40Gbps
Versions	USB2.0 / USB3.0
Resolution	4K@30Hz / 4K@60Hz
PD	87W / 100W
Plug	Nickel Plated
Shell	Aluminium Alloy + ABS

Reliable Provider of Connection

Small minimum order quantity and fast delivery!

Contact us:

Mr.Alex
Email: alex@hdavcables.com
Tel/Whatsapp/Wechat: +86 13129965001
Website: www.mtkzn.com

Our Production Test

Our Certificate