

KITCHEN APPLIANCES

Blenders. Juicers. Food preparation.

A sourcing collection for distributors, importers and private-label buyers.

56 MODELS / 2026 COLLECTION



**Source Globally.
Trade Seamlessly.**

CSL IMPEX

China Sourcing Link

PRODUCT CATALOGUE / KA-2026.01

CHINA SOURCING LINK

From product selection to shipment.

CSL IMPEX connects product requirements with sourcing, supplier coordination and export support.

01 Sourcing & procurement

Shortlist models, compare configurations and coordinate supplier quotations.

02 OEM & packaging

Coordinate branding, colour, packaging and artwork requirements with the supplier.

03 Quality coordination

Arrange agreed inspections, reporting and sample checks before dispatch.

04 Export & logistics

Coordinate export documentation and air, land or sea shipment requirements.

How to use this catalogue

Quote the CSL-KA enquiry code with your quantity, destination, required voltage and plug. Listed options are alternative configurations to confirm, not a promise that every option is supplied together.

FIND YOUR MODEL

Product index 01

Select an enquiry code to jump to its product page in the PDF.

CSL ENQUIRY CODE	PRODUCT FAMILY	SOURCE-LISTED POWER	PAGE
CSL-KA-001	Multi-jar blender	700 / 1000 W	06
CSL-KA-002	Multi-jar blender	1350 / 1500 / 1800 W	07
CSL-KA-003	Sound-enclosure blender	1800-2200 W	08
CSL-KA-004	Sound-enclosure blender	1800-2200 W	09
CSL-KA-005	Sound-enclosure blender	1800-2200 W	10
CSL-KA-006	Multi-jar blender	800-1200 W	11
CSL-KA-007	Performance blender	1350-1800 W	12
CSL-KA-008	Performance blender	1200-1350 W	13
CSL-KA-009	Performance blender	600-1200 W	14
CSL-KA-010	Performance blender	1200 W	15
CSL-KA-011	Performance blender	1500-1800 W	16
CSL-KA-012	Performance blender	1500-1800 W	17
CSL-KA-013	Performance blender	1350-1800 W	18
CSL-KA-014	Performance blender	1350-1800 W	19
CSL-KA-015	Performance blender	1350-1800 W	20
CSL-KA-016	Performance blender	1500-1800 W	21
CSL-KA-017	Performance blender	1500-1800 W	22
CSL-KA-018	Performance blender	1500-1800 W	23
CSL-KA-019	Performance blender	1500-1800 W	24

Power figures and configurations are supplier-listed; final rated power and configuration require confirmation.

FIND YOUR MODEL

Product index 02

Select an enquiry code to jump to its product page in the PDF.

CSL ENQUIRY CODE	PRODUCT FAMILY	SOURCE-LISTED POWER	PAGE
CSL-KA-020	Performance blender	1500-1800 W	25
CSL-KA-021	Large-capacity blender	2200 W	26
CSL-KA-022	Large-capacity blender	2200 W	27
CSL-KA-023	Large-capacity blender	2200 W	28
CSL-KA-024	Large-capacity blender	2200 W	29
CSL-KA-025	Large-capacity blender	2200 W	30
CSL-KA-026	Performance blender	1500-1800 W	31
CSL-KA-027	Sound-enclosure blender	2200 W	32
CSL-KA-028	Sound-enclosure blender	2200 W	33
CSL-KA-029	Sound-enclosure blender	1800 W	34
CSL-KA-030	Sound-enclosure blender	1800 W	35
CSL-KA-031	Sound-enclosure blender	1800-2000 W	36
CSL-KA-032	Sound-enclosure blender	1800-2000 W	37
CSL-KA-033	Sound-enclosure blender	1800-2000 W	38
CSL-KA-034	Citrus juicer	250 W	39
CSL-KA-035	Multifunction blender	2200 W	40
CSL-KA-036	Heating blender	800 W	41
CSL-KA-037	Heating blender	800 W	42
CSL-KA-038	Heating blender	800 W	43

Power figures and configurations are supplier-listed; final rated power and configuration require confirmation.

FIND YOUR MODEL

Product index 03

Select an enquiry code to jump to its product page in the PDF.

CSL ENQUIRY CODE	PRODUCT FAMILY	SOURCE-LISTED POWER	PAGE
CSL-KA-039	Blender + grinder	350-800 W	44
CSL-KA-040	Everyday blender	350-800 W	45
CSL-KA-041	Blender + grinder	350-800 W	46
CSL-KA-042	Everyday blender	350-800 W	47
CSL-KA-043	Blender + grinder	350-800 W	48
CSL-KA-044	Everyday blender	350-800 W	49
CSL-KA-045	Blender + grinder	350-800 W	50
CSL-KA-046	Everyday blender	350-800 W	51
CSL-KA-047	Blender + grinder	350-800 W	52
CSL-KA-048	Blender + grinder	350-800 W	53
CSL-KA-049	Blender + grinder	400-800 W	54
CSL-KA-050	Blender + grinder	400-800 W	55
CSL-KA-051	Blender + grinder	900 W	56
CSL-KA-052	Blender + grinder	350-800 W	57
CSL-KA-053	Multi-jar blender	1500-1800 W	58
CSL-KA-054	Multi-jar blender	1500-1800 W	59
CSL-KA-055	Multi-jar blender	1500-1800 W	60
CSL-KA-056	Dual-bowl food chopper	450 W	61

Power figures and configurations are supplier-listed; final rated power and configuration require confirmation.

Multi-jar blender

CSL-KA-001



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	700 / 1000 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L + 700 mL grinding + 1.8 L meat/vegetable; PC
Motor	9520 / 9525 copper
Blades	6 or 8 stainless steel blades
Body / base	ABS + stainless steel; non-slip handle cover and feet
Protection	Motor overheat protector

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 52 cm	64 x 54.5 x 54 cm	4 units / carton	Not supplied

Loading estimate: 20GP 580 units / 40HQ 1476 units. Final loading subject to packing confirmation.

Multi-jar blender

CSL-KA-002



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1350 / 1500 / 1800 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2.2 L + 700 mL grinding + 1.8 L meat/vegetable; PC
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades; 2 bearings; 100 g fixing plate
Controls	Timer
Body / base	ABS + stainless steel; non-slip handle cover and feet
Protection	Safety switch; overcurrent and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 52 cm	64 x 54.5 x 54 cm	4 units / carton	Not supplied

Loading estimate: 20GP 580 units / 40HQ 1476 units. Final loading subject to packing confirmation.

Sound-enclosure blender

CSL-KA-003



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1800-2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L heavy PC jar
Motor	9545 copper
Blades	6 or 8 stainless steel blades; 2 bearings; 180 g fixing plate
Controls	Digital control; timer
Body / base	ABS; non-slip handle cover and feet
Protection	Safety switch; overcurrent and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
32 x 26.5 x 47.5 cm	55 x 33 x 50 cm	2 units / carton	Not supplied

Loading estimate: 20GP 582 units / 40HQ 1516 units. Final loading subject to packing confirmation.

Sound-enclosure blender

CSL-KA-004



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1800-2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L heavy PC jar
Motor	9545 copper
Blades	6 or 8 stainless steel blades; 2 bearings; 180 g fixing plate
Controls	Knob control
Body / base	ABS; non-slip handle cover and feet
Protection	Safety switch; overcurrent and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
32 x 26.5 x 47.5 cm	55 x 33 x 50 cm	2 units / carton	Not supplied

Loading estimate: 20GP 582 units / 40HQ 1516 units. Final loading subject to packing confirmation.

Sound-enclosure blender

CSL-KA-005



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1800-2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L heavy PC jar
Motor	9545 copper
Blades	6 or 8 stainless steel blades; 2 bearings; 180 g fixing plate
Controls	Knob control; timer
Body / base	ABS; non-slip handle cover and feet
Protection	Safety switch; overcurrent and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
32 x 26.5 x 47.5 cm	55 x 33 x 50 cm	2 units / carton	Not supplied

Loading estimate: 20GP 582 units / 40HQ 1516 units. Final loading subject to packing confirmation.

Multi-jar blender

CSL-KA-006



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	800-1200 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	2 L + 700 mL grinding + 1.8 L meat/vegetable; PC
Motor	9520 / 9525
Blades	6 stainless steel blades; 2 bearings
Body / base	PP; non-slip handle cover and feet
Protection	Motor overheat protector

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
27.5 x 49.5 x 20.5 cm	57 x 42.5 x 51.5 cm	4 units / carton	Not supplied

Loading estimate: 20GP 920 units / 40HQ 2120 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-007



Listed power	1350-1800 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L PC jar
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades
Body / base	ABS base; non-slip feet
Protection	Overcurrent and overheat protection

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 36 cm	53.5 x 32.5 x 74 cm	4 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-008

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1200-1350 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L PC jar
Motor	9525 copper
Blades	6 or 8 stainless steel blades
Body / base	PP; non-slip handle cover and feet
Protection	Overcurrent and overheat protection
Options	600 mL grinding jar

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
27.5 x 34.5 x 20.5 cm	63 x 56 x 36 cm	6 units / carton	Not supplied

Loading estimate: 20GP 1224 units / 40HQ 3210 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-009



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	600-1200 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	2 L PC; clear / light blue
Motor	7630 / 9520 / 9525
Blades	6 or 8 stainless steel blades
Controls	Timer
Body / base	PP; non-slip feet
Protection	Overcurrent and overheat protection
Options	700 mL grinding jar

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
27.5 x 34.5 x 20.5 cm	63 x 71 x 28.5 cm	6 units / carton	Not supplied

Loading estimate: 20GP 1224 units / 40HQ 3210 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-010



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L PC jar
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades
Body / base	ABS base; non-slip feet
Protection	Overcurrent and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
27.5 x 20.5 x 36 cm	63 x 28.5 x 74 cm	6 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-011



Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	2 L thick-wall PC; clear / light blue
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades; 2 bearings
Controls	Timer
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
27.5 x 20.5 x 36 cm	63 x 28.5 x 74 cm	6 units / carton	Not supplied

Loading estimate: 20GP to confirm / 40HQ to confirm. Final loading subject to packing confirmation.

Performance blender

CSL-KA-012



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	2 L thick-wall PC; clear / light blue
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades; 2 bearings
Body / base	PP; non-slip feet
Protection	Safety switch; overload and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
27.5 x 20.5 x 36 cm	63 x 28.5 x 74 cm	6 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-013

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1350-1800 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L PC jar
Motor	9525 / 9530 copper
Blades	6 or 8 stainless steel blades
Body / base	ABS base; non-slip feet
Protection	Overcurrent and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 36 cm	53.5 x 32.5 x 74 cm	4 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-014


Listed power	1350-1800 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L PC jar
Motor	9525 / 9530 copper
Blades	6 or 8 stainless steel blades
Controls	Timer
Body / base	ABS base; non-slip feet
Protection	Overcurrent and overheat protection

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 36 cm	53.5 x 32.5 x 74 cm	4 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-015


Listed power	1350-1800 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L PC jar
Motor	9525 / 9530 copper
Blades	6 or 8 stainless steel blades
Body / base	ABS base; non-slip feet
Protection	Overcurrent and overheat protection

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 36 cm	53.5 x 32.5 x 74 cm	4 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-016



Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	2 L thick-wall PC; clear / light blue
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades; 2 bearings
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 36 cm	53.5 x 32.5 x 74 cm	4 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-017



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	2 L thick-wall PC; clear / light blue
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades; 2 bearings
Controls	Timer
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 36 cm	53.5 x 32.5 x 74 cm	4 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-018



Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	2 L thick-wall PC; clear / light blue
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades; 2 bearings
Controls	Three buttons and one knob
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 36 cm	53.5 x 32.5 x 74 cm	4 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-019



Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	2 L thick-wall PC; clear / light blue
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades; 2 bearings
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 36 cm	53.5 x 32.5 x 74 cm	4 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-020

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	2 L thick-wall PC; clear / light blue
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades; 2 bearings
Controls	Timer
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31 x 26 x 36 cm	53.5 x 32.5 x 74 cm	4 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Large-capacity blender

CSL-KA-021



Listed power	2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L or 3 L PC jar
Motor	9545 copper
Blades	6 stainless steel blades
Body / base	ABS; red / black / custom finish; non-slip handle cover and feet
Protection	Overcurrent and overheat protection

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
46 x 33.5 x 30.5 cm	47.5 x 68.5 x 62.5 cm	4 units / carton	Not supplied

Loading estimate: 20GP 520 units / 40HQ 1360 units. Final loading subject to packing confirmation.

Large-capacity blender

CSL-KA-022



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L or 3 L PC jar
Motor	9545 copper
Blades	6 stainless steel blades
Body / base	ABS; red / black / custom finish; non-slip handle cover and feet
Protection	Overcurrent and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
44.5 x 33.5 x 32.5 cm	45.5 x 68 x 66 cm	4 units / carton	Not supplied

Loading estimate: 20GP 520 units / 40HQ 1360 units. Final loading subject to packing confirmation.

Large-capacity blender

CSL-KA-023



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2.5 L or 4 L thick-wall PC
Motor	9545 copper
Blades	6 or 8 blades, 304 stainless steel; 2 bearings and oil seal
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
45 x 33.5 x 30.5 cm	46.5 x 68.5 x 65 cm	4 units / carton	Not supplied

Loading estimate: 20GP 520 units / 40HQ 1360 units. Final loading subject to packing confirmation.

Large-capacity blender

CSL-KA-024



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	4 L or 5 L PC jar
Motor	9545 copper
Blades	6 stainless steel blades
Body / base	ABS; red / white / black / custom; non-slip handle cover and feet
Protection	Overcurrent and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
44.5 x 33.5 x 32.5 cm	45.5 x 68 x 66 cm	4 units / carton	Not supplied

Loading estimate: 20GP 520 units / 40HQ 1360 units. Final loading subject to packing confirmation.

Large-capacity blender

CSL-KA-025

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2.5 L or 5 L PC jar
Motor	9545 copper
Blades	6 stainless steel blades
Body / base	ABS; red / black / custom finish; non-slip handle cover and feet
Protection	Overcurrent and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
46 x 33.5 x 30.5 cm	47.5 x 68.5 x 62.5 cm	4 units / carton	Not supplied

Loading estimate: 20GP 520 units / 40HQ 1360 units. Final loading subject to packing confirmation.

Performance blender

CSL-KA-026

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	2 L thick-wall PC; clear / light blue
Motor	9525 / 9530 / 9535 copper
Blades	6 or 8 stainless steel blades; 2 bearings
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
27.5 x 20.5 x 36 cm	63 x 28.5 x 74 cm	6 units / carton	Not supplied

Loading estimate: 20GP 812 units / 40HQ 2124 units. Final loading subject to packing confirmation.

Sound-enclosure blender

CSL-KA-027



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2.2 L thick-wall PC
Motor	9545 copper
Blades	6 or 8 blades, 304 stainless steel; 2 bearings and oil seal
Controls	Digital; 6 preset menus
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection
Features	Sound enclosure

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31.5 x 28 x 53.5 cm	32.5 x 57 x 54.5 cm	2 units / carton	Not supplied

Loading estimate: 20GP 490 units / 40HQ 1283 units. Final loading subject to packing confirmation.

Sound-enclosure blender

CSL-KA-028



Listed power	2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2.2 L or 2.5 L thick-wall PC
Motor	9545 copper
Blades	6 or 8 blades, 304 stainless steel; 2 bearings and oil seal
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection
Features	Sound enclosure

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31.5 x 28 x 53.5 cm	32.5 x 57 x 54.5 cm	2 units / carton	Not supplied

Loading estimate: 20GP 490 units / 40HQ 1283 units. Final loading subject to packing confirmation.

Sound-enclosure blender

CSL-KA-029



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1800 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L thick-wall PC
Motor	9840 copper; constant speed
Blades	6 or 8 blades, 304 stainless steel; 2 bearings and oil seal
Controls	Digital with preset menus
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection
Features	Sound enclosure

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
35.8 x 30.8 x 53.5 cm	64 x 37.5 x 56.5 cm	2 units / carton	Not supplied

Loading estimate: 20GP 350 units / 40HQ 900 units. Final loading subject to packing confirmation.

Sound-enclosure blender

CSL-KA-030

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1800 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L thick-wall PC
Motor	9840 copper; constant speed
Blades	6 or 8 blades, 304 stainless steel; 2 bearings and oil seal
Controls	Manual control
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection
Features	Sound enclosure

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
35.8 x 30.8 x 53.5 cm	64 x 37.5 x 56.5 cm	2 units / carton	Not supplied

Loading estimate: 20GP 350 units / 40HQ 900 units. Final loading subject to packing confirmation.

Sound-enclosure blender

CSL-KA-031



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1800-2000 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	1.5 L PC jar
Motor	9847 copper; constant speed
Blades	6 stainless steel blades
Controls	Digital control
Body / base	ABS; red / black / custom finish; non-slip handle cover and feet
Protection	Overcurrent and overheat protection
Features	Sound enclosure

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
54 x 28 x 29 cm	56 x 30 x 61 cm	2 units / carton	Not supplied

Loading estimate: 20GP 470 units / 40HQ 1236 units. Final loading subject to packing confirmation.

Sound-enclosure blender

CSL-KA-032



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	1800-2000 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	1.5 L PC jar
Motor	9847 copper; constant speed
Blades	6 stainless steel blades
Controls	Digital control
Body / base	ABS; red / black / custom finish; non-slip handle cover and feet
Protection	Overcurrent and overheat protection
Features	Sound enclosure

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
54 x 28 x 29 cm	56 x 30 x 61 cm	2 units / carton	Not supplied

Loading estimate: 20GP 470 units / 40HQ 1236 units. Final loading subject to packing confirmation.

Sound-enclosure blender

CSL-KA-033



Listed power	1800-2000 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2 L PC jar
Motor	9840 copper; constant speed
Blades	8 stainless steel blades
Controls	IMD knob and buttons
Body / base	ABS; red / black / custom finish; non-slip handle cover and feet
Protection	Overcurrent and overheat protection
Features	Sound enclosure

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
32 x 28.5 x 52.5 cm	To confirm	To confirm	Not supplied

Loading estimate: 20GP 520 units / 40HQ 1360 units. Final loading subject to packing confirmation.

Citrus juicer

CSL-KA-034



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	250 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	3 sizes of juicer heads
Motor	7640 or 9820 copper
Body / base	ABS plastic or metal; non-slip feet
Protection	Overcurrent and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
33 x 24.5 x 38.5 cm	50.2 x 33.6 x 78.5 cm	4 units / carton	Not supplied

Loading estimate: 20GP 744 units / 40HQ 1940 units. Final loading subject to packing confirmation.

Multifunction blender

CSL-KA-035



PRODUCT REFERENCE

Source image and specification conflict. Confirm jar material, enclosure, controls and packing before quotation.

Listed power	2200 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	2.2 L PC listed; confirm against pictured glass-style jar
Motor	9545 copper
Blades	6 or 8 blades, 304 stainless steel; 2 bearings and oil seal
Controls	Digital; 6 presets listed
Body / base	ABS base; non-slip feet
Protection	Safety switch; overload and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
31.5 x 28 x 53.5 cm	32.5 x 57 x 54.5 cm	2 units / carton	Not supplied

Loading estimate: 20GP 490 units / 40HQ 1283 units. Final loading subject to packing confirmation.

Heating blender

CSL-KA-036



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	800 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	1.75 L high-borosilicate glass
Motor	9520 copper
Blades	8 stainless steel blades
Controls	IMD digital control
Body / base	Stainless steel and metal body; non-slip handle cover and feet
Protection	Overcurrent and overheat protection
Features	Heating and non-heating functions

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
42.5 x 27 x 32.5 cm	52 x 43.5 x 64.5 cm	4 units / carton	Not supplied

Loading estimate: 20GP 700 units / 40HQ 1812 units. Final loading subject to packing confirmation.

Heating blender

CSL-KA-037



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	800 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	1.75 L high-borosilicate glass
Motor	7630 copper
Blades	8 stainless steel blades
Controls	Digital control
Body / base	PP; non-slip handle cover and feet
Protection	Overcurrent and overheat protection
Features	Heating and non-heating functions

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
43 x 26 x 32 cm	51.9 x 43.5 x 65.7 cm	4 units / carton	Not supplied

Loading estimate: 20GP 700 units / 40HQ 1812 units. Final loading subject to packing confirmation.

Heating blender

CSL-KA-038



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	800 W
Supply	110-240 V; 50/60 Hz
Jar / capacity	1.75 L high-borosilicate glass
Motor	7630 copper
Blades	8 stainless steel blades
Controls	Digital control
Body / base	PP; non-slip handle cover and feet
Protection	Overcurrent and overheat protection
Features	Heating and non-heating functions

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
43 x 26 x 32 cm	51.9 x 43.5 x 65.7 cm	4 units / carton	Not supplied

Loading estimate: 20GP 700 units / 40HQ 1812 units. Final loading subject to packing confirmation.

Blender + grinder

CSL-KA-039



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L glass jar + small grinding jar
Motor	7020 / 7025 / 7030
Blades	4 stainless steel blades; 50% copper bearings; grinder: 1 blade, 15% copper bearing
Controls	2 speeds + pulse
Body / base	PP with sprayed trim; non-slip feet

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
21.5 x 21.5 x 40 cm	37 x 49 x 66 cm	8 units / carton	Not supplied

Loading estimate: 20GP 1728 units / 40HQ 4480 units. Final loading subject to packing confirmation.

Everyday blender

CSL-KA-040



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L PC jar
Motor	7620 / 7625 / 7630
Blades	4 stainless steel blades; 50% copper bearings
Controls	2 speeds + pulse
Body / base	PP; non-slip feet
Colours	Black / blue

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
21.5 x 21.5 x 40 cm	37 x 49 x 66 cm	8 units / carton	Not supplied

Loading estimate: 20GP 1728 units / 40HQ 4480 units. Final loading subject to packing confirmation.

Blender + grinder

CSL-KA-041



Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L glass jar + small grinding jar
Motor	7620 / 7625 / 7630
Blades	4 stainless steel blades; 50% copper bearings; grinder: 1 blade, 15% copper bearing
Controls	2 speeds + pulse
Body / base	PP; non-slip feet
Colours	Black / blue

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
21.5 x 21.5 x 40 cm	37 x 49 x 66 cm	8 units / carton	Not supplied

Loading estimate: 20GP 1728 units / 40HQ 4480 units. Final loading subject to packing confirmation.

Everyday blender

CSL-KA-042



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L PC jar
Motor	7620 / 7625 / 7630
Blades	4 stainless steel blades; 50% copper bearings
Controls	2 speeds + pulse
Body / base	PP; non-slip feet
Colours	Black / blue

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
21.5 x 21.5 x 40 cm	37 x 49 x 66 cm	8 units / carton	Not supplied

Loading estimate: 20GP 1728 units / 40HQ 4480 units. Final loading subject to packing confirmation.

Blender + grinder

CSL-KA-043



Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L glass jar + small grinding jar
Motor	7620 / 7625 / 7630
Blades	4 stainless steel blades; 50% copper bearings; grinder: 1 blade, 15% copper bearing
Controls	2 speeds + pulse
Body / base	PP with sprayed trim; non-slip feet
Colours	Black / blue

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
21.5 x 21.5 x 40 cm	37 x 49 x 66 cm	8 units / carton	Not supplied

Loading estimate: 20GP 1728 units / 40HQ 4480 units. Final loading subject to packing confirmation.

Everyday blender

CSL-KA-044



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L PC jar
Motor	7620 / 7625 / 7630
Blades	4 stainless steel blades; 50% copper bearings
Controls	2 speeds + pulse
Body / base	PP; non-slip feet
Colours	Black / blue

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
21.5 x 21.5 x 40 cm	37 x 49 x 66 cm	8 units / carton	Not supplied

Loading estimate: 20GP 1728 units / 40HQ 4480 units. Final loading subject to packing confirmation.

Blender + grinder

CSL-KA-045



Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L glass jar + small grinding jar
Motor	7620 / 7625 / 7630
Blades	4 stainless steel blades; 50% copper bearings; grinder: 1 blade, 15% copper bearing
Controls	2 speeds + pulse
Body / base	PP with sprayed trim; non-slip feet
Colours	Black / blue

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
21.5 x 21.5 x 40 cm	37 x 49 x 66 cm	8 units / carton	Not supplied

Loading estimate: 20GP 1728 units / 40HQ 4480 units. Final loading subject to packing confirmation.

Everyday blender

CSL-KA-046



Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L PC jar
Motor	7620 / 7625 / 7630
Blades	4 stainless steel blades; 50% copper bearings
Controls	2 speeds + pulse
Body / base	PP; non-slip feet
Colours	Black / blue

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
21.5 x 21.5 x 40 cm	37 x 49 x 66 cm	8 units / carton	Not supplied

Loading estimate: 20GP 1728 units / 40HQ 4480 units. Final loading subject to packing confirmation.

Blender + grinder

CSL-KA-047



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L glass jar + small grinder
Motor	7620 / 7625 / 7630
Blades	6 stainless steel blades; 2 bearings
Controls	2 speeds + pulse
Body / base	PP; non-slip feet

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
24 x 19.8 x 32 cm	61 x 49.5 x 33.5 cm	6 units / carton	Not supplied

Loading estimate: 20GP 1650 units / 40HQ 4032 units. Final loading subject to packing confirmation.

Blender + grinder

CSL-KA-048



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L glass jar + small grinder
Motor	7620 / 7625 / 7630
Blades	6 stainless steel blades; 2 bearings
Controls	5 speeds; ice crush
Body / base	PP; non-slip feet

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
24 x 19.8 x 32 cm	61 x 49.5 x 33.5 cm	6 units / carton	Not supplied

Loading estimate: 20GP 1650 units / 40HQ 4032 units. Final loading subject to packing confirmation.

Blender + grinder

CSL-KA-049



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	400-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L glass jar + small grinder
Motor	7620 / 7625 / 7630
Blades	6 stainless steel blades; 2 bearings
Controls	2 speeds + pulse
Body / base	PP; non-slip feet

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
24 x 18.5 x 33.5 cm	57 x 49.5 x 35 cm	6 units / carton	20.05 kg

Loading estimate: 20GP 1776 units / 40HQ 4314 units. Final loading subject to packing confirmation.

Blender + grinder

CSL-KA-050



PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

Listed power	400-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L glass jar + small grinder
Motor	7620 / 7625 / 7630
Blades	6 stainless steel blades; 2 bearings
Controls	3 speeds + pulse
Body / base	PP; non-slip feet

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
22 x 19 x 33.5 cm	58.5 x 45.5 x 35 cm	6 units / carton	19 kg

Loading estimate: 20GP 1836 units / 40HQ 4422 units. Final loading subject to packing confirmation.

Blender + grinder

CSL-KA-051



Listed power	900 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L glass jar + small grinding jar
Motor	7620 / 7625 / 7630
Blades	4 stainless steel blades; 50% copper bearings; grinder: 1 blade, 15% copper bearing
Controls	2 speeds + pulse
Body / base	PP with sprayed trim; non-slip feet
Colours	White / red

PRODUCT REFERENCE

Reference configuration shown. Colours, accessories and product markings are subject to order confirmation.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
21 x 16 x 36 cm	55.5 x 39.5 x 40.5 cm	6 units / carton	11 kg

Loading estimate: 20GP to confirm / 40HQ to confirm. Final loading subject to packing confirmation.

Blender + grinder

CSL-KA-052



PRODUCT REFERENCE

Source also describes glass in the same jar entry. Confirm the exact jar material.

Listed power	350-800 W
Supply	110-240 V; frequency not supplied
Jar / capacity	1.5 L PS / PC listed + small grinder; material to confirm
Motor	7620 / 7625 / 7630
Blades	4 or 6 stainless steel blades
Controls	1 speed
Body / base	PP with sprayed trim; non-slip feet
Colours	White

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
21.5 x 14.5 x 38 cm	30.5 x 38.5 x 66 cm	6 units / carton	11 kg

Loading estimate: 20GP to confirm / 40HQ to confirm. Final loading subject to packing confirmation.

Multi-jar blender

CSL-KA-053



PRODUCT REFERENCE

Photograph shows the main jar only. Confirm the complete three-jar set.

Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	3 jars listed; 2 L main PC jar; other sizes to confirm
Motor	9520 / 9525 / 9530 / 9535
Blades	6 or 8 stainless steel blades; 2 bearings
Body / base	ABS; non-slip handle cover and feet
Protection	Safety switch; overload and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
27.5 x 20.5 x 34.5 cm	63 x 28.5 x 71 cm	6 units / carton	Not supplied

Loading estimate: 20GP to confirm / 40HQ to confirm. Final loading subject to packing confirmation.

Multi-jar blender

CSL-KA-054



PRODUCT REFERENCE

Photograph shows the main jar only. Confirm the complete three-jar set.

Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	3 jars listed; 2 L main PC jar; other sizes to confirm
Motor	9520 / 9525 / 9530 / 9535
Blades	6 or 8 stainless steel blades; 2 bearings
Body / base	ABS; non-slip handle cover and feet
Protection	Safety switch; overload and overheat protection

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
27.5 x 20.5 x 34.5 cm	63 x 28.5 x 71 cm	6 units / carton	Not supplied

Loading estimate: 20GP to confirm / 40HQ to confirm. Final loading subject to packing confirmation.

Multi-jar blender

CSL-KA-055



Listed power	1500-1800 W
Supply	220-240 V; 50/60 Hz
Jar / capacity	3 jars listed; 2 L main PC jar; other sizes to confirm
Motor	9520 / 9525 / 9530 / 9535
Blades	6 or 8 stainless steel blades; 2 bearings
Controls	Timer
Body / base	ABS; non-slip handle cover and feet
Protection	Safety switch; overload and overheat protection

PRODUCT REFERENCE

Photograph shows the main jar only. Confirm the complete three-jar set.

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
27.5 x 20.5 x 34.5 cm	63 x 28.5 x 71 cm	6 units / carton	Not supplied

Loading estimate: 20GP to confirm / 40HQ to confirm. Final loading subject to packing confirmation.

Dual-bowl food chopper

CSL-KA-056



PRODUCT REFERENCE

Source lists lower bowl as dishwasher-safe and ice crushing of about 20 g; confirm instructions. Cord notation: 0.5 x 2 x 1.2 m (confirm).

Listed power	450 W
Supply	Voltage / frequency to confirm
Jar / capacity	Upper: 0.4 L AS; lower: 0.6 L AS
Motor	5430 copper rotor
Blades	4 blades per bowl
Controls	2 speeds
Features	Use bowls together or separately; 1 PP storage cover

RETAIL BOX	MASTER CARTON	PACK QUANTITY	CARTON GROSS WT.
15.7 x 13.5 x 31 cm	32.4 x 29.7 x 64 cm	8 units / carton	Not supplied

Loading estimate: 20GP to confirm / 40HQ to confirm. Final loading subject to packing confirmation.

CONFIGURE YOUR ENQUIRY

Make the range your own.

CSL IMPEX can coordinate private-label and export requirements with the supplier.

01 / PRODUCT

Send the CSL code, quantity, jar configuration and intended application.

03 / BRANDING

Share your logo, colour preference, packaging artwork and manual languages.

05 / COMMERCIAL

Confirm MOQ, price, lead time, payment terms, spare parts and warranty.

02 / ELECTRICAL

Specify destination, voltage, frequency, plug and required rated power.

04 / VALIDATION

Agree on samples, model-specific test documents and inspection criteria.

06 / DISPATCH

Approve packing, carton dimensions, shipping marks and delivery terms.

Specification notes

Power is supplier-listed, not independently verified. Confirm rated input, model-specific compliance, food-contact materials and final accessories. Container quantities are estimates. CSL codes are enquiry references.

LET US BUILD YOUR ENQUIRY

Source Globally. Trade Seamlessly.

Tell us what you need. We will coordinate the next steps.

CSL IMPEX

China Sourcing Link

CHANDRASUKH

India / WhatsApp

+91 7738424384

China

+86 15888952638

WeChat: Chandrasukh

EMAIL

cslimpex@yahoo.com

m15888952638@163.com

INDIA OFFICE

Room No. 503/C Wing, Garden Court Complex, Behind Maxus Mall, Bhayander West, Mumbai, India 401101

FOR A FASTER QUOTATION

CSL code + quantity + destination + voltage / plug + branding requirements.